

Mary's Transdermal Compound - Formula - CBD:THC:CBG - 300mg:300mg:300mg

METRC Sample: 1A406030006A9DD00002965; METRC Batch: 1A4060300001AF7000004087

Sample ID: 2601BSD0009-0027	Produced:	Distributor	Producer
Strain: CBD:THC:CBG	Collected: 01/15/2026	BRB California LLC	RCW Manufacturing
Matrix: Topical	Received: 01/15/2026	Lic. # C11-0001897-LIC	Lic. # DCC-10002341
Type: Salve	Completed: 01/20/2026	15850 Little Morongo Rd.	15850 Little Morongo Rd. #C1
Sample Size: 8 units; Batch: 638 units	Batch#: MFC121725	Desert Hot Springs, CA 92240	Desert Hot Springs, CA 92240



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	01/16/2026	Complete
Residual Solvents	01/19/2026	Pass
Microbials	01/19/2026	Pass
Mycotoxins	01/16/2026	Pass
Pesticides	01/16/2026	Pass
Heavy Metals	01/16/2026	Pass
Foreign Matter	01/15/2026	Pass

Cannabinoids by HPLC-UV

Complete

273.73 mg/serving Total THC	308.50 mg/serving Total CBD	296.88 mg/serving Total CBG	926.52 mg/serving Overall Cannabinoids
---------------------------------------	---------------------------------------	---------------------------------------	--

Analyte	LOQ	LOD	Result	Result	Result	Result
	mg/g	mg/g	mg/g	%	mg/serving	mg/container
THCa	0.0024000	0.0008000	ND	ND	ND	ND
Δ9-THC	0.0039000	0.0013000	9.78	0.978	273.73	273.73
Δ8-THC	0.0031000	0.001000	ND	ND	ND	ND
THCV	0.004000	0.0013000	ND	ND	ND	ND
CBDa	0.0023000	0.0008000	ND	ND	ND	ND
CBD	0.0038000	0.0012000	11.02	1.102	308.50	308.50
CBN	0.0041000	0.0013000	0.22	0.022	6.22	6.22
CBG	0.004000	0.0013000	10.60	1.060	296.88	296.88
CBC	0.0033000	0.0011000	1.47	0.147	41.19	41.19
Total THC			9.78	0.978	273.73	273.73
Total CBD			11.02	1.102	308.5	308.5
Total CBG			10.6	1.06	296.88	296.88
Total			33.09	3.309	926.52	926.52

Date Tested: 01/16/2026

1 serving(s) per container.

SOP ID: 3110; Instrumentation: Shimadzu Prominence LC-2030C Plus

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Not Tested Moisture Content by Moisture Balance (SOP ID 3810)	NT Not Tested Water Activity by Hydrometer (SOP ID 3710)	Pass Foreign Materials by Magnifying Glass (SOP ID 3020)
---	---	--



Firas Tamary
Laboratory Director
01/20/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



ISO/IEC 17025:2017 Accredited
All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Mary's Transdermal Compound - Formula - CBD:THC:CBG - 300mg:300mg:300mg

METRC Sample: 1A406030006A9DD000002965; METRC Batch: 1A4060300001AF7000004087

Sample ID: 2601BSD0009-0027	Produced:	Distributor	Producer
Strain: CBD:THC:CBG	Collected: 01/15/2026	BRB California LLC	RCW Manufacturing
Matrix: Topical	Received: 01/15/2026	Lic. # C11-0001897-LIC	Lic. # DCC-10002341
Type: Salve	Completed: 01/20/2026	15850 Little Morongo Rd.	15850 Little Morongo Rd. #C1
Sample Size: 8 units; Batch: 638 units	Batch#: MFC121725	Desert Hot Springs, CA 92240	Desert Hot Springs, CA 92240

Pesticides by LCMS/MS & GCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0032	0.05	0.3	ND	Pass	Fludioxonil	0.0150	0.02	30	ND	Pass
Acephate	0.0027	0.02	5	ND	Pass	Hexythiazox	0.0009	0.02	2	ND	Pass
Acequinocyl	0.0084	0.05	4	ND	Pass	Imazalil	0.01	0.02	0.01	ND	Pass
Acetamiprid	0.0108	0.02	5	ND	Pass	Imidacloprid	0.0079	0.05	3	ND	Pass
Aldicarb	0.0107	0.05	0.0107	ND	Pass	Kresoxim Methyl	0.0014	0.02	1	ND	Pass
Azoxystrobin	0.0040	0.02	40	ND	Pass	Malathion	0.0078	0.02	5	ND	Pass
Bifenazate	0.0037	0.02	5	ND	Pass	Metalaxyl	0.0143	0.05	15	ND	Pass
Bifenthrin	0.011	0.05	0.5	ND	Pass	Methiocarb	0.006	0.02	0.006	ND	Pass
Boscalid	0.0073	0.02	10	ND	Pass	Methomyl	0.0014	0.02	0.1	ND	Pass
Captan	0.01	0.1	5	ND	Pass	Mevinphos	0.0034	0.0166	0.0034	ND	Pass
Carbaryl	0.0061	0.02	0.5	ND	Pass	Myclobutanil	0.0064	0.02	9	ND	Pass
Carbofuran	0.0078	0.05	0.0078	ND	Pass	Naled	0.0086	0.05	0.5	ND	Pass
Chlorantraniliprole	0.0094	0.02	40	ND	Pass	Oxamyl	0.0011	0.02	0.2	ND	Pass
Chlordane	0.01	0.1	0.01	ND	Pass	Pacllobutrazol	0.0046	0.02	0.0046	ND	Pass
Chlorfenapyr	0.01	0.1	0.01	ND	Pass	Parathion Methyl	0.01	0.1	0.01	ND	Pass
Chlorpyrifos	0.0038	0.02	0.0038	ND	Pass	Pentachloronitrobenzene	0.01	0.1	0.2	ND	Pass
Clofentazine	0.0007	0.02	0.5	ND	Pass	Permethrin	0.0013	0.05	20	ND	Pass
Coumaphos	0.0018	0.02	0.0018	ND	Pass	Phosmet	0.0091	0.02	0.2	ND	Pass
Cyfluthrin	0.01	0.1	1	ND	Pass	Piperonyl Butoxide	0.0030	0.02	8	ND	Pass
Cypermethrin	0.01	0.1	1	ND	Pass	Prallethrin	0.0021	0.02	0.4	ND	Pass
Daminozide	0.0118	0.05	0.0118	ND	Pass	Propiconazole	0.0014	0.02	20	ND	Pass
Diazinon	0.0008	0.02	0.2	ND	Pass	Propoxur	0.0006	0.02	0.0006	ND	Pass
Dichlorvos	0.0071	0.05	0.0071	ND	Pass	Pyrethrins	0.0018	0.05	1	ND	Pass
Dimethoate	0.0033	0.02	0.0033	ND	Pass	Pyridaben	0.0090	0.05	3	ND	Pass
Dimethomorph	0.0043	0.02	20	ND	Pass	Spinetoram	0.0031	0.02	3	ND	Pass
Ethoprophos	0.0095	0.02	0.0095	ND	Pass	Spinosad	0.0068	0.0144	3	ND	Pass
Etofenprox	0.003	0.05	0.003	ND	Pass	Spiromesifen	0.0020	0.02	12	ND	Pass
Etoxazole	0.0127	0.02	1.5	ND	Pass	Spirotetramat	0.0095	0.02	13	ND	Pass
Fenhexamid	0.0027	0.02	10	ND	Pass	Spiroxamine	0.0024	0.02	0.0024	ND	Pass
Fenoxycarb	0.0057	0.02	0.0057	ND	Pass	Tebuconazole	0.0022	0.02	2	ND	Pass
Fenpyroximate	0.0093	0.02	2	ND	Pass	Thiacloprid	0.0031	0.02	0.0031	ND	Pass
Fipronil	0.004	0.02	0.004	ND	Pass	Thiamethoxam	0.0036	0.02	4.5	ND	Pass
Fonicamid	0.0025	0.02	2	ND	Pass	Trifloxystrobin	0.0014	0.02	30	ND	Pass

Date Tested: 01/16/2026

SOP ID: 3210; Instrumentation: LC MS/MS

SOP ID: 3310; Instrumentation: GC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Firas Tamary
 Laboratory Director
 01/20/2026

 Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Mary's Transdermal Compound - Formula - CBD:THC:CBG - 300mg:300mg:300mg

METRC Sample: 1A406030006A9DD000002965; METRC Batch: 1A4060300001AF7000004087

Sample ID: 2601BSD0009-0027	Produced:	Distributor	Producer
Strain: CBD:THC:CBG	Collected: 01/15/2026	BRB California LLC	RCW Manufacturing
Matrix: Topical	Received: 01/15/2026	Lic. # C11-0001897-LIC	Lic. # DCC-10002341
Type: Salve	Completed: 01/20/2026	15850 Little Morongo Rd.	15850 Little Morongo Rd. #C1
Sample Size: 8 units; Batch: 638 units	Batch#: MFC121725	Desert Hot Springs, CA 92240	Desert Hot Springs, CA 92240

Microbials by qPCR/Microbial Agar Culture

Pass

Analyte	Results	Status
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 01/19/2026

SOP ID: 3010; Instrumentation: PathogenDx microarray qPCR

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Mycotoxins by LCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.482	1.4		ND	Tested
B2	1.598	4.8		ND	Tested
G1	1.678	5.0		ND	Tested
G2	0.502	1.6		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.772	2.4	20	ND	Pass

Date Tested: 01/16/2026

SOP ID: 3210; Instrumentation: LC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals by ICP-MS

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0038	0.02	0.2	ND	Pass
Cadmium	0.0049	0.02	0.2	ND	Pass
Lead	0.0017	0.04	0.5	<LOQ	Pass
Mercury	0.0087	0.02	0.1	ND	Pass

Date Tested: 01/16/2026

SOP ID: 3410; Instrumentation: ICP-MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Firas Tamary
 Laboratory Director
 01/20/2026

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


ISO/IEC 17025:2017 Accredited
 All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Mary's Transdermal Compound - Formula - CBD:THC:CBG - 300mg:300mg:300mg

METRC Sample: 1A406030006A9DD000002965; METRC Batch: 1A4060300001AF7000004087

Sample ID: 2601BSD0009-0027	Produced:	Distributor	Producer
Strain: CBD:THC:CBG	Collected: 01/15/2026	BRB California LLC	RCW Manufacturing
Matrix: Topical	Received: 01/15/2026	Lic. # C11-0001897-LIC	Lic. # DCC-10002341
Type: Salve	Completed: 01/20/2026	15850 Little Morongo Rd.	15850 Little Morongo Rd. #C1
Sample Size: 8 units; Batch: 638 units	Batch#: MFC121725	Desert Hot Springs, CA 92240	Desert Hot Springs, CA 92240

Residual Solvents by GCMS/MS & GC-FID

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.0452	0.9375	1	ND	Pass
Acetone	2.9057	93.7500	5000	ND	Pass
Acetonitrile	3.7662	93.7500	410	<LOQ	Pass
Benzene	0.0287	0.9375	1	ND	Pass
Butane	7.4598	93.7500	5000	ND	Pass
Chloroform	0.0400	0.9375	1	ND	Pass
Ethanol	2.7671	93.7500	5000	<LOQ	Pass
Ethyl-Acetate	3.6613	93.7500	5000	<LOQ	Pass
Ethyl-Ether	2.5127	93.7500	5000	ND	Pass
Ethylene Oxide	0.0386	0.9375	1	ND	Pass
Heptane	3.1417	93.7500	5000	<LOQ	Pass
Isopropanol	3.2580	93.7500	5000	<LOQ	Pass
Methanol	2.7761	93.7500	3000	<LOQ	Pass
Methylene-Chloride	0.0164	0.9375	1	ND	Pass
n-Hexane	2.4502	93.7500	290	<LOQ	Pass
Pentane	3.0869	93.7500	5000	<LOQ	Pass
Propane	21.9176	93.7500	5000	ND	Pass
Toluene	4.5956	93.7500	890	<LOQ	Pass
Trichloroethene	0.0465	0.9375	1	ND	Pass
Xylenes	3.2814	46.8750	2170	ND	Pass

Date Tested: 01/19/2026

SOP ID: 3510; Instrumentation: HS-GCMS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Firas Tamary
 Laboratory Director
 01/20/2026

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.