



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-0000016-LIC



## Regulatory Compliance Testing Certificate of Analysis

1 of 4

### BPB Infused Pre Roll Lemonz & Cherriez 5 x 0.6 - 3.0 Gr

METRC Sample: 1A4060300077ADB000000419; METRC Batch: 1A4060300077BA2000000027

Sample ID: 2505LLI0763.2010  
Strain: Lemonz & Cherriez  
Matrix: Plant  
Type: Enhanced/Infused Preroll  
Sample Size: 8 units; Batch: 1,200 units

Produced: 05/19/2025  
Collected: 05/20/2025  
Received: 05/20/2025  
Completed: 05/23/2025  
Batch#: BPB-PR-LCG

Distributor  
**Cali Bangers, Inc.**  
Lic. # C11-0001985-LIC  
9074 De Garmo AVE.  
Sun Valley, CA 91352

Producer  
**Cali Bangers, Inc.**  
Lic. # DCC-10005059  
9074 De Garmo Ave. Sun Valley, CA 91352



### Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/22/2025	Pass
Moisture	05/20/2025	8.6% - Complete
Water Activity	05/20/2025	0.46 aw - Pass
Residual Solvents	05/23/2025	Pass
Microbials	05/20/2025	Pass
Mycotoxins	05/20/2025	Pass
Pesticides	05/20/2025	Pass
Heavy Metals	05/22/2025	Pass
Foreign Matter	05/20/2025	Pass

### Cannabinoids

Pass

<b>36.252%</b>	<b>ND</b>	<b>37.071%</b>	<b>40.758%</b>
Total THC	Total CBD	Total Cannabinoids (Neutral)	Sum of Cannabinoids

Analyte	LOQ mg/g	LOD mg/g	Results %	Results mg/g	Results mg/serving	Results mg/container
THCa	0.000022	0.000007	29.538	295.38	177.228	886.142
Δ9-THC	0.000076	0.000024	10.347	103.47	62.080	310.398
Δ8-THC	0.000083	0.000026	ND	ND	ND	ND
THCV	0.000065	0.000021	ND	ND	ND	ND
CBDa	0.001110	0.000035	ND	ND	ND	ND
CBD	0.000181	0.000057	ND	ND	ND	ND
CBDV	0.000108	0.000034	ND	ND	ND	ND
CBN	0.000068	0.000021	0.190	1.90	1.142	5.711
CBGa	0.000021	0.000007	0.437	4.37	2.622	13.109
CBG	0.002430	0.000076	ND	ND	ND	ND
CBC	0.000091	0.000029	0.246	2.46	1.475	7.376
<b>Total THC</b>			<b>36.252</b>	<b>362.515</b>	<b>217.509</b>	<b>1087.545</b>
<b>Total CBD</b>			<b>ND</b>	<b>ND</b>	<b>ND</b>	<b>ND</b>
<b>Total</b>			<b>37.071</b>	<b>370.710</b>	<b>222.426</b>	<b>1112.129</b>

Date Tested: 05/22/2025

5 serving(s) per container.

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) \* 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.



*Hripsime Aleksanyan*

Hripsime Aleksanyan - Quality Assurance Supervisor  
05/23/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-0000016-LIC



## Regulatory Compliance Testing Certificate of Analysis

2 of 4

### BPB Infused Pre Roll Lemonz & Cherriez 5 x 0.6 - 3.0 Gr

METRC Sample: 1A4060300077ADB000000419; METRC Batch: 1A4060300077BA2000000027

Sample ID: 2505LLI0763.2010

Produced: 05/19/2025

Distributor

Producer

Strain: Lemonz & Cherriez

Collected: 05/20/2025

Cali Bangers, Inc.

Cali Bangers, Inc.

Matrix: Plant

Received: 05/20/2025

Lic. # C11-0001985-LIC

Lic. # DCC-10005059

Type: Enhanced/Infused Preroll

Completed: 05/23/2025

9074 De Garmo AVE.

9074 De Garmo Ave. Sun Valley, CA 91352

Sample Size: 8 units; Batch: 1,200 units

Batch#: BPB-PR-LCG

Sun Valley, CA 91352

### Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.02	0.0608	0.1	ND	Pass	Fludioxonil	0.0063	0.0191	0.1	ND	Pass
Acephate	0.0032	0.0096	0.1	ND	Pass	Hexythiazox	0.0051	0.0155	0.1	ND	Pass
Acequinocyl	0.0048	0.0144	0.1	ND	Pass	Imazalil	0.0052	0.0156	0.0052	ND	Pass
Acetamiprid	0.0042	0.0127	0.1	ND	Pass	Imidacloprid	0.0053	0.016	5	ND	Pass
Aldicarb	0.0077	0.0232	0.0077	ND	Pass	Kresoxim Methyl	0.0035	0.0106	0.1	ND	Pass
Azoxystrobin	0.0038	0.0114	0.1	ND	Pass	Malathion	0.0053	0.0161	0.5	ND	Pass
Bifenazate	0.0056	0.017	0.1	ND	Pass	Metalaxyl	0.0045	0.0137	2	ND	Pass
Bifenthrin	0.0045	0.0136	3	0.243	Pass	Methiocarb	0.0049	0.0148	0.0049	ND	Pass
Boscalid	0.0066	0.0199	0.1	ND	Pass	Methomyl	0.0048	0.0145	1	ND	Pass
Captan	0.0235	0.0712	0.7	ND	Pass	Mevinphos	0.0039	0.0118	0.0039	ND	Pass
Carbaryl	0.0042	0.0127	0.5	ND	Pass	Myclobutanil	0.006	0.0182	0.1	0.0134	Pass
Carbofuran	0.0051	0.0155	0.0051	ND	Pass	Naled	0.0021	0.0064	0.1	ND	Pass
Chlorantraniliprole	0.0062	0.0188	10	ND	Pass	Oxamyl	0.0069	0.0209	0.5	ND	Pass
Chlordane	0.0204	0.0619	0.0204	ND	Pass	Paclobutrazol	0.0059	0.0179	0.0059	ND	Pass
Chlorfenapyr	0.0217	0.0657	0.0217	ND	Pass	Methyl Parathion	0.0168	0.051	0.0168	ND	Pass
Chlorpyrifos	0.01	0.0303	0.01	ND	Pass	Pentachloronitrobenzene	0.0055	0.0168	0.1	ND	Pass
Clofentezine	0.0036	0.011	0.1	ND	Pass	Permethrin	0.0063	0.019	0.5	ND	Pass
Coumaphos	0.0068	0.0205	0.0068	ND	Pass	Phosmet	0.0043	0.0131	0.1	ND	Pass
Cyfluthrin	0.0217	0.0657	2	ND	Pass	Piperonyl Butoxide	0.006	0.0181	3	0.014	Pass
Cypermethrin	0.0066	0.0199	1	ND	Pass	Prallethrin	0.0046	0.0139	0.1	ND	Pass
Daminozide	0.0058	0.0176	0.0058	ND	Pass	Propiconazole	0.0085	0.0258	0.1	ND	Pass
Diazinon	0.0074	0.0224	0.1	ND	Pass	Propoxur	0.0068	0.0206	0.0068	ND	Pass
Dichlorvos	0.0041	0.0123	0.0041	ND	Pass	Pyrethrins	0.0041	0.0125	0.5	ND	Pass
Dimethoate	0.0036	0.0108	0.0036	ND	Pass	Pyridaben	0.0061	0.0186	0.1	ND	Pass
Dimethomorph	0.0072	0.0217	2	ND	Pass	Spinetoram	0.005	0.015	0.1	ND	Pass
Ethoprophos	0.0041	0.0123	0.0041	ND	Pass	Spinosad	0.0052	0.0157	0.1	ND	Pass
Etofenprox	0.0044	0.0133	0.0044	ND	Pass	Spiromesifen	0.0061	0.0184	0.1	ND	Pass
Etoazole	0.0055	0.0167	0.1	ND	Pass	Spirotetramat	0.0042	0.0127	0.1	ND	Pass
Fenhexamid	0.0049	0.0147	0.1	ND	Pass	Spiroxamine	0.0048	0.0145	0.0048	ND	Pass
Fenoxycarb	0.0047	0.0142	0.0047	ND	Pass	Tebuconazole	0.006	0.0182	0.1	ND	Pass
Fenpyroximate	0.0055	0.0168	0.1	ND	Pass	Thiacloprid	0.0056	0.0169	0.0056	ND	Pass
Fipronil	0.0075	0.0227	0.0075	ND	Pass	Thiamethoxam	0.0047	0.0142	5	ND	Pass
Flonicamid	0.004	0.0122	0.1	ND	Pass	Trifloxystrobin	0.0023	0.007	0.1	ND	Pass

Date Tested: 05/20/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.

Instrument: LC-MSMS.



*Hripsime Aleksanyan*

Hripsime Aleksanyan - Quality Assurance Supervisor  
05/23/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
<http://www.landaulabs.com>  
Lic# C8-000016-LIC



Regulatory Compliance Testing  
Certificate of Analysis

3 of 4

**BPB Infused Pre Roll Lemonz & Cherriez 5 x 0.6 - 3.0 Gr**

METRC Sample: 1A4060300077ADB000000419; METRC Batch: 1A4060300077BA2000000027

Sample ID: 2505LLI0763.2010

Strain: Lemonz & Cherriez

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: 8 units; Batch: 1,200 units

Produced: 05/19/2025

Collected: 05/20/2025

Received: 05/20/2025

Completed: 05/23/2025

Batch#: BPB-PR-LCG

Distributor

**Cali Bangers, Inc.**

Lic. # C11-0001985-LIC

9074 De Garmo AVE.

Sun Valley, CA 91352

Producer

**Cali Bangers, Inc.**

Lic. # DCC-10005059

9074 De Garmo Ave. Sun Valley, CA 91352

**Residual Solvents**

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.01	0.36	1	ND	Pass
Acetone	2.16	54.00	5000	ND	Pass
Acetonitrile	0.04	4.32	410	30.37	Pass
Benzene	0.07	0.18	1	ND	Pass
Butane	2.30	11.52	5000	ND	Pass
Chloroform	0.06	0.36	1	ND	Pass
Ethanol	2.88	14.40	5000	ND	Pass
Ethyl-Acetate	1.15	28.80	5000	ND	Pass
Ethyl-Ether	1.44	36.00	5000	ND	Pass
Ethylene Oxide	0.37	0.94	1	ND	Pass
Heptane	1.44	36.00	5000	ND	Pass
Isopropanol	0.18	36.00	5000	ND	Pass
Methanol	0.72	18.00	3000	69.27	Pass
Methylene-Chloride	0.02	0.36	1	ND	Pass
n-Hexane	0.14	3.60	290	ND	Pass
Pentane	2.22	10.80	5000	ND	Pass
Propane	12.50	25.00	5000	ND	Pass
Toluene	0.43	2.16	890	ND	Pass
Trichloroethylene	0.07	0.36	1	ND	Pass
m+p Xylene	0.86	4.32			
o-Xylene	0.43	2.16			
Total Xylenes			2170	ND	Pass

Date Tested: 05/23/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004

Instrument: HS-GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor  
05/23/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.  
68031 Ramon Rd  
Cathedral City, CA 92234

(213) 275-1929  
http://www.landaulabs.com  
Lic# C8-000016-LIC



Regulatory Compliance Testing  
Certificate of Analysis

4 of 4

## BPB Infused Pre Roll Lemonz & Cherriez 5 x 0.6 - 3.0 Gr

METRC Sample: 1A4060300077ADB000000419; METRC Batch: 1A4060300077BA2000000027

Sample ID: 2505LLI0763.2010  
Strain: Lemonz & Cherriez  
Matrix: Plant  
Type: Enhanced/Infused Preroll  
Sample Size: 8 units; Batch: 1,200 units

Produced: 05/19/2025  
Collected: 05/20/2025  
Received: 05/20/2025  
Completed: 05/23/2025  
Batch#: BPB-PR-LCG

Distributor  
**Cali Bangers, Inc.**  
Lic. # C11-0001985-LIC  
9074 De Garmo AVE.  
Sun Valley, CA 91352

Producer  
**Cali Bangers, Inc.**  
Lic. # DCC-10005059  
9074 De Garmo Ave. Sun Valley, CA 91352

## Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 05/20/2025

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

## Mycotoxins

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Results µg/kg	Status
Aflatoxin B1	1.5	4.7		ND	Tested
Aflatoxin B2	1.4	4.3		ND	Tested
Aflatoxin G1	1	3		ND	Tested
Aflatoxin G2	1.3	3.9		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	2.6	8	20	ND	Pass

Date Tested: 05/20/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

## Heavy Metals

Pass

Analyte	LOD µg/g	LOQ µg/g	Limit µg/g	Results µg/g	Status
Arsenic	0.0161	0.05	0.2	ND	Pass
Cadmium	0.0155	0.05	0.2	ND	Pass
Lead	0.0144	0.05	0.5	<LOQ	Pass
Mercury	0.0012	0.005	0.1	<LOQ	Pass

Date Tested: 05/22/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



Hripsime Aleksanyan - Quality Assurance Supervisor  
05/23/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.