



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

1 of 5

BPB Infused Pre Roll Privilege Smoke 5 x 0.6 - 3.0 Gr

METRC Sample: 1A406030004B4B3000023564; METRC Batch: 1A406030000A0FB000000869

Sample ID: 2503LLI0215.0640
Strain: Privilege Smoke
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: 8 units; Batch: 1,100 units

Produced: 03/04/2025
Collected: 03/06/2025
Received: 03/06/2025
Completed: 03/14/2025
Batch#: BPB-6

Distributor
ABC Commerce LLC
Lic. # C11-0001709-LIC
9074 De Garmo Ave.
Sun Valley, CA 91352

Producer
LACH, INC
Lic. # CDPH-10003249
9074 De Garmo Ave, Sun Valley CA, 91352



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	03/08/2025	Pass
Moisture	03/06/2025	7.6% - Complete
Water Activity	03/06/2025	0.39 aw - Pass
Terpenes	03/11/2025	Complete
Residual Solvents	03/07/2025	Pass
Microbials	03/06/2025	Pass
Mycotoxins	03/06/2025	Pass
Pesticides	03/06/2025	Pass
Heavy Metals	03/13/2025	Pass
Foreign Matter	03/05/2025	Pass

Cannabinoids

Pass

36.107%	ND	37.484%	40.275%
Total THC	Total CBD	Total Cannabinoids (Neutral)	Sum of Cannabinoids

Analyte	LOQ mg/g	LOD mg/g	Results %	Results mg/g	Results mg/serving	Results mg/container
THCa	0.000080	0.000025	22.109	221.09	132.652	663.258
Δ9-THC	0.000083	0.000026	16.718	167.18	100.308	501.538
Δ8-THC	0.000091	0.000029	ND	ND	ND	ND
THCV	0.000181	0.000057	ND	ND	ND	ND
CBDa	0.000021	0.000007	ND	ND	ND	ND
CBD	0.000243	0.000076	ND	ND	ND	ND
CBDV	0.000108	0.000034	ND	ND	ND	ND
CBN	0.000076	0.000024	0.358	3.58	2.150	10.751
CBGa	0.000068	0.000021	0.580	5.80	3.481	17.405
CBG	0.000111	0.000035	0.305	3.05	1.829	9.147
CBC	0.000022	0.000007	0.205	2.05	1.227	6.137
Total THC			36.107	361.072	216.643	1083.215
Total CBD			ND	ND	ND	ND
Total			37.484	374.838	224.903	1124.515

Date Tested: 03/08/2025

5 serving(s) per container.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) * 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
03/14/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

2 of 5

BPB Infused Pre Roll Privilege Smoke 5 x 0.6 - 3.0 Gr

METRC Sample: 1A406030004B4B3000023564; METRC Batch: 1A406030000A0FB000000869

Sample ID: 2503LLI0215.0640

Produced: 03/04/2025

Distributor

Producer

Strain: Privilege Smoke

Collected: 03/06/2025

ABC Commerce LLC

LACH, INC

Matrix: Plant

Received: 03/06/2025

Lic. # C11-0001709-LIC

Lic. # CDPH-10003249

Type: Enhanced/Infused Preroll

Completed: 03/14/2025

9074 De Garmo Ave.

9074 De Garmo Ave, Sun Valley CA, 91352

Sample Size: 8 units; Batch: 1,100 units






Batch#: BPB-6

Sun Valley, CA 91352

Terpenes

Analyte	LOQ	LOD	Results	Results		Analyte	LOQ	LOD	Results	Results
	ug/g	ug/g	ug/g	%			ug/g	ug/g	ug/g	%
Caryophyllene	12.1	3.8	3815.2	0.4	<div></div>	p-Cymene	5.5	1.7	14.7	0.0
α-Humulene	6.2	2.0	1235.3	0.1	<div></div>	d-3-Carene	6.8	2.1	ND	ND
α-Bisabolol	29.6	9.3	1135.4	0.1	<div></div>	α-Pinene	7.2	2.3	ND	ND
Linalool	12.2	3.8	1046.7	0.1	<div></div>	α-Terpinene	4.3	1.3	ND	ND
δ-Limonene	5.2	1.6	552.7	0.1	<div></div>	Camphene	8.9	2.8	ND	ND
Caryophyllene Oxide	19.3	6.1	326.6	0.0	<div></div>	cis-Nerolidol	7.9	2.5	ND	ND
Guaiol	36.8	11.6	255.3	0.0	<div></div>	Eucalyptol	8.9	2.8	ND	ND
β-Myrcene	6.9	2.2	98.5	0.0	<div></div>	γ-Terpinene	5.5	1.7	ND	ND
Geraniol	18.7	5.9	82.5	0.0	<div></div>	Isopulegol	10.6	3.3	ND	ND
β-Pinene	7.5	2.4	62.3	0.0	<div></div>	Ocimene	11.0	3.5	ND	ND
Terpinolene	4.1	1.3	17.3	0.0	<div></div>	trans-Nerolidol	22.6	7.1	ND	ND
						Total			8642.4	0.9

Primary Aromas

 Cinnamon	 Hops	 Chamomile	 Lavender	 Lemon
---	---	--	---	--

Date Tested: 03/11/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-003. Instrument: HS/GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor
03/14/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

3 of 5

BPB Infused Pre Roll Privilege Smoke 5 x 0.6 - 3.0 Gr

METRC Sample: 1A406030004B4B3000023564; METRC Batch: 1A406030000A0FB000000869

Sample ID: 2503LLI0215.0640
Strain: Privilege Smoke
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: 8 units; Batch: 1,100 units

Produced: 03/04/2025
Collected: 03/06/2025
Received: 03/06/2025
Completed: 03/14/2025
Batch#: BPB-6

Distributor
ABC Commerce LLC
Lic. # C11-0001709-LIC
9074 De Garmo Ave.
Sun Valley, CA 91352

Producer
LACH, INC
Lic. # CDPH-10003249
9074 De Garmo Ave, Sun Valley CA, 91352

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.02	0.0608	0.1	ND	Pass	Fludioxonil	0.0063	0.0191	0.1	ND	Pass
Acephate	0.0032	0.0096	0.1	ND	Pass	Hexythiazox	0.0051	0.0155	0.1	ND	Pass
Acequinocyl	0.0048	0.0144	0.1	ND	Pass	Imazalil	0.0052	0.0156	0.0052	ND	Pass
Acetamiprid	0.0042	0.0127	0.1	ND	Pass	Imidacloprid	0.0053	0.016	5	ND	Pass
Aldicarb	0.0077	0.0232	0.0077	ND	Pass	Kresoxim Methyl	0.0035	0.0106	0.1	ND	Pass
Azoxystrobin	0.0038	0.0114	0.1	ND	Pass	Malathion	0.0053	0.0161	0.5	ND	Pass
Bifenazate	0.0056	0.017	0.1	ND	Pass	Metalaxyl	0.0045	0.0137	2	ND	Pass
Bifenthrin	0.0045	0.0136	3	ND	Pass	Methiocarb	0.0049	0.0148	0.0049	ND	Pass
Boscalid	0.0066	0.0199	0.1	ND	Pass	Methomyl	0.0048	0.0145	1	ND	Pass
Captan	0.0235	0.0712	0.7	ND	Pass	Mevinphos	0.0039	0.0118	0.0039	ND	Pass
Carbaryl	0.0042	0.0127	0.5	ND	Pass	Myclobutanil	0.006	0.0182	0.1	ND	Pass
Carbofuran	0.0051	0.0155	0.0051	ND	Pass	Naled	0.0021	0.0064	0.1	ND	Pass
Chlorantraniliprole	0.0062	0.0188	10	ND	Pass	Oxamyl	0.0069	0.0209	0.5	ND	Pass
Chlordane	0.0204	0.0619	0.0204	ND	Pass	Paclobutrazol	0.0059	0.0179	0.0059	ND	Pass
Chlorfenapyr	0.0217	0.0657	0.0217	ND	Pass	Methyl Parathion	0.0168	0.051	0.0168	ND	Pass
Chlorpyrifos	0.01	0.0303	0.01	ND	Pass	Pentachloronitrobenzene	0.0055	0.0168	0.1	ND	Pass
Clofentezine	0.0036	0.011	0.1	ND	Pass	Permethrin	0.0063	0.019	0.5	0.257	Pass
Coumaphos	0.0068	0.0205	0.0068	ND	Pass	Phosmet	0.0043	0.0131	0.1	ND	Pass
Cyfluthrin	0.0217	0.0657	2	ND	Pass	Piperonyl Butoxide	0.006	0.0181	3	ND	Pass
Cypermethrin	0.0066	0.0199	1	ND	Pass	Prallethrin	0.0046	0.0139	0.1	ND	Pass
Daminozide	0.0058	0.0176	0.0058	ND	Pass	Propiconazole	0.0085	0.0258	0.1	ND	Pass
Diazinon	0.0074	0.0224	0.1	ND	Pass	Propoxur	0.0068	0.0206	0.0068	ND	Pass
Dichlorvos	0.0041	0.0123	0.0041	ND	Pass	Pyrethrins	0.0041	0.0125	0.5	ND	Pass
Dimethoate	0.0036	0.0108	0.0036	ND	Pass	Pyridaben	0.0061	0.0186	0.1	ND	Pass
Dimethomorph	0.0072	0.0217	2	ND	Pass	Spinetoram	0.005	0.015	0.1	ND	Pass
Ethoprophos	0.0041	0.0123	0.0041	ND	Pass	Spinosad	0.0052	0.0157	0.1	ND	Pass
Etofenprox	0.0044	0.0133	0.0044	ND	Pass	Spiromesifen	0.0061	0.0184	0.1	ND	Pass
Etoazole	0.0055	0.0167	0.1	ND	Pass	Spirotetramat	0.0042	0.0127	0.1	ND	Pass
Fenhexamid	0.0049	0.0147	0.1	ND	Pass	Spiroxamine	0.0048	0.0145	0.0048	ND	Pass
Fenoxycarb	0.0047	0.0142	0.0047	ND	Pass	Tebuconazole	0.006	0.0182	0.1	ND	Pass
Fenpyroximate	0.0055	0.0168	0.1	ND	Pass	Thiacloprid	0.0056	0.0169	0.0056	ND	Pass
Fipronil	0.0075	0.0227	0.0075	ND	Pass	Thiamethoxam	0.0047	0.0142	5	ND	Pass
Flonicamid	0.004	0.0122	0.1	ND	Pass	Trifloxystrobin	0.0023	0.007	0.1	ND	Pass

Date Tested: 03/06/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.

Instrument: LC-MSMS.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
03/14/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

4 of 5

BPB Infused Pre Roll Privilege Smoke 5 x 0.6 - 3.0 Gr

METRC Sample: 1A406030004B4B3000023564; METRC Batch: 1A406030000A0FB000000869

Sample ID: 2503LLI0215.0640
Strain: Privilege Smoke
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: 8 units; Batch: 1,100 units

Produced: 03/04/2025
Collected: 03/06/2025
Received: 03/06/2025
Completed: 03/14/2025
Batch#: BPB-6

Distributor
ABC Commerce LLC
Lic. # C11-0001709-LIC
9074 De Garmo Ave.
Sun Valley, CA 91352

Producer
LACH, INC
Lic. # CDPH-10003249
9074 De Garmo Ave, Sun Valley CA, 91352

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.2	0.5	1	ND	Pass
Acetone	25.7	81.6	5000	<LOQ	Pass
Acetonitrile	3.5	11.2	410	ND	Pass
Benzene	0.03	0.1	1	ND	Pass
Butane	1.6	5.1	5000	ND	Pass
Chloroform	0.1	0.2	1	ND	Pass
Ethanol	1.6	5.1	5000	ND	Pass
Ethyl-Acetate	1.7	5.6	5000	ND	Pass
Ethyl-Ether	1.7	5.4	5000	ND	Pass
Ethylene Oxide	0.1	0.4	1	ND	Pass
Heptane	2.2	7.1	5000	ND	Pass
Isopropanol	4.4	14	5000	14.74	Pass
Methanol	4.3	13.6	3000	26.51	Pass
Methylene-Chloride	0.2	0.6	1	ND	Pass
n-Hexane	0.1	0.4	290	ND	Pass
Pentane	5.4	17.2	5000	ND	Pass
Propane	8.7	27.6	5000	ND	Pass
Toluene	1.1	3.4	890	ND	Pass
Trichloroethylene	0.04	0.1	1	ND	Pass
m+p Xylene	4.9	15.7			
o-Xylene	1.4	4.4			
Total Xylenes			2170	ND	Pass

Date Tested: 03/07/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004 and SOP-004-1 (not part of ISO scope) Instrument: HS-GC/MS



Hripsime Aleksanyan - Quality Assurance Supervisor
03/14/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-000016-LIC



Regulatory Compliance Testing Certificate of Analysis

5 of 5

BPB Infused Pre Roll Privilege Smoke 5 x 0.6 - 3.0 Gr

METRC Sample: 1A406030004B4B3000023564; METRC Batch: 1A406030000A0FB000000869

Sample ID: 2503LLI0215.0640
Strain: Privilege Smoke
Matrix: Plant
Type: Enhanced/Infused Preroll
Sample Size: 8 units; Batch: 1,100 units

Produced: 03/04/2025
Collected: 03/06/2025
Received: 03/06/2025
Completed: 03/14/2025
Batch#: BPB-6

Distributor
ABC Commerce LLC
Lic. # C11-0001709-LIC
9074 De Garmo Ave.
Sun Valley, CA 91352

Producer
LACH, INC
Lic. # CDPH-10003249
9074 De Garmo Ave, Sun Valley CA, 91352

Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 03/06/2025

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

Mycotoxins

Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Results µg/kg	Status
Aflatoxin B1	1.5	4.7		ND	Tested
Aflatoxin B2	1.4	4.3		ND	Tested
Aflatoxin G1	1	3		ND	Tested
Aflatoxin G2	1.3	3.9		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	2.6	8	20	ND	Pass

Date Tested: 03/06/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

Heavy Metals

Pass

Analyte	LOD µg/g	LOQ µg/g	Limit µg/g	Results µg/g	Status
Arsenic	0.0161	0.05	0.2	ND	Pass
Cadmium	0.0155	0.05	0.2	ND	Pass
Lead	0.0144	0.05	0.5	ND	Pass
Mercury	0.0012	0.005	0.1	<LOQ	Pass

Date Tested: 03/13/2025

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



Hripsime Aleksanyan - Quality Assurance Supervisor
03/14/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.