



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

## Regulatory Compliance Testing

1 of 4

### Chico Verde - Vape Cartridge - Pineapple Express - 1g - Hybrid

METRC Sample: 1A40603000679D1000019839; METRC Batch: 1A4060300073BF5000002594

Sample ID: 2607EXL5839.23907

Produced:

Distributor

Producer

Strain: Pineapple Express

Collected: 07/17/2026

Green Vibe, Inc

Green Vibe, Inc

Matrix: Concentrates & Extracts

Received: 07/18/2026

Lic. # C11-0001913-LIC

Lic. # DCC-10005050

Type: Vape

Completed: 07/22/2026

3060 Hilltop Road

3060 Hilltop Road Moss Landing, CA

Sample Size: 13 units; Batch: 1,600 units

Batch#: 606CV6197PNX-V1

Moss Landing, CA 95039

95039



#### Summary

| Test              | Date Tested | Result   |
|-------------------|-------------|----------|
| Batch             |             | Pass     |
| Cannabinoids      | 07/20/2026  | Complete |
| Foreign Matter    | 07/18/2026  | Pass     |
| Heavy Metals      | 07/21/2026  | Pass     |
| Microbials        | 07/21/2026  | Pass     |
| Mycotoxins        | 07/22/2026  | Pass     |
| GCMS Pesticides   | 07/22/2026  | Pass     |
| LCMS Pesticides   | 07/22/2026  | Pass     |
| Residual Solvents | 07/21/2026  | Pass     |

#### Cannabinoids

Complete

86.907%

Total THC

0.171%

Total CBD

91.953%

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result  | Result  | Result     | Result     |
|-----------|-------|-------|---------|---------|------------|------------|
|           | mg/g  | mg/g  | %       | mg/g    | mg/serving | mg/package |
| CBC       | 0.171 | 0.455 | 0.5200  | 5.200   | 5.200      | 5.200      |
| CBD       | 0.455 | 0.909 | 0.1708  | 1.708   | 1.708      | 1.708      |
| CBDa      | 0.341 | 0.909 | ND      | ND      | ND         | ND         |
| CBG       | 0.455 | 0.909 | 3.3631  | 33.631  | 33.631     | 33.631     |
| CBN       | 0.171 | 0.455 | 0.6946  | 6.946   | 6.946      | 6.946      |
| Δ8-THC    | 0.341 | 0.909 | ND      | ND      | ND         | ND         |
| Δ9-THC    | 0.341 | 0.909 | 86.9073 | 869.073 | 869.073    | 869.073    |
| THCa      | 0.227 | 0.455 | ND      | ND      | ND         | ND         |
| THCV      | 0.455 | 0.909 | 0.2976  | 2.976   | 2.976      | 2.976      |
| Total THC |       |       | 86.907  | 869.073 | 869.073    | 869.073    |
| Total CBD |       |       | 0.171   | 1.708   | 1.708      | 1.708      |
| Total CBG |       |       | 3.363   | 33.631  | 33.631     | 33.631     |
| Total     |       |       | 91.953  | 919.535 | 919.535    | 919.535    |

Date Tested: 07/20/2026

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081  
ISO/IEC 17025:2017

Scott A. Robertson

Scott Robertson  
Lab Director  
07/22/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-000059-LIC

## Regulatory Compliance Testing

2 of 4

### Chico Verde - Vape Cartridge - Pineapple Express - 1g - Hybrid

METRC Sample: 1A40603000679D1000019839; METRC Batch: 1A4060300073BF5000002594

|                                           |                         |                        |                                    |
|-------------------------------------------|-------------------------|------------------------|------------------------------------|
| <b>Sample ID:</b> 2607EXL5839.23907       | <b>Produced:</b>        | <b>Distributor</b>     | <b>Producer</b>                    |
| Strain: Pineapple Express                 | Collected: 07/17/2026   | <b>Green Vibe, Inc</b> | <b>Green Vibe, Inc</b>             |
| Matrix: Concentrates & Extracts           | Received: 07/18/2026    | Lic. # C11-0001913-LIC | Lic. # DCC-10005050                |
| Type: Vape                                | Completed: 07/22/2026   | 3060 Hilltop Road      | 3060 Hilltop Road Moss Landing, CA |
| Sample Size: 13 units; Batch: 1,600 units | Batch#: 606CV6197PNX-V1 | Moss Landing, CA 95039 | 95039                              |

#### GC Pesticides

Pass

| Analyte                              | LOD   | LOQ   | Limit | Conc. | Status |
|--------------------------------------|-------|-------|-------|-------|--------|
|                                      | µg/g  | µg/g  | µg/g  | µg/g  |        |
| Captan                               | 0.054 | 0.097 | 0.7   | ND    | Pass   |
| Chlordane (trans + cis)              | 0.058 | 0.098 | 0.058 | ND    | Pass   |
| Chlorfenapyr                         | 0.056 | 0.097 | 0.056 | ND    | Pass   |
| Cyfluthrin                           | 0.052 | 0.097 | 2     | ND    | Pass   |
| Cypermethrin                         | 0.054 | 0.097 | 1     | ND    | Pass   |
| Parathion Methyl                     | 0.039 | 0.097 | 0.039 | ND    | Pass   |
| Pentachloronitrobenzene (Quintozene) | 0.062 | 0.097 | 0.1   | ND    | Pass   |

#### Mycotoxins

Pass

| Analytes         | LOD     | LOQ     | Limit | Conc. | Status |
|------------------|---------|---------|-------|-------|--------|
|                  | µg/kg   | µg/kg   | µg/kg | µg/kg |        |
| Aflatoxin B1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin B2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Ochratoxin A     | 10.0000 | 16.0000 | 20    | ND    | Pass   |
| Total Aflatoxins |         |         | 20    | ND    | Pass   |

#### Microbials

Pass

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g | RFU/g                   |        |
| Aspergillus flavus            | 0     | Not Detected            | Pass   |
| Aspergillus fumigatus         | 0     | Not Detected            | Pass   |
| Aspergillus niger             | 0     | Not Detected            | Pass   |
| Aspergillus terreus           | 0     | Not Detected            | Pass   |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |

#### Heavy Metals

Pass

| Analyte | LOD     | LOQ   | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
|         | µg/g    | µg/g  | µg/g  | µg/g  |        |
| Arsenic | 0.0150  | 0.05  | 0.2   | ND    | Pass   |
| Cadmium | 0.0113  | 0.05  | 0.2   | ND    | Pass   |
| Lead    | 0.00615 | 0.05  | 0.5   | ND    | Pass   |
| Mercury | 0.00126 | 0.005 | 0.1   | ND    | Pass   |

GCMS Date Tested: 07/22/2026

Pesticides: GC-MS/MS, GCMS Method SOP-006

LCMS Date Tested: 07/22/2026

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested: 07/21/2026

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested: 07/21/2026

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



*Scott A. Robertson*

Scott Robertson  
Lab Director  
07/22/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

## Regulatory Compliance Testing

3 of 4

### Chico Verde - Vape Cartridge - Pineapple Express - 1g - Hybrid

METRC Sample: 1A40603000679D1000019839; METRC Batch: 1A4060300073BF5000002594

Sample ID: 2607EXL5839.23907

Produced:

Distributor

Producer

Strain: Pineapple Express

Collected: 07/17/2026

Green Vibe, Inc

Green Vibe, Inc

Matrix: Concentrates & Extracts

Received: 07/18/2026

Lic. # C11-0001913-LIC

Lic. # DCC-10005050

Type: Vape

Completed: 07/22/2026

3060 Hilltop Road

3060 Hilltop Road Moss Landing, CA

Sample Size: 13 units; Batch: 1,600 units

Batch#: 606CV6197PNX-V1

Moss Landing, CA 95039

95039

### LC Pesticides

Pass

| Analyte               | LOD   | LOQ   | Limit | Result | Status | Analyte                                     | LOD    | LOQ   | Limit | Result | Status |
|-----------------------|-------|-------|-------|--------|--------|---------------------------------------------|--------|-------|-------|--------|--------|
|                       | µg/g  | µg/g  | µg/g  | µg/g   |        |                                             | µg/g   | µg/g  | µg/g  | µg/g   |        |
| Abamectin             | 0.043 | 0.097 | 0.1   | ND     | Pass   | Imazalil                                    | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Acephate              | 0.019 | 0.097 | 0.1   | ND     | Pass   | Imidacloprid                                | 0.021  | 0.097 | 5     | ND     | Pass   |
| Acequinocyl           | 0.031 | 0.097 | 0.1   | ND     | Pass   | Kresoxim Methyl                             | 0.045  | 0.097 | 0.1   | ND     | Pass   |
| Acetamiprid           | 0.023 | 0.097 | 0.1   | ND     | Pass   | Malathion                                   | 0.027  | 0.097 | 0.5   | ND     | Pass   |
| Aldicarb              | 0.029 | 0.097 | 0.029 | ND     | Pass   | Metalaxyl                                   | 0.029  | 0.097 | 2     | ND     | Pass   |
| Azoxystrobin          | 0.025 | 0.097 | 0.1   | ND     | Pass   | Methiocarb                                  | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Bifenazate            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Methomyl                                    | 0.029  | 0.097 | 1     | ND     | Pass   |
| Bifenthrin            | 0.033 | 0.097 | 3     | ND     | Pass   | Mevinphos                                   | 0.033  | 0.1   | 0.033 | ND     | Pass   |
| Boscalid              | 0.021 | 0.097 | 0.1   | ND     | Pass   | Myclobutanil                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Carbaryl              | 0.025 | 0.097 | 0.5   | ND     | Pass   | Naled                                       | 0.033  | 0.097 | 0.1   | ND     | Pass   |
| Carbofuran            | 0.033 | 0.097 | 0.033 | ND     | Pass   | Oxamyl                                      | 0.021  | 0.097 | 0.5   | ND     | Pass   |
| Chlorantraniliprole   | 0.025 | 0.097 | 10    | ND     | Pass   | Paclobutrazol                               | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Chlorpyrifos          | 0.019 | 0.097 | 0.019 | ND     | Pass   | Permethrin (trans + cis)                    | 0.033  | 0.1   | 0.5   | ND     | Pass   |
| Clofentezine          | 0.035 | 0.097 | 0.1   | ND     | Pass   | Phosmet                                     | 0.051  | 0.097 | 0.1   | ND     | Pass   |
| Coumaphos             | 0.039 | 0.097 | 0.039 | ND     | Pass   | Piperonyl Butoxide                          | 0.037  | 0.097 | 3     | ND     | Pass   |
| Daminozide            | 0.019 | 0.097 | 0.019 | ND     | Pass   | Prallethrin                                 | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Diazinon              | 0.031 | 0.097 | 0.1   | ND     | Pass   | Propiconazole                               | 0.023  | 0.097 | 0.1   | ND     | Pass   |
| Dichlorvos            | 0.06  | 0.097 | 0.06  | ND     | Pass   | Propoxur                                    | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Dimethoate            | 0.027 | 0.097 | 0.027 | ND     | Pass   | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04  | 0.5   | ND     | Pass   |
| Dimethomorph (I + II) | 0.033 | 0.1   | 2     | ND     | Pass   | Pyridaben                                   | 0.021  | 0.097 | 0.1   | ND     | Pass   |
| Ethoprophos           | 0.023 | 0.097 | 0.023 | ND     | Pass   | Spinetoram (J + L)                          | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etofenprox            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spinosyn (A + D)                            | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etoxazole             | 0.027 | 0.097 | 0.1   | ND     | Pass   | Spiromesifen                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Fenhexamid            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Spirotetramat                               | 0.019  | 0.097 | 0.1   | ND     | Pass   |
| Fenoxycarb            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spiroxamine                                 | 0.025  | 0.097 | 0.025 | ND     | Pass   |
| Fenpyroximate         | 0.023 | 0.097 | 0.1   | ND     | Pass   | Tebuconazole                                | 0.027  | 0.097 | 0.1   | ND     | Pass   |
| Fipronil              | 0.037 | 0.097 | 0.037 | ND     | Pass   | Thiacloprid                                 | 0.033  | 0.097 | 0.033 | ND     | Pass   |
| Flonicamid            | 0.039 | 0.097 | 0.1   | ND     | Pass   | Thiamethoxam                                | 0.027  | 0.097 | 5     | ND     | Pass   |
| Fludioxonil           | 0.029 | 0.097 | 0.1   | ND     | Pass   | Trifloxystrobin                             | 0.037  | 0.097 | 0.1   | ND     | Pass   |
| Hexythiazox           | 0.043 | 0.097 | 0.1   | ND     | Pass   |                                             |        |       |       |        |        |

LCMS Date Tested: 07/22/2026

Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081  
ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
07/22/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

## Regulatory Compliance Testing

4 of 4

### Chico Verde - Vape Cartridge - Pineapple Express - 1g - Hybrid

METRC Sample: 1A40603000679D1000019839; METRC Batch: 1A4060300073BF5000002594

Sample ID: 2607EXL5839.23907

Produced:

Distributor

Producer

Strain: Pineapple Express

Collected: 07/17/2026

Green Vibe, Inc

Green Vibe, Inc

Matrix: Concentrates & Extracts

Received: 07/18/2026

Lic. # C11-0001913-LIC

Lic. # DCC-10005050

Type: Vape

Completed: 07/22/2026

3060 Hilltop Road

3060 Hilltop Road Moss Landing, CA

Sample Size: 13 units; Batch: 1,600 units

Batch#: 606CV6197PNX-V1

Moss Landing, CA 95039

95039

### Residual Solvents

Pass

| Analyte                 | LOD     | LOQ     | Limit | Conc. | Status |
|-------------------------|---------|---------|-------|-------|--------|
|                         | µg/g    | µg/g    | µg/g  | µg/g  |        |
| Acetone                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Acetonitrile            | 15.4688 | 46.875  | 410   | ND    | Pass   |
| Benzene                 | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Butane                  | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Chloroform              | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| 1, 2-Dichloroethane     | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Ethanol                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl Acetate           | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethyl Ether             | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Ethylene Oxide          | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Heptane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Hexane                  | 15.4688 | 46.875  | 290   | ND    | Pass   |
| Isopropyl Alcohol       | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Methanol                | 15.4688 | 46.875  | 3000  | ND    | Pass   |
| Methylene Chloride      | 0.1547  | 0.4688  | 1     | ND    | Pass   |
| Pentane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Propane                 | 15.4688 | 46.875  | 5000  | ND    | Pass   |
| Toluene                 | 15.4688 | 46.875  | 890   | ND    | Pass   |
| Total Xylenes (o, m, p) | 46.4063 | 140.625 | 2170  | ND    | Pass   |
| Trichloroethylene       | 0.1547  | 0.4688  | 1     | ND    | Pass   |

# EXCELBIS

# LABS

Date Tested: 07/21/2026

Residual Solvents: HS-GC-MS RS Method SOP-009



Accreditation #128081  
ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
07/22/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.