

Certificate of Analysis

Produced: May 16, 2025

Sample: 0216549 (Infused Flower) • Client: Claybourne Co. • Batch: Pass



Manufacturer Info

**Manufacturer**  
CI Infusion, LLC  
5055 Western Way  
Perris, CA 92571

**License**  
DCC-10004822  
Adult-Use - Manufacturing License

Distributor Info

**Distributor**  
Claybourne Distribution  
5055 Western Way  
Perris, CA 92571

**License**  
C11-0000032-LIC  
Adult-Use - Distributor License

**Batch No.:** 21042425BOGFIPR  
**Test Pkg:** 1A406030000326B000214930  
**Src Pkg:** 1A406030000326B000216549  
**Matrix:** Infused Flower  
**Submatrix:** Infused Pre-roll  
**Sample ID:** ICC-250514-47-001  
**Collected on:** May 14, 2025  
**Received on:** May 14, 2025  
**Batch Size:** 3963 Units  
**Sample Size:** 20 Units  
**Sampled By:** Christopher Osuna  
**Received By:** Melissa Jamrus  
**Package Size:** 2.5 g  
**Serving Size:** 0.5 g

|                    |      |                |        |
|--------------------|------|----------------|--------|
| Batch Result: Pass |      |                |        |
| Potency            | Pass | Pesticides     | Pass   |
| Solvents           | Pass | Foreign        | Pass   |
| Metals             | Pass | Moisture       | Tested |
| Microbial          | Pass | Water Activity | Pass   |
| Mycotoxins         | Pass |                |        |

|                      |              |
|----------------------|--------------|
| Cannabinoid Overview |              |
| Total THC:           | 183 mg/srv   |
| Total CBD:           | 0.000 mg/srv |
| Total Cannabinoids:  | 186 mg/srv   |
| Sum of Cannabinoids: | 198 mg/srv   |

POT-INST-005: POT-INST-005: Potency

| Analyte             | Limit   | Amt      | Amt | LOD/LOQ (mg/g) | Pass/Fail | Analyte                  | Limit   | Amt                         | Amt      | LOD/LOQ (mg/g) | Pass/Fail |
|---------------------|---------|----------|-----|----------------|-----------|--------------------------|---------|-----------------------------|----------|----------------|-----------|
| CBC                 |         | ND       | ND  | 0.275/0.826    | N/A       | Total THC**              |         | 36.6 %<br>(97.86% of Label) | 370 mg/g |                | N/A       |
| CBD                 |         | ND       | ND  | 0.0842/0.417   | N/A       | Total CBD**              |         | ND                          | ND       |                | N/A       |
| CBDA                |         | ND       | ND  | 0.201/0.604    | N/A       | CBD/Srv                  |         | ND                          |          |                | N/A       |
| CBDV                |         | ND       | ND  | 0.0668/0.417   | N/A       | Δ <sup>9</sup> -THC/Srv  |         | 99.5 mg                     |          |                | N/A       |
| CBG                 | 0.209 % | 2.1 mg/g |     | 0.0950/0.417   | N/A       | Total THC/Srv**          |         | 183 mg                      |          |                | N/A       |
| CBGA                | 0.288 % | 2.9 mg/g |     | 0.148/0.445    | N/A       | Total CBD/Srv**          |         | ND                          |          |                | N/A       |
| CBL                 | ND      | ND       |     | 0.0657/0.417   | N/A       | CBD/Pkg                  |         | ND                          |          |                | N/A       |
| CBN                 | ND      | ND       |     | 0.0950/0.417   | N/A       | Δ <sup>9</sup> -THC/Pkg  | 1100 mg | 498 mg                      |          |                | Pass      |
| CBT                 | ND      | ND       |     | 0.119/0.417    | N/A       | Total THC/Pkg**          |         | 915 mg                      |          |                | N/A       |
| Δ <sup>8</sup> -THC | 0.465 % | 4.7 mg/g |     | 0.0675/0.417   | N/A       | Total CBD/Pkg**          |         | ND                          |          |                | N/A       |
| Δ <sup>9</sup> -THC | 19.9 %  | 200 mg/g |     | 0.111/0.417    | N/A       | Total Cannabinoids**     |         | 37.2 %                      | 370 mg/g |                | N/A       |
| THCA                | 18.5 %  | 190 mg/g |     | 0.153/0.459    | N/A       | Total Cannabinoids/Pkg** |         | 930 mg                      |          |                | N/A       |
| THCV                | 0.163 % | 1.6 mg/g |     | 0.0515/0.417   | N/A       | Total Cannabinoids/Srv** |         | 186 mg                      |          |                | N/A       |

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)  
 \*\* Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)  
 \*\* Total CBD = CBD + (CBDA x 0.877)  
 NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
 \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.



# REGULATORY COMPLIANCE TESTING

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5725(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC

## RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • May 16, 2025

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|----------------|-----------|--------------------|--------------|------------|----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.138/0.421    | Pass      | Hexane             | 290          | ND         | 0.0546/0.232   | Pass      |
| Acetone            | 5000         | 110        | 14.1/42.4      | Pass      | Isopropyl alcohol  | 5000         | 177        | 1.06/3.18      | Pass      |
| Acetonitrile       | 410          | ND         | 0.0993/0.297   | Pass      | Methanol           | 3000         | 19.8       | 2.46/7.38      | Pass      |
| Benzene            | 1            | ND         | 0.0174/0.0529  | Pass      | Methylene chloride | 1            | ND         | 0.105/0.603    | Pass      |
| Butane             | 5000         | ND         | 0.803/4.01     | Pass      | Pentane            | 5000         | < LOQ      | 0.796/3.53     | Pass      |
| Chloroform         | 1            | ND         | 0.0298/0.0893  | Pass      | Propane            | 5000         | ND         | 3.67/11.0      | Pass      |
| Ethanol            | 5000         | ND         | 2.16/6.49      | Pass      | Toluene            | 890          | ND         | 0.0728/0.715   | Pass      |
| Ethyl acetate      | 5000         | ND         | 0.259/1.89     | Pass      | Trichloroethylene  | 1            | ND         | 0.0149/0.120   | Pass      |
| Ethylene oxide     | 1            | ND         | 0.127/0.479    | Pass      | o-Xylene           |              | ND         | 0.0833/0.709   | N/A       |
| Ethyl ether        | 5000         | ND         | 0.978/2.93     | Pass      | p- and m-Xylene    |              | ND         | 0.0954/1.42    | N/A       |
| Heptane            | 5000         | ND         | 0.568/2.36     | Pass      | Total xylenes      | 2170         | ND         |                | Pass      |

## HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • May 15, 2025

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 0.2          | 0.00930    | 0.00300/0.00900 | Pass      | Lead    | 0.5          | 0.00686    | 0.00100/0.00400 | Pass      |
| Cadmium | 0.2          | 0.00953    | 0.00100/0.00200 | Pass      | Mercury | 0.1          | ND         | 0.00500/0.0140  | Pass      |

## MICRO-PREP-001, MICRO-INST-001: MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (inhalable) • May 16, 2025

| Analyte               | Amt | Pass/Fail | Analyte                       | Amt | Pass/Fail |
|-----------------------|-----|-----------|-------------------------------|-----|-----------|
| Aspergillus flavus    | ND  | Pass      | Aspergillus terreus           | ND  | Pass      |
| Aspergillus fumigatus | ND  | Pass      | Salmonella spp.               | ND  | Pass      |
| Aspergillus niger     | ND  | Pass      | Shiga toxin-producing E. coli | ND  | Pass      |

## PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • May 16, 2025

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | 0.990/5.00      | N/A       | Aflatoxin G2 |               | ND          | 0.780/5.00      | N/A       |
| Aflatoxin B2 |               | ND          | 2.00/6.05       | N/A       | Aflatoxins   | 20            | ND          |                 | Pass      |
| Aflatoxin G1 |               | ND          | 3.38/10.2       | N/A       | Ochratoxin A | 20            | ND          | 6.43/19.5       | Pass      |

## PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • May 16, 2025

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 0.7          | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0256/0.0768  | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.1          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 2            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |



**PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • May 16, 2025**

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte           | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------|--------------|------------|----------------|-----------|
| Abamectin           | 0.1          | ND         | 0.0500/0.100   | Pass      | Imazalil          | Any amt      | ND         | 0.0135/0.0410  | Pass      |
| Acephate            | 0.1          | ND         | 0.0105/0.0317  | Pass      | Imidacloprid      | 5            | ND         | 0.0180/0.0546  | Pass      |
| Acequinocyl         | 0.1          | ND         | 0.0237/0.0718  | Pass      | Kresoxim-methyl   | 0.1          | ND         | 0.0117/0.0354  | Pass      |
| Acetamiprid         | 0.1          | ND         | 0.00926/0.0300 | Pass      | Malathion         | 0.5          | ND         | 0.00830/0.0300 | Pass      |
| Aldicarb            | Any amt      | ND         | 0.0180/0.0544  | Pass      | Metalaxyl         | 2            | ND         | 0.00661/0.0300 | Pass      |
| Azoxystrobin        | 0.1          | ND         | 0.00595/0.0300 | Pass      | Methiocarb        | Any amt      | ND         | 0.0105/0.0319  | Pass      |
| Bifenazate          | 0.1          | ND         | 0.00972/0.0300 | Pass      | Methomyl          | 1            | ND         | 0.0118/0.0356  | Pass      |
| Bifenthrin          | 3            | ND         | 0.00640/0.0300 | Pass      | Mevinphos         | Any amt      | ND         | 0.0128/0.0387  | Pass      |
| Boscalid            | 0.1          | ND         | 0.0115/0.0348  | Pass      | Myclobutanil      | 0.1          | ND         | 0.0149/0.0451  | Pass      |
| Carbaryl            | 0.5          | ND         | 0.0139/0.0420  | Pass      | Naled             | 0.1          | ND         | 0.0204/0.0618  | Pass      |
| Carbofuran          | Any amt      | ND         | 0.00666/0.0300 | Pass      | Oxamyl            | 0.5          | ND         | 0.0119/0.0361  | Pass      |
| Chlorantraniliprole | 10           | ND         | 0.0123/0.0373  | Pass      | Paclobutrazol     | Any amt      | ND         | 0.0111/0.0335  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0158/0.0479  | Pass      | Permethrin        | 0.5          | ND         | 0.0162/0.0491  | Pass      |
| Clofentezine        | 0.1          | ND         | 0.00940/0.0300 | Pass      | Phosmet           | 0.1          | ND         | 0.0101/0.0307  | Pass      |
| Coumaphos           | Any amt      | ND         | 0.0103/0.0312  | Pass      | Piperonylbutoxide | 3            | ND         | 0.00635/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | 0.0283/0.0300  | Pass      | Prallethrin       | 0.1          | ND         | 0.0149/0.0453  | Pass      |
| Diazinon            | 0.1          | ND         | 0.00328/0.0300 | Pass      | Propiconazole     | 0.1          | ND         | 0.0138/0.0417  | Pass      |
| Dichlorvos          | Any amt      | ND         | 0.0217/0.0658  | Pass      | Propoxur          | Any amt      | ND         | 0.0115/0.0350  | Pass      |
| Dimethoate          | Any amt      | ND         | 0.00982/0.0300 | Pass      | Pyrethrins        | 0.5          | ND         | 0.00682/0.0300 | Pass      |
| Dimethomorph        | 2            | ND         | 0.00916/0.0300 | Pass      | Pyridaben         | 0.1          | ND         | 0.00778/0.0300 | Pass      |
| Ethoprophos         | Any amt      | ND         | 0.0115/0.0349  | Pass      | Spinetoram        | 0.1          | ND         | 0.00500/0.0300 | Pass      |
| Etofenprox          | Any amt      | ND         | 0.00620/0.0300 | Pass      | Spinosad          | 0.1          | ND         | 0.00250/0.0300 | Pass      |
| Etoxazole           | 0.1          | ND         | 0.00516/0.0300 | Pass      | Spiromesifen      | 0.1          | ND         | 0.00830/0.0300 | Pass      |
| Fenhexamid          | 0.1          | ND         | 0.0118/0.0357  | Pass      | Spirotetramat     | 0.1          | ND         | 0.00995/0.0302 | Pass      |
| Fenoxycarb          | Any amt      | ND         | 0.0108/0.0327  | Pass      | Spiroxamine       | Any amt      | ND         | 0.00794/0.0300 | Pass      |
| Fenpyroximate       | 0.1          | ND         | 0.00639/0.0300 | Pass      | Tebuconazole      | 0.1          | ND         | 0.0101/0.0306  | Pass      |
| Fipronil            | Any amt      | ND         | 0.0167/0.0507  | Pass      | Thiacloprid       | Any amt      | ND         | 0.0109/0.0329  | Pass      |
| Flonicamid          | 0.1          | ND         | 0.0177/0.0537  | Pass      | Thiamethoxam      | 5            | ND         | 0.0118/0.0357  | Pass      |
| Fludioxonil         | 0.1          | ND         | 0.0177/0.0535  | Pass      | Trifloxystrobin   | 0.1          | ND         | 0.00557/0.0300 | Pass      |
| Hexythiazox         | 0.1          | ND         | 0.0106/0.0321  | Pass      |                   |              |            |                |           |

**MOISTURE-001: MOISTURE-001: Cannabis Plant Material Moisture by Moisture Analyser • May 15, 2025**

| Analyte  | Amt (%) | Pass/Fail |
|----------|---------|-----------|
| Moisture | 8.41    | N/A       |

**Water Activity by Water Activity Meter • May 15, 2025**

| Analyte        | Limit (Aw) | Amt (Aw) | Pass/Fail |
|----------------|------------|----------|-----------|
| Water Activity | 0.65       | 0.509    | Pass      |

