

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



(818) 979-9474


http://www.caligreenlaboratory.com

24051009-1

METRC Sample: 1A40603000320C9000059506; METRC Batch: 1A4060300026549000000652

Sample ID: 2405CGL1509.4358	Produced: 05/15/2024	Distributor	Producer
Strain: 24051009-1	Collected: 05/15/2024	Terpx	Terpx Inc.
Matrix: Concentrates & Extracts	Received: 05/15/2024	Lic. # C11-0001360-LIC	Lic. # CDPH-10004500
Type: Vape	Completed: 05/22/2024	1808 Container Cir	1808 Container Circle Jurupa Valley CA
Sample Size: 13 units; Batch: 1,119 units	Batch#: 24051009-1	Jurupa Valley, CA 92509	92509

Cannabinoids Lab Results



Summary - Safety & Quality Tests

Test	Date Tested	Result
Batch	05/15/2024	Pass

Test	Date Tested	Result
Cannabinoids	05/21/2024	Complete
Terpenes	05/17/2024	Complete
Residual Solvents	05/17/2024	Pass
Microbials	05/20/2024	Pass
Mycotoxins	05/17/2024	Pass
Pesticides	05/17/2024	Pass
Heavy Metals	05/17/2024	Pass
Foreign Matter	05/15/2024	Pass



Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.01	0.03	5.731	57.31	57.306	57.306
Δ9-THC	0.02	0.03	64.749	647.49	647.490	647.490
Δ8-THC	0.02	0.03	9.080	90.80	90.802	90.802
THCV	0.02	0.03	0.356	3.56	3.559	3.559
CBDa	0.01	0.03	0.286	2.86	2.859	2.859
CBD	0.02	0.03	0.110	1.10	1.102	1.102
CBDV	0.02	0.03	ND	ND	ND	ND
CBN	0.01	0.03	0.789	7.89	7.892	7.892
CBGa	0.02	0.03	15.20	15.20	15.204	15.204
CBG	0.01	0.03	0.874	8.74	8.741	8.741
CBC	0.01	0.03	0.377	3.77	3.775	3.775
Total THC			78.855	788.549	788.549	788.549
Total CBD			0.361	3.609	3.609	3.609
Total			82.946	829.459	829.459	829.459

Terpenes Lab Results

Analyte	LOD	LOQ	Result	Result
	mg/g	mg/g	mg/g	%
α-Bisabolol	0.02	0.06	2.89	0.289
α-Humulene	0.02	0.06	11.71	1.171
α-Phellandrene	0.02	0.06	<LOQ	<LOQ
α-Pinene	0.02	0.06	0.74	0.074
α-Terpinene	0.02	0.06	0.08	0.008
α-Terpineol	0.02	0.06	0.58	0.058
β-Caryophyllene	0.02	0.06	33.50	3.350
β-Myrcene	0.02	0.06	3.63	0.363
β-Pinene	0.02	0.06	0.66	0.066
Borneol	0.02	0.06	0.21	0.021
Camphene	0.02	0.06	0.17	0.017
Caryophyllene Oxide	0.02	0.06	0.46	0.046
cis-β-Farnesene	0.02	0.06	0.42	0.042
cis-Ocimene	0.00	0.02	0.05	0.005
Citronellol	0.02	0.06	0.13	0.013
δ-Limonene	0.02	0.06	8.98	0.898
Eucalyptol	0.02	0.06	<LOQ	<LOQ
Fenchol	0.02	0.06	1.09	0.109
Fenchone	0.02	0.06	0.12	0.012
γ-Terpinene	0.02	0.06	0.08	0.008
Guaiol	0.02	0.06	0.32	0.032
Linalool	0.02	0.06	1.83	0.183
Octyl Acetate	0.02	0.06	0.10	0.010
Terpinen-4-ol	0.02	0.06	0.08	0.008
Terpinolene	0.02	0.06	0.19	0.019
trans-Nerolidol	0.01	0.04	0.20	0.020
trans-Ocimene	0.01	0.04	0.25	0.025
Total			68.47	6.847

1 Unit = 1 Vape, 1g, 1 unit(s) per serving, 1 serving(s) per container.
Cannabinoids Date Tested: 05/21/2024
Cannabinoids Footnotes: Potency by UHPLC: CGL-P-720-009-B
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD
LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Terpenes Date Tested: 05/17/2024
Terpenes Footnotes: Terpenes by HSGC-MS: CGL-P-720-011-B
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
05/22/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



CALIGREEN
LABORATORY

(818) 979-9474

<http://www.caligreenlaboratory.com>

24051009-1

METRC Sample: 1A40603000320C9000059506; METRC Batch: 1A4060300026549000000652

Sample ID: 2405CGL1509.4358	Produced: 05/15/2024	Distributor	Producer
Strain: 24051009-1	Collected: 05/15/2024	Terpx	Terpx Inc.
Matrix: Concentrates & Extracts	Received: 05/15/2024	Lic. # C11-0001360-LIC	Lic. # CDPH-10004500
Type: Vape	Completed: 05/22/2024	1808 Container Cir	1808 Container Circle Jurupa Valley CA
Sample Size: 13 units; Batch: 1,119 units	Batch#: 24051009-1	Jurupa Valley, CA 92509	92509

Microbials Lab Results

Pass

Analyte	Result	Analyte	Result
Aspergillus flavus	Not Detected in 1g	Aspergillus terreus	Not Detected in 1g
Aspergillus fumigatus	Not Detected in 1g	Shiga toxin-producing E. Coli	Not Detected in 1g
Aspergillus niger	Not Detected in 1g	Salmonella SPP	Not Detected in 1g

Date Tested: 05/20/2024
Microbials by qPCR: CGL-P-720-013-ATNTC = Too Numerous to Count

Mycotoxins Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg			µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.25	5		ND	Tested	G2	2.5	5		ND	Tested
B2	1.25	5		ND	Tested	Ochratoxin A	6.6	16.6	20	ND	Pass
G1	1.25	5		ND	Tested	Total Aflatoxins			20	ND	Pass

Date Tested: 05/17/2024
Mycotoxins by LC-MSMS: CGL-P-720-007-B
LOQ = Limit of Quantitation

Heavy Metals Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Arsenic	0.000124	0.05	0.2	<LOQ	Pass	Lead	0.000119	0.05	0.5	0.061600	Pass
Cadmium	0.000111	0.05	0.2	<LOQ	Pass	Mercury	0.000097	0.05	0.1	<LOQ	Pass

Date Tested: 05/17/2024
Heavy Metals by ICP-MS: CGL-P-720-012-B
LOQ = Limit of Quantitation

Residual Solvents Lab Results

Pass

Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.2344	0.4688	1	ND	Pass	Isopropanol	23.438	187.5	5000	ND	Pass
Acetone	23.438	187.5	5000	ND	Pass	m+p Xylene	23.438	187.5		ND	Tested
Acetonitrile	23.438	187.5	410	ND	Pass	Methanol	93.75	187.5	3000	ND	Pass
Benzene	0.2344	0.4688	1	ND	Pass	Methylene-Chloride	0.2344	0.4688	1	ND	Pass
Butane	23.438	93.75	5000	ND	Pass	n-Hexane	23.438	187.5	290	ND	Pass
Chloroform	0.2344	0.4688	1	ND	Pass	o-Xylene	23.438	187.5		ND	Tested
Ethanol	23.438	187.5	5000	480.732	Pass	Pentane	23.438	187.5	5000	ND	Pass
Ethyl-Acetate	23.438	187.5	5000	ND	Pass	Propane	23.438	93.75	5000	ND	Pass
Ethyl-Ether	23.438	187.5	5000	ND	Pass	Toluene	23.438	187.5	890	ND	Pass
Ethylene Oxide	0.2344	0.4688	1	ND	Pass	Trichloroethene	0.2344	0.4688	1	ND	Pass
Heptane	23.438	187.5	5000	ND	Pass	Xylenes	23.438	187.5	2170	ND	Pass

Date Tested: 05/17/2024
Solvents by HSGC-MS Method: SOP CGL-P-720-010-B
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
05/22/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LOQ samples were performed and met the prescribed acceptance criteria in 16 CFR section 5730, pursuant to 16 CFR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.

13340 Saticoy Street Unit H
North Hollywood, CA 91605
Lic# C8-0000104-LIC



CALIGREEN
LABORATORY

(818) 979-9474

<http://www.caligreenlaboratory.com>

24051009-1

METRC Sample: 1A40603000320C9000059506; METRC Batch: 1A4060300026549000000652

Sample ID: 2405CGL1509.4358	Produced: 05/15/2024	Distributor	Producer
Strain: 24051009-1	Collected: 05/15/2024	Terpx	Terpx Inc.
Matrix: Concentrates & Extracts	Received: 05/15/2024	Lic. # C11-0001360-LIC	Lic. # CDPH-10004500
Type: Vape	Completed: 05/22/2024	1808 Container Cir	1808 Container Circle Jurupa Valley CA
Sample Size: 13 units; Batch: 1,119 units	Batch#: 24051009-1	Jurupa Valley, CA 92509	92509

Pesticides Lab Results

											Pass
Analyte	LOD	LOQ	Limit	Result	Status	Analyte	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0375	0.075	0.1	ND	Pass	Fludioxonil	0.01875	0.075	0.1	ND	Pass
Acephate	0.01875	0.075	0.1	ND	Pass	Hexythiazox	0.01875	0.075	0.1	ND	Pass
Acequinocyl	0.075	0.1	0.1	ND	Pass	Imazalil	0.01875	0.075	0.01875	ND	Pass
Acetamiprid	0.01875	0.075	0.1	ND	Pass	Imidacloprid	0.01875	0.075	5	ND	Pass
Aldicarb	0.01875	0.075	0.01875	ND	Pass	Kresoxim Methyl	0.01875	0.075	0.1	ND	Pass
Azoxystrobin	0.01875	0.075	0.1	ND	Pass	Malathion	0.01875	0.1	0.5	<LOQ	Pass
Bifenazate	0.01875	0.075	0.1	ND	Pass	Metalaxyl	0.01875	0.1	2	ND	Pass
Bifenthrin	0.01875	0.1	3	ND	Pass	Methiocarb	0.01875	0.075	0.01875	ND	Pass
Boscalid	0.01875	0.075	0.1	ND	Pass	Methomyl	0.01875	0.075	1	ND	Pass
Captan	0.01875	0.075	0.7	ND	Pass	Mevinphos	0.01875	0.075	0.01875	ND	Pass
Carbaryl	0.01875	0.1	0.5	ND	Pass	Myclobutanil	0.01875	0.075	0.1	ND	Pass
Carbofuran	0.01875	0.075	0.01875	ND	Pass	Naled	0.01875	0.075	0.1	ND	Pass
Chlorantraniliprole	0.01875	0.1	10	ND	Pass	Oxamyl	0.01875	0.075	0.5	ND	Pass
Chlordane	0.01875	0.075	0.01875	ND	Pass	Paclobutrazol	0.01875	0.075	0.01875	ND	Pass
Chlorfenapyr	0.01875	0.075	0.01875	ND	Pass	Parathion Methyl	0.01875	0.075	0.01875	ND	Pass
Chlorpyrifos	0.01875	0.075	0.01875	ND	Pass	Pentachloronitrobenzene	0.01875	0.075	0.1	ND	Pass
Clofentezine	0.01875	0.075	0.1	ND	Pass	Permethrin	0.01875	0.1	0.5	ND	Pass
Coumaphos	0.01875	0.075	0.01875	ND	Pass	Phosmet	0.01875	0.075	0.1	ND	Pass
Cyfluthrin	0.01875	0.075	2	ND	Pass	Piperonyl Butoxide	0.01875	0.1	3	ND	Pass
Cypermethrin	0.01875	0.075	1	ND	Pass	Prallethrin	0.01875	0.075	0.1	ND	Pass
Daminozide	0.01875	0.075	0.01875	ND	Pass	Propiconazole	0.01875	0.075	0.1	ND	Pass
Diazinon	0.01875	0.075	0.1	ND	Pass	Propoxur	0.01875	0.075	0.01875	ND	Pass
Dichlorvos	0.01875	0.075	0.01875	ND	Pass	Pyrethrins	0.0375	0.1	0.5	ND	Pass
Dimethoate	0.01875	0.075	0.01875	ND	Pass	Pyridaben	0.01875	0.075	0.1	ND	Pass
Dimethomorph	0.01875	0.1	2	ND	Pass	Spinetoram	0.01875	0.075	0.1	ND	Pass
Ethoprophos	0.01875	0.075	0.01875	ND	Pass	Spinosad	0.01875	0.075	0.1	ND	Pass
Etofenprox	0.0375	0.075	0.0375	ND	Pass	Spiromesifen	0.01875	0.075	0.1	ND	Pass
Etoxazole	0.01875	0.075	0.1	ND	Pass	Spirotetramat	0.01875	0.075	0.1	ND	Pass
Fenhexamid	0.0375	0.075	0.1	ND	Pass	Spiroxamine	0.01875	0.075	0.01875	ND	Pass
Fenoxycarb	0.01875	0.075	0.01875	ND	Pass	Tebuconazole	0.01875	0.075	0.1	ND	Pass
Fenpyroximate	0.05625	0.075	0.1	ND	Pass	Thiacloprid	0.01875	0.075	0.01875	ND	Pass
Fipronil	0.01875	0.075	0.01875	ND	Pass	Thiamethoxam	0.01875	0.075	5	ND	Pass
Fonicamid	0.0375	0.075	0.1	ND	Pass	Trifloxystrobin	0.01875	0.075	0.1	ND	Pass

LABORATORY

Date Tested: 05/17/2024
Pesticides by LC-MS/MS: CGL-P-720-007-B; Pesticides by GC-MS/MS: CGL-P-720-008-B
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Samantha Lui
Samantha Lui - Laboratory Director
05/22/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



This product has been tested by Caligreen Laboratories using valid testing methodologies and a quality system as required by state law. Water activity and moisture content method: CGL-WAMC-ROHAUS. The instruments used are the Rotronic HC2-AW-USB Water Activity and Temperature meter and OHAUS MB27 Moisture Analyzer. The SOP for foreign material is CGL-FM-DINO performed with the Dino-Lite A904126 digital microscope. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Analyte limits are regulatory limits set by the BCC. This constitutes the required decision rule. Values reported relate only to the product tested. Caligreen Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Caligreen Laboratories.