

Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107 (626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

Heavy Hitters: 1g Cart: Big Apple [H]

METRC Batch: 1A40603000067F6000030389 METRC Sample: 1A40603000092E5000370649

Sample ID: 2405ENC4539_3178

Strain: Heavy Hitters: 1g Cart: Big Apple [H] Matrix: Concentrates & Extracts Type: Distillate

Batch#: 1A40603000067F6000030389



Collected: 05/09/2024

Received: 05/09/2024

Completed: 05/13/2024

Sample Size: 13 units; Batch: 1,885 units

<u> </u>			
Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	05/10/2024	LC-DAD	Pass
Pesticides	05/10/2024	LC-MS	Pass
Mycotoxins	05/10/2024	LC-MS	Pass
Residual Solvents	05/10/2024	HS-GC-MS	Pass
Microbial Impurities	05/13/2024	qPCR	Pass
Heavy Metals	05/13/2024	ICP-MS	Pass
Foreign Matter	05/10/2024	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

91.811 %			0.193 %			97.705 %
Total THC			Total CBD			Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	
THCa	0.235	0.713	ND	ND	ND	
Δ9-THC	0.252	0.763	91.811	918.11	918.11	
Δ8-THC	0.278	0.843	ND	ND	ND	
THCVa	0.271	0.822	ND	ND	ND	
THCV	0.281	0.851	0.422	4.22	4.22	
CBDa	0.247	0.748	ND	ND	ND	
CBD	0.238	0.720	0.193	1.93	1.93	
CBN	0.224	0.679	0.639	6.39	6.39	
CBGa	0.268	0.812	ND	ND	ND	
CBG	0.247	0.749	3.681	36.81	36.81	
CBCa	0.218	0.662	ND	ND	ND	
CBC	0.257	0.777	0.958	9.58	9.58	
Total THC			91.811	918.11	918.11	
Total CBD			0.193	1.93	1.93	
Total Cannabinoids			97.705	977.05	977.05	
Sum of Cannabinoids			97.705	977.05	977.05	

1 Unit = 1g;

Total THC = THCa * $0.877 + \Delta 9$ -THC + $\Delta 8$ -THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Duff Mm Mary Beth Smith Compliance Manager | 05/13/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Producer Fluids Manufacturing, Inc

Lic. # C11-0000107-LIC 11941 Vose St., N Hollywood, CA, 91605

FLUIDS MANUFACTURING,

Distributor

Lic. # CDPH-10003641 11941 Vose St North Hollywood, CA 91605 Pasadena, CA 91107

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Collected: 05/09/2024

Received: 05/09/2024

Completed: 05/13/2024

Sample Size: 13 units; Batch: 1,885 units

Distributor

FLUIDS MANUFACTURING, INC.

Lic. # C11-0000107-LIC

N Hollywood, CA, 91605

11941 Vose St.,

Producer

91605

Fluids Manufacturing, Inc

Lic. # CDPH-10003641

North Hollywood, CA

11941 Vose St

Heavy Hitters: 1g Cart: Big Apple [H]

METRC Batch: 1A40603000067F6000030389 METRC Sample: 1A40603000092E5000370649

Sample ID: 2405ENC4539_3178

Strain: Heavy Hitters: 1g Cart: Big Apple [H] Matrix: Concentrates & Extracts Type: Distillate

Batch#: 1A40603000067F6000030389

Pesticides Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	ND	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND		Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoxazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 05/10/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



arth Mn Mary Beth Smith Compliance Manager | 05/13/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

2 of 4

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Collected: 05/09/2024

Received: 05/09/2024

Completed: 05/13/2024

Sample Size: 13 units; Batch: 1,885 units

Producer

91605

Fluids Manufacturing, Inc

Lic. # CDPH-10003641

North Hollywood, CA

11941 Vose St

Heavy Hitters: 1g Cart: Big Apple [H]

METRC Batch: 1A40603000067F6000030389 METRC Sample: 1A40603000092E5000370649

Sample ID: 2405ENC4539_3178

Strain: Heavy Hitters: 1g Cart: Big Apple [H] Matrix: Concentrates & Extracts Type: Distillate

Mycotoxins

Batch#: 1A40603000067F6000030389

Method: EL-PESTMYCOLCMS					
Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Distributor

FLUIDS MANUFACTURING, INC.

Lic. # C11-0000107-LIC

N Hollywood, CA, 91605

11941 Vose St.,

Date Tested: 05/10/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	ND	Pass
Ethyl acetate	10.00	30.00	5000	ND	Pass
Ethyl ether	10.00	30.00	5000	ND	Pass
Ethylene oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
Hexane	10.00	30.00	290	ND	Pass
Isopropyl alcohol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	20.00	60.00	2170	ND	Pass
Trichloroethylene	0.10	0.29	1	ND	Pass

Date Tested: 05/10/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mm Mary Beth Smith Compliance Manager | 05/13/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Heavy Hitters: 1g Cart: Big Apple [H]

METRC Batch: 1A40603000067F6000030389 METRC Sample: 1A40603000092E5000370649 Distributor Producer FLUIDS MANUFACTURING, Fluids Manufacturing, Collected: 05/09/2024 Sample ID: 2405ENC4539_3178 Strain: Heavy Hitters: 1g Cart: Big Apple [H] Received: 05/09/2024 Matrix: Concentrates & Extracts Completed: 05/13/2024 Lic. # C11-0000107-LIC Lic. # CDPH-10003641 Sample Size: 13 units; Batch: 1,885 units 11941 Vose St., 11941 Vose St Type: Distillate N Hollywood, CA, 91605 North Hollywood, CA 91605

Batch#: 1A40603000067F6000030389

Microbial Impurities Method: SOP EL-MICROBIALS Analytes Result Status Aspergillus flavus Not Detected in 1g Pass Aspergillus fumigatus Not Detected in 1g Pass Not Detected in 1g Pass Aspergillus niger Pass Aspergillus terreus Not Detected in 1g Pass Shiga toxin-producing Escherichia coli Not Detected in 1g Not Detected in 1g Salmonella spp Pass

Date Tested: 05/13/2024

Heavy Metals

Method: SOP EL-HEAVYME IALS Analytes	LOD

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 05/13/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.