

Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107 (626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

Producer

91605

Fluids Manufacturing, Inc

Lic. # CDPH-10003641

North Hollywood, CA

11941 Vose St.

Heavy Hitters: 1g Cart: Cereal Milk [H]

METRC Batch: 1A40603000067F6000033712 METRC Sample: 1A406030003BD6D000521868

Sample ID: 2410ENC0899_2617

Strain: Heavy Hitters: 1g Cart: Cereal Milk [H] Matrix: Concentrates & Extracts Type: Distillate

Batch#: 1A40603000067F6000033712



Summary

Collected: 10/21/2024

Received: 10/21/2024

Completed: 10/25/2024

Sample Size: 13 units; Batch: 2,920 units

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	10/22/2024	LC-DAD	Pass
Pesticides	10/25/2024	LC-MS	Pass
Mycotoxins	10/25/2024	LC-MS	Pass
Residual Solvents	10/22/2024	HS-GC-MS	Pass
Microbial Impurities	10/23/2024	qPCR	Pass
Heavy Metals	10/23/2024	ICP-MS	Pass
Foreign Matter	10/22/2024	Visual Inspection	Pass

Distributor

FLUIDS MANUFACTURING,

N HOLLYWOOD, CA, 91605

Lic. # C11-0001429-LIC

11929 VOSE ST,

Cannabinoids

Method: SOP EL-CANNABINOIDS

90.394 %			0.199 % Total CBD			95.885 %
Total THC						Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	
THCa	0.249	0.754	0.204	2.04	2.04	
19-THC	0.266	0.807	90.215	902.15	902.15	
18-THC	0.294	0.892	ND	ND	ND	
THCVa	0.287	0.870	ND	ND	ND	
THCV	0.297	0.899	2.120	21.20	21.20	
CBDa	0.261	0.790	ND	ND	ND	
CBD	0.251	0.762	0.199	1.99	1.99	
CBN	0.237	0.718	0.581	5.81	5.81	
CBGa	0.283	0.858	ND	ND	ND	
CBG	0.261	0.791	1.986	19.86	19.86	
CBCa	0.231	0.699	ND	ND	ND	
CBC	0.271	0.822	0.606	6.06	6.06	
Fotal THC			90.394	903.94	903.94	
Fotal CBD			0.199	1.99	1.99	
Total Cannabinoids			95.885	958.86	958.86	
Sum of Cannabinoids			95.911	959.11	959.11	

1 Unit = 1g;

Total THC = THCa * $0.877 + \Delta 9$ -THC + $\Delta 8$ -THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Duff Mn Mary Beth Smith Compliance Manager | 10/25/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Pasadena, CA 91107

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Collected: 10/21/2024

Received: 10/21/2024

Completed: 10/25/2024

Sample Size: 13 units; Batch: 2,920 units

Heavy Hitters: 1g Cart: Cereal Milk [H]

METRC Batch: 1A40603000067F6000033712 METRC Sample: 1A406030003BD6D000521868

Sample ID: 2410ENC0899_2617

Strain: Heavy Hitters: 1g Cart: Cereal Milk [H] Matrix: Concentrates & Extracts Type: Distillate

Batch#: 1A40603000067F6000033712

Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	ND	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	0.071	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoxazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 10/25/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mn Mary Beth Smith Compliance Manager | 10/25/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Distributor FLUIDS MANUFACTURING,

Producer Fluids Manufacturing, Inc

Lic. # C11-0001429-LIC 11929 VOSE ST, N HOLLYWOOD, CA, 91605 Lic. # CDPH-10003641 11941 Vose St. North Hollywood, CA 91605

(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

Producer

Heavy Hitters: 1g Cart: Cereal Milk [H]

METRC Batch: 1A40603000067F6000033712 METRC Sample: 1A406030003BD6D000521868

Sample ID: 2410ENC0899_2617

Strain: Heavy Hitters: 1g Cart: Cereal Milk [H] Matrix: Concentrates & Extracts Type: Distillate

FLUIDS MANUFACTURING, Collected: 10/21/2024 Received: 10/21/2024 Completed: 10/25/2024 Sample Size: 13 units; Batch: 2,920 units N HOLLYWOOD, CA, 91605

Lic. # C11-0001429-LIC 11929 VOSE ST,

Distributor

Lic. # CDPH-10003641 11941 Vose St. North Hollywood, CA 91605

Fluids Manufacturing, Inc

Batch#: 1A40603000067F6000033712

Mycotoxins Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 10/25/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents Method: EL-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	ND	Pass
Ethyl acetate	10.00	30.00	5000	ND	Pass
Ethyl ether	10.00	30.00	5000	ND	Pass
Ethylene oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
Hexane	10.00	30.00	290	ND	Pass
Isopropyl alcohol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	20.00	60.00	2170	ND	Pass
Trichloroethylene	0.10	0.29	1	ND	Pass

Date Tested: 10/22/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Ma Mary Beth Smith Compliance Manager | 10/25/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

3 of 4

(626) 696-3086 https://encore-labs.com / Lic# C8-0000086-LIC

Heavy Hitters: 1g Cart: Cereal Milk [H]

METRC Batch: 1A40603000067F6000033712 METRC Sample: 1A406030003BD6D000521868

Sample ID: 2410ENC0899_2617

Strain: Heavy Hitters: 1g Cart: Cereal Milk [H] Matrix: Concentrates & Extracts Type: Distillate

 3BD6D000521868
 Distributor
 Producer

 617
 Collected: 10/21/2024
 FLUIDS MANUFACTURING, INC.
 Fluids Manufacturing, Inc.

 Cereal Milk [H]
 Received: 10/21/2024
 Lic. # C11-0001429-LIC
 Lic. # CDPH-10003641

 s
 Sample Size: 13 units; Batch: 2,920
 Lip29 VOSE ST, N HOLLYWOOD, CA, 91605
 North Hollywood, CA 91605

Batch#: 1A40603000067F6000033712

Microbial Impurities

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 10/23/2024

Heavy Metals

Method: SOP EL-HEAVYMETALS					
Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 10/23/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mm Mary Beth Smith Compliance Manager | 10/25/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.