

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

qPCR

ICP-MS

Visual Inspection

Heavy Hitters: 10 Pack Lights Out Tablets: 100mg THC: 50mg CBN

METRC Batch: 1A40603000067F6000029158 METRC Sample: 1A40603000092E5000370425

Sample ID: 2403ENC2919_8691

Strain: Heavy Hitters: 10 Pack Lights Out Tablets: 100mg THC: 50mg CBN Matrix: Concentrates & Extracts

Type: Other

Batch#: 1A40603000067F6000029158



Summary		
Test	Date Tested	Instr. Method
Batch		
Cannabinoids	03/26/2024	LC-DAD
Pesticides	03/26/2024	LC-MS
Mycotoxins	03/26/2024	LC-MS
Residual Solvents	03/26/2024	HS-GC-MS

03/27/2024

03/27/2024

03/26/2024

Distributor

FLUIDS MANUFACTURING,

Lic. # C11-0000107-LIC

N Hollywood, CA, 91605

11941 Vose St.,

Cannabinoids Method: SOP EL-CANNABINOIDS

9.02 mg/se Total TH	Ū		0	.02 mg/ Total	serving CBD	I	14.37 mg/serving Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	Result	Result	
Analytes	mg/g	mg/g	%	mg/g	mg/unit	mg/serving	
THCa	0.013	0.038	ND	ND	ND	ND	
Δ9-THC	0.013	0.041	2.909	29.09	90.17	9.017	
Δ8-THC	0.015	0.045	ND	ND	ND	ND	
THCVa	0.015	0.044	ND	ND	ND	ND	
THCV	0.015	0.045	0.035	0.35	1.09	0.109	
CBDa	0.013	0.040	ND	ND	ND	ND	
CBD	0.013	0.039	0.008	0.08	0.25	0.025	
CBN	0.012	0.036	1.563	15.63	48.44	4.844	
CBGa	0.014	0.043	0.008	0.08	0.24	0.024	
CBG	0.013	0.040	0.073	0.73	2.25	0.225	
CBCa	0.012	0.035	ND	ND	ND	ND	
CBC	0.014	0.042	0.041	0.41	1.28	0.128	
Total THC			2.909	29.09	90.166	9.017	
Total CBD			0.008	0.08	0.249	0.025	
Total Cannabinoids			4.635	46.35	143.682	14.368	
Sum of Cannabinoids			4.636	46.36	143.712	14.371	

1 Unit = 3.1g; 10 servings per container;

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Mn Mary Beth Smith Compliance Manager | 03/27/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Producer

Lic. # CDPH-10003641 11941 Vose St North Hollywood, CA 91605

> Result Pass Pass

> > Pass Pass Pass

> > Pass

Pass

Pass

Fluids Manufacturing, Inc

Microbial Impurities

Heavy Metals

Foreign Matter

Collected: 03/25/2024

Received: 03/25/2024

Completed: 03/27/2024

Sample Size: 20 units; Batch: 5,368 units

(626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

Producer

Heavy Hitters: 10 Pack Lights Out Tablets: 100mg THC: 50mg CBN

METRC Batch: 1A40603000067F6000029158 METRC Sample: 1A40603000092E5000370425

Sample ID: 2403ENC2919_8691

Strain: Heavy Hitters: 10 Pack Lights Out Tablets: 100mg THC: 50mg CBN Matrix: Concentrates & Extracts Type: Other

Collected: 03/25/2024 Received: 03/25/2024 Completed: 03/27/2024

Sample Size: 20 units; Batch: 5,368 units

Lic. # C11-0000107-LIC 11941 Vose St., N Hollywood, CA, 91605

FLUIDS MANUFACTURING, INC.

Distributor

Lic. # CDPH-10003641 11941 Vose St North Hollywood, CA 91605

Fluids Manufacturing, Inc

Batch#: 1A40603000067F6000029158

Pesticides Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND		Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	ND	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoxazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 03/26/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mn Mary Beth Smith Compliance Manager | 03/27/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

Heavy Hitters: 10 Pack Lights Out Tablets: 100mg THC: 50mg CBN

METRC Batch: 1A40603000067F6000029158 METRC Sample: 1A40603000092E5000370425		Distributor	Producer
Sample ID: 2403ENC2919_8691	Collected: 03/25/2024	FLUIDS MANUFACTURING, INC.	Fluids Manufacturing, Inc
Strain: Heavy Hitters: 10 Pack Lights Out Tablets: 100mg THC: 50mg CBN	Received: 03/25/2024		
Matrix: Concentrates & Extracts	Completed: 03/27/2024	Lic. # C11-0000107-LIC	Lic. # CDPH-10003641
Type: Other	Sample Size: 20 units; Batch: 5,368 units	11941 Vose St., N Hollywood, CA, 91605	11941 Vose St North Hollywood, CA
Batch#: 1A40603000067F6000029158			91605

Method: EL-PESTMYCOLCMS					
Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 03/26/2024

Mycotoxins

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method:	EL-RES	SOLVENT

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethyl-Acetate	10.00	30.00	5000	ND	Pass
Ethyl-Ether	10.00	30.00	5000	ND	Pass
Ethylene Oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
n-Hexane	10.00	30.00	290	ND	Pass
Isopropanol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene-Chloride	0.10	0.31	1	ND	Pass
1,2-Dichloro-Ethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Xylenes	20.00	60.00	2170	ND	Pass
Trichloroethene	0.10	0.29	1	ND	Pass

Date Tested: 03/26/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Ma Mary Beth Smith Compliance Manager | 03/27/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

Heavy Hitters: 10 Pack Lights Out Tablets: 100mg THC: 50mg CBN

METRC Batch: 1A40603000067F6000029158 METRC Sample: 1A40603000092E5000370425 Sample ID: 2403ENC2919_8691	Collected: 03/25/2024	Distributor FLUIDS MANUFACTURING, INC.	Producer Fluids Manufacturing, Inc
Strain: Heavy Hitters: 10 Pack Lights Out Tablets: 100mg THC: 50mg CBN	Received: 03/25/2024		
Matrix: Concentrates & Extracts	Completed: 03/27/2024	Lic. # C11-0000107-LIC	Lic. # CDPH-10003641
Type: Other	Sample Size: 20 units; Batch: 5,368 units	11941 Vose St., N Hollywood, CA, 91605	11941 Vose St North Hollywood, CA
Batch#: 1A40603000067F6000029158		N Hollywood, CA, 91005	91605

Microbial Impurities Method: SOP EL-MICROBIALS		
Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 03/27/2024

Heavy Metals

Method:	SOP	EL-HE	AVYMET	ALS

Method: SOF EE-HEAV HMETAES					
Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Cadmium	0.015	0.044	0.200	<loq< td=""><td>Pass</td></loq<>	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 03/27/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.