

Certificate of Analysis

Produced: Jun 17, 2026

Sample: Heavy Hitters: 100mg THC/ 50mg THCV Fast Acting Gummy Pack: Sour Punch [S] (Edible Solid) • **Client:** Fluids Manufacturing Inc • **Batch:** Pass



Manufacturer Info

Manufacturer
FLUIDS MANUFACTURING, INC.
11941 VOSE ST
NORTH HOLLYWOOD, CA 91605

License
DCC-10003641
Adult-Use and Medicinal - Manufacturing License

Distributor Info

Distributor
FLUIDS MANUFACTURING, INC.
11929 VOSE ST
N HOLLYWOOD, CA 91605

License
C11-0001429-LIC
Adult-Use and Medicinal - Distributor License

Batch No.: 1A40603000067F6000047120
Test Pkg: 1A406030003BD6D001126648
Src Pkg: 1A40603000067F6000047120
Matrix: Edible Solid
Sample ID: ICC-260612-17-002
Collected on: Jun 12, 2026
Received on: Jun 12, 2026
Batch Size: 15429 Units
Sample Size: 32 Units
Package Size: 37.50 g
Serving Size: 3.75 g

Batch Result: Pass

Potency	Pass	Mycotoxins	Pass
Solvents	Pass	Pesticides	Pass
Metals	Pass	Foreign	Pass
Microbial	Pass	Water Activity	Pass

Cannabinoid Overview

Δ⁹-THC:	9.90 mg/srv
CBD:	0.000 mg/srv
Total Cannabinoids:	15.4 mg/srv
Sum of Cannabinoids:	15.4 mg/srv

POT-INST-005: POT-INST-005: Potency • Jun 17, 2026

Analyte	Limit (mg)	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Limit (mg)	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC				ND	ND	0.0267/0.0800	N/A	CBT				ND	ND	0.0116/0.0404	N/A
CBD				ND	ND	0.00816/0.0404	N/A	Δ ⁸ -THC				ND	ND	0.00654/0.0404	N/A
CBDA				ND	ND	0.0195/0.0585	N/A	Δ ⁹ -THC	11/srv 110/pkg	9.90	99.0	0.264	2.64	0.0108/0.0404	Pass
CBDV				ND	ND	0.00647/0.0404	N/A	THCA				ND	ND	0.0148/0.0445	N/A
CBG				< 1 mg/g	< LOQ	0.00921/0.0404	N/A	THCV		5.48	54.8	0.146	1.460	0.0499/0.0404	N/A
CBGA				ND	ND	0.0144/0.0432	N/A	Total THC**		9.90	99.0	0.264	2.64		N/A
CBL				ND	ND	0.00637/0.0404	N/A	Total CBD**				ND	ND		N/A
CBN				ND	ND	0.00921/0.0404	N/A	Total Cannabinoids**		15.4	154	0.410	4.10		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*

*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC



Signature of David Marelius

Signature of Erik Paulson

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Jun 16, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.139/0.425	Pass	Hexane	290	ND	0.0551/0.235	Pass
Acetone	5000	65.7	14.3/42.8	Pass	Isopropyl alcohol	5000	17.9	1.07/3.20	Pass
Acetonitrile	410	ND	0.100/0.300	Pass	Methanol	3000	259	2.48/7.44	Pass
Benzene	1	ND	0.0175/0.0533	Pass	Methylene chloride	1	ND	0.106/0.608	Pass
Butane	5000	ND	0.810/4.05	Pass	Pentane	5000	ND	0.803/3.56	Pass
Chloroform	1	ND	0.0300/0.0901	Pass	Propane	5000	ND	3.70/11.1	Pass
Ethanol	5000	17.8	2.18/6.55	Pass	Toluene	890	ND	0.0734/0.721	Pass
Ethyl acetate	5000	ND	0.261/1.91	Pass	Trichloroethylene	1	ND	0.0150/0.121	Pass
Ethylene oxide	1	ND	0.128/0.483	Pass	o-Xylene		ND	0.0840/0.715	N/A
Ethyl ether	5000	ND	0.987/2.96	Pass	p- and m-Xylene		ND	0.0963/1.43	N/A
Heptane	5000	ND	0.573/2.39	Pass	Total xylenes	2170	ND	0.0841/0.716	Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Jun 16, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	ND	0.00300/0.00900	Pass	Lead	0.5	0.00734	0.00100/0.00400	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass	Mercury	3	ND	0.00500/0.0140	Pass

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Jun 16, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Jun 16, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail	Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.07/3.20	N/A	Aflatoxin G2		ND	0.723/2.47	N/A
Aflatoxin B2		ND	0.925/2.77	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.34/7.01	N/A	Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Jun 16, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0145/0.0435	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass					



REGULATORY COMPLIANCE TESTING

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Jun 16, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.0156/0.0474	Pass
Acephate	5	ND	0.0164/0.0497	Pass	Imidacloprid	3	ND	0.0235/0.0711	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass	Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass	Malathion	5	ND	0.0117/0.0354	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass	Metalaxyl	15	ND	0.0101/0.0306	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass	Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass	Methomyl	0.1	ND	0.0158/0.0479	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass	Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Boscalid	10	ND	0.0197/0.0596	Pass	Myclobutanil	9	ND	0.0180/0.0546	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass	Naled	0.5	ND	0.0170/0.0514	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass	Oxamyl	0.2	ND	0.0153/0.0465	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass	Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass	Permethrin	20	ND	0.00831/0.0300	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass	Phosmet	0.2	ND	0.0125/0.0377	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass	Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass	Prallethrin	0.4	ND	0.0226/0.0685	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass	Propiconazole	20	ND	0.0195/0.0590	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass	Propoxur	Any amt	ND	0.0155/0.0471	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass	Pyrethrins	1	ND	0.00431/0.0300	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass	Pyridaben	3	ND	0.0115/0.0350	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass	Spinetoram	3	ND	0.00639/0.0300	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass	Spinosad	3	ND	0.00410/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass	Spiromesifen	12	ND	0.0137/0.0416	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass	Spirotetramat	13	ND	0.0134/0.0407	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass	Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass	Tebuconazole	2	ND	0.0144/0.0437	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass	Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass	Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass	Trifloxystrobin	30	ND	0.0102/0.0310	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass					

Water Activity by Water Activity Meter • Jun 15, 2026

Analyte	Limit (Aw)	Amt (Aw)	Pass/Fail
Water Activity	0.85	0.680	Pass



Signature

Signature