



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

1 of 5

Live Resin Disposable Straw (cartridge) 0.5g - Banana Mango

METRC Sample: 1A406030000497B000171174; METRC Batch: 1A40603000044E0000003831

Sample ID: 2203LLI0702.1644
Strain: BANANA MANGO
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: 40 units; Batch: 8,899 units

Produced: 02/21/2022
Collected: 03/01/2022
Received: 03/01/2022
Completed: 03/03/2022
Batch#: RES-BANMAN-022122

Distributor
Med for America Inc.
Lic. # C11-0000314-LIC
65441 Two Bunch Palms TRL
DSRT HOT SPGS, CA 92240

Producer
MED FOR AMERICA INC
Lic. # CDPH-10003525
65441 Two Bunch Palms TRL DSRT HOT
SPGS, CA 92240



Summary

Test	Date Tested	Result
Batch	03/03/2022	Pass
Cannabinoids	03/03/2022	Pass
Terpenes	03/03/2022	Complete
Residual Solvents	03/03/2022	Pass
Microbials	03/03/2022	Pass
Mycotoxins	03/03/2022	Pass
Pesticides	03/03/2022	Pass
Heavy Metals	03/03/2022	Pass
Foreign Matter	03/01/2022	Pass

Cannabinoids

Pass

79.105%	ND	83.261%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOQ	LOD	Results	Results	Results	Results
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.000319	0.000100	35.131	351.31	0.586	175.654
Δ9-THC	0.000332	0.000104	48.295	482.95	0.805	241.474
Δ8-THC	0.000365	0.000115	ND	ND	ND	ND
THCV	0.000724	0.000228	ND	ND	ND	ND
CBDa	0.000083	0.000026	ND	ND	ND	ND
CBD	0.000974	0.000228	ND	ND	ND	ND
CBDVa	0.000262	0.000082	ND	ND	ND	ND
CBDV	0.000432	0.000136	ND	ND	ND	ND
CBN	0.000303	0.000095	ND	ND	ND	ND
CBGa	0.000273	0.000086	4.739	47.39	0.079	23.694
CBG	0.000442	0.000139	ND	ND	ND	ND
CBC	0.000089	0.000028	ND	ND	ND	ND
Total THC			79.105	791.052	1.318	395.522
Total CBD			ND	ND	ND	ND
Total			83.261	832.612	1.388	416.302

Date Tested: 03/03/2022

300 serving(s) per container.

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) * 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001, SOP-001-1. Instrument: HPLC-PDA.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
03/03/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Landau Laboratories, Inc. makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-000016-LIC



Regulatory Compliance Testing Certificate of Analysis

2 of 5

Live Resin Disposable Straw (cartridge) 0.5g - Banana Mango

METRC Sample: 1A406030000497B000171174; METRC Batch: 1A40603000044E0000003831

Sample ID: 2203LLI0702.1644
Strain: BANANA MANGO
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: 40 units; Batch: 8,899 units

Produced: 02/21/2022
Collected: 03/01/2022
Received: 03/01/2022
Completed: 03/03/2022
Batch#: RES-BANMAN-022122

Distributor
Med for America Inc.
Lic. # C11-0000314-LIC
65441 Two Bunch Palms TRL
DSRT HOT SPGS, CA 92240


Producer
MED FOR AMERICA INC
Lic. # CDPH-10003525
65441 Two Bunch Palms TRL DSRT HOT
SPGS, CA 92240

Terpenes

Analyte	LOQ	LOD	Results	Results	
	ug/g	ug/g	ug/g	%	
Terpinolene	4.1	1.3	43809.9	4.4	<div></div>
Caryophyllene	12.1	3.8	16894.5	1.7	<div></div>
β-Myrcene	6.9	2.2	15922.5	1.6	<div></div>
δ-Limonene	5.2	1.6	11622.2	1.2	<div></div>
Ocimene	11.0	3.5	4117.9	0.4	<div></div>
α-Humulene	6.2	2.0	4002.1	0.4	<div></div>
α-Pinene	7.2	2.3	2261.3	0.2	<div></div>
β-Pinene	7.5	2.4	1967.0	0.2	<div></div>
α-Bisabolol	29.6	9.3	1792.3	0.2	<div></div>
α-Terpinene	4.3	1.3	1624.8	0.2	<div></div>
γ-Terpinene	5.5	1.7	1212.9	0.1	<div></div>

Analyte	LOQ	LOD	Results	Results	
	ug/g	ug/g	ug/g	%	
d-3-Carene	6.8	2.1	824.6	0.1	
Linalool	12.2	3.8	360.9	0.0	
p-Cymene	5.5	1.7	237.5	0.0	
Camphene	8.9	2.8	209.0	0.0	
Caryophyllene Oxide	19.3	6.1	ND	ND	
cis-Nerolidol	7.9	2.5	ND	ND	
Eucalyptol	8.9	2.8	ND	ND	
Geraniol	18.7	5.9	ND	ND	
Guaiol	36.8	11.6	ND	ND	
Isopulegol	10.6	3.3	ND	ND	
trans-Nerolidol	22.6	7.1	ND	ND	
Total			106859.3	10.7	

Primary Aromas



Date Tested: 03/03/2022

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-003. Instrument: HS/GC/MS



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
03/03/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Landau Laboratories, Inc. makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

3 of 5

Live Resin Disposable Straw (cartridge) 0.5g - Banana Mango

METRC Sample: 1A406030000497B000171174; METRC Batch: 1A40603000044E0000003831

Sample ID: 2203LLI0702.1644
Strain: BANANA MANGO
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: 40 units; Batch: 8,899 units

Produced: 02/21/2022
Collected: 03/01/2022
Received: 03/01/2022
Completed: 03/03/2022
Batch#: RES-BANMAN-022122

Distributor
Med for America Inc.
Lic. # C11-0000314-LIC
65441 Two Bunch Palms TRL
DSRT HOT SPGS, CA 92240

Producer
MED FOR AMERICA INC
Lic. # CDPH-10003525
65441 Two Bunch Palms TRL DSRT HOT
SPGS, CA 92240

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.02	0.0608	0.1	ND	Pass	Fludioxonil	0.0063	0.0191	0.1	ND	Pass
Acephate	0.0032	0.0096	0.1	ND	Pass	Hexythiazox	0.0051	0.0155	0.1	ND	Pass
Acequinocyl	0.0048	0.0144	0.1	ND	Pass	Imazalil	0.0052	0.0156	0.0052	ND	Pass
Acetamiprid	0.0042	0.0127	0.1	ND	Pass	Imidacloprid	0.0053	0.016	5	ND	Pass
Aldicarb	0.0077	0.0232	0.0077	ND	Pass	Kresoxim Methyl	0.0035	0.0106	0.1	ND	Pass
Azoxystrobin	0.0038	0.0114	0.1	ND	Pass	Malathion	0.0053	0.0161	0.5	0.029	Pass
Bifenazate	0.0056	0.017	0.1	ND	Pass	Metalaxyl	0.0045	0.0137	2	ND	Pass
Bifenthrin	0.0045	0.0136	3	ND	Pass	Methiocarb	0.0049	0.0148	0.0049	ND	Pass
Boscalid	0.0066	0.0199	0.1	ND	Pass	Methomyl	0.0048	0.0145	1	ND	Pass
Captan	0.0235	0.0712	0.7	ND	Pass	Mevinphos	0.0039	0.0118	0.0039	ND	Pass
Carbaryl	0.0042	0.0127	0.5	ND	Pass	Myclobutanil	0.006	0.0182	0.1	ND	Pass
Carbofuran	0.0051	0.0155	0.0051	ND	Pass	Naled	0.0021	0.0064	0.1	ND	Pass
Chlorantraniliprole	0.0062	0.0188	10	ND	Pass	Oxamyl	0.0069	0.0209	0.5	ND	Pass
Chlordane	0.0204	0.0619	0.0204	ND	Pass	Paclobutrazol	0.0059	0.0179	0.0059	ND	Pass
Chlorfenapyr	0.0217	0.0657	0.0217	ND	Pass	Methyl Parathion	0.0168	0.051	0.0168	ND	Pass
Chlorpyrifos	0.01	0.0303	0.01	ND	Pass	Pentachloronitrobenzene	0.0055	0.0168	0.1	ND	Pass
Clofentezine	0.0036	0.011	0.1	ND	Pass	Permethrin	0.0063	0.019	0.5	ND	Pass
Coumaphos	0.0068	0.0205	0.0068	ND	Pass	Phosmet	0.0043	0.0131	0.1	ND	Pass
Cyfluthrin	0.0217	0.0657	2	ND	Pass	Piperonyl Butoxide	0.006	0.0181	3	ND	Pass
Cypermethrin	0.0066	0.0199	1	ND	Pass	Prallethrin	0.0046	0.0139	0.1	ND	Pass
Daminozide	0.0058	0.0176	0.0058	ND	Pass	Propiconazole	0.0085	0.0258	0.1	ND	Pass
Diazinon	0.0074	0.0224	0.1	ND	Pass	Propoxur	0.0068	0.0206	0.0068	ND	Pass
Dichlorvos	0.0041	0.0123	0.0041	ND	Pass	Pyrethrins	0.0041	0.0125	0.5	ND	Pass
Dimethoate	0.0036	0.0108	0.0036	ND	Pass	Pyridaben	0.0061	0.0186	0.1	ND	Pass
Dimethomorph	0.0072	0.0217	2	ND	Pass	Spinetoram	0.005	0.015	0.1	ND	Pass
Ethoprophos	0.0041	0.0123	0.0041	ND	Pass	Spinosad	0.0052	0.0157	0.1	ND	Pass
Etofenprox	0.0044	0.0133	0.0044	ND	Pass	Spiromesifen	0.0061	0.0184	0.1	ND	Pass
Etoazole	0.0055	0.0167	0.1	ND	Pass	Spirotetramat	0.0042	0.0127	0.1	ND	Pass
Fenhexamid	0.0049	0.0147	0.1	ND	Pass	Spiroxamine	0.0048	0.0145	0.0048	ND	Pass
Fenoxycarb	0.0047	0.0142	0.0047	ND	Pass	Tebuconazole	0.006	0.0182	0.1	ND	Pass
Fenpyroximate	0.0055	0.0168	0.1	ND	Pass	Thiacloprid	0.0056	0.0169	0.0056	ND	Pass
Fipronil	0.0075	0.0227	0.0075	ND	Pass	Thiamethoxam	0.0047	0.0142	5	ND	Pass
Flonicamid	0.004	0.0122	0.1	ND	Pass	Trifloxystrobin	0.0023	0.007	0.1	<LOQ	Pass

Date Tested: 03/03/2022

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002.
Instrument: LC-MSMS.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
03/03/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc. using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Landau Laboratories, Inc. makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
<http://www.landaulabs.com>
Lic# C8-0000016-LIC



Regulatory Compliance Testing Certificate of Analysis

4 of 5

Live Resin Disposable Straw (cartridge) 0.5g - Banana Mango

METRC Sample: 1A406030000497B000171174; METRC Batch: 1A40603000044E0000003831

Sample ID: 2203LLI0702.1644
Strain: BANANA MANGO
Matrix: Concentrates & Extracts
Type: Live Resin
Sample Size: 40 units; Batch: 8,899 units

Produced: 02/21/2022
Collected: 03/01/2022
Received: 03/01/2022
Completed: 03/03/2022
Batch#: RES-BANMAN-022122

Distributor
Med for America Inc.
Lic. # C11-0000314-LIC
65441 Two Bunch Palms TRL
DSRT HOT SPGS, CA 92240

Producer
MED FOR AMERICA INC
Lic. # CDPH-10003525
65441 Two Bunch Palms TRL DSRT HOT
SPGS, CA 92240

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.2	0.5	1	ND	Pass
Acetone	25.7	81.6	5000	166.63	Pass
Acetonitrile	3.5	11.2	410	ND	Pass
Benzene	0.03	0.1	1	ND	Pass
Butane	1.6	5.1	5000	ND	Pass
Chloroform	0.1	0.2	1	ND	Pass
Ethanol	1.6	5.1	5000	ND	Pass
Ethyl-Acetate	1.7	5.6	5000	ND	Pass
Ethyl-Ether	1.7	5.4	5000	ND	Pass
Ethylene Oxide	0.1	0.4	1	ND	Pass
Heptane	2.2	7.1	5000	ND	Pass
Isopropanol	4.4	14	5000	344.61	Pass
Methanol	4.3	13.6	3000	63.86	Pass
Methylene-Chloride	0.2	0.6	1	ND	Pass
n-Hexane	0.1	0.4	290	ND	Pass
Pentane	5.4	17.2	5000	ND	Pass
Propane	8.7	27.6	5000	ND	Pass
Toluene	1.1	3.4	890	ND	Pass
Trichloroethylene	0.04	0.1	1	ND	Pass
m+p Xylene	4.9	15.7			
o-Xylene	1.4	4.4			
Total Xylenes			2170	ND	Pass

Date Tested: 03/03/2022

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004
Instrument: HS-GC/MS



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
03/03/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.



Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-000016-LIC



Regulatory Compliance Testing Certificate of Analysis

5 of 5

Live Resin Disposable Straw (cartridge) 0.5g - Banana Mango

METRC Sample: 1A406030000497B000171174; METRC Batch: 1A40603000044E0000003831

Sample ID: 2203LLI0702.1644	Produced: 02/21/2022	Distributor	Producer
Strain: BANANA MANGO	Collected: 03/01/2022	Med for America Inc.	MED FOR AMERICA INC
Matrix: Concentrates & Extracts	Received: 03/01/2022	Lic. # C11-0000314-LIC	Lic. # CDPH-10003525
Type: Live Resin	Completed: 03/03/2022	65441 Two Bunch Palms TRL	65441 Two Bunch Palms TRL DSRT HOT
Sample Size: 40 units; Batch: 8,899 units	Batch#: RES-BANMAN-022122	DSRT HOT SPGS, CA 92240	SPGS, CA 92240

Microbials

Pass

Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 03/03/2022

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.5000	4.7000		ND	Tested
Aflatoxin B2	1.4000	4.3000		ND	Tested
Aflatoxin G1	1.000	3.000		ND	Tested
Aflatoxin G2	1.3000	3.9000		ND	Tested
Total Aflatoxins			20000	ND	Pass
Ochratoxin A	2.6000	8.000	20000	ND	Pass

Date Tested: 03/03/2022

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.008	0.026	0.2	ND	Pass
Cadmium	0.002	0.008	0.2	<LOQ	Pass
Lead	0.004	0.012	0.5	0.0595	Pass
Mercury	0.001	0.002	0.1	ND	Pass

Date Tested: 03/03/2022

LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.



Hripsime Aleksanyan

Hripsime Aleksanyan - Quality Assurance Supervisor
03/03/2022

Confident Cannabis
All Rights Reserved
support@confidentcannabis.com
(866) 506-5866
www.confidentcannabis.com



All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.