



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Regulatory Compliance Testing

1 of 6

Infused Preroll Pack-3 g-5 Serv-LIME-Alien Gas

METRC Sample: 1A4060300007F5B000171354; METRC Batch: 1A4060300007F5B000171123

Sample ID: 2606DEC0781.2537

Strain: Alien Gas

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: 20 units; Batch: 3,504 units

Produced: 06/01/2026

Collected: 06/02/2026

Received: 06/02/2026

Completed: 06/05/2026

Batch#: LP161-L5AG

Distributor

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave

Van Nuys, CA 91406

Producer

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave Van Nuys, CA

91406



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	06/03/2026	Pass
Moisture	06/02/2026	6.9% - Complete
Water Activity	06/02/2026	0.43 aw - Pass
Residual Solvents	06/05/2026	Pass
Microbials	06/04/2026	Pass
Mycotoxins	06/04/2026	Pass
Pesticides	06/04/2026	Pass
Heavy Metals	06/03/2026	Pass
Foreign Matter	06/02/2026	Pass

Cannabinoids

Pass

38.801%	0.035%	39.974%
Total THC	Total CBD	Total (neutral) Cannabinoids

Analyte	LOD	LOQ	Results	Results	Results	Results
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.1000	0.2000	19.2376	192.376	115.425	577.127
Δ9-THC	0.1000	0.2000	21.9301	219.301	131.580	657.902
Δ8-THC	0.1000	0.2000	ND	ND	ND	ND
THCV	0.1000	0.2000	0.1872	1.872	1.123	5.616
CBDa	0.1000	0.2000	0.0402	0.402	0.241	1.205
CBD	0.1000	0.2000	<LOQ	<LOQ	<LOQ	<LOQ
CBDV	0.1000	0.2000	ND	ND	ND	ND
CBN	0.1000	0.3000	0.1537	1.537	0.922	4.611
CBGa	0.1000	0.2000	0.2468	2.468	1.481	7.404
CBG	0.1000	0.2000	0.5125	5.125	3.075	15.375
CBC	0.1000	0.2000	0.0673	0.673	0.404	2.020
Total THC			38.801	388.014	232.809	1164.043
Total CBD			0.035	0.352	0.211	1.057
Total (neutral) Cannabinoids			39.974	399.738	239.843	1199.215

Date Tested: 06/03/2026

5 servings per container.

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total (neutral) Cannabinoids = CBDV + THCV + CBD + (CBDa x 0.877) + CBG + (CBGa x 0.877) + CBN + Δ9-THC + (THCa x 0.877) + Δ8-THC + CBC; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NR = Not Reported; NT = Not Tested; The result is reported based on dry weight considering sample weight and the applicable moisture content for that sample for all plant matrix samples; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 section 15730. Cannabinoids Testing Method: SOP-TM001, SOP-TM003 (for plant and non-infused pre-roll categories/matrices only). Instrument: HPLC-PDA.



Levon Antonyan, PhD
Laboratory Director
06/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Regulatory Compliance Testing

2 of 6

Infused Preroll Pack-3 g-5 Serv-LIME-Alien Gas

METRC Sample: 1A4060300007F5B000171354; METRC Batch: 1A4060300007F5B000171123

Sample ID: 2606DEC0781.2537

Strain: Alien Gas

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: 20 units; Batch: 3,504 units

Produced: 06/01/2026

Collected: 06/02/2026

Received: 06/02/2026

Completed: 06/05/2026

Batch#: LP161-L5AG

Distributor

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave

Van Nuys, CA 91406

Producer

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave Van Nuys, CA

91406

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.015	0.065	0.1	ND	Pass	Fludioxonil	0.006	0.025	0.1	ND	Pass
Acephate	0.004	0.025	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl	0.005	0.025	0.1	ND	Pass	Imazalil	0.004	0.025	0.004	ND	Pass
Acetamiprid	0.003	0.025	0.1	ND	Pass	Imidacloprid	0.004	0.025	5	<LOQ	Pass
Aldicarb	0.007	0.025	0.007	ND	Pass	Kresoxim Methyl	0.005	0.025	0.1	ND	Pass
Azoxystrobin	0.002	0.025	0.1	ND	Pass	Malathion	0.007	0.025	0.5	ND	Pass
Bifenazate	0.004	0.025	0.1	<LOQ	Pass	Metalaxyl	0.005	0.025	2	ND	Pass
Bifenthrin	0.005	0.025	3	ND	Pass	Methiocarb	0.006	0.025	0.006	ND	Pass
Boscalid	0.007	0.025	0.1	ND	Pass	Methomyl	0.002	0.025	1	ND	Pass
Captan	0.164	0.5	0.7	ND	Pass	Mevinphos	0.004	0.025	0.004	ND	Pass
Carbaryl	0.007	0.025	0.5	ND	Pass	Myclobutanil	0.005	0.025	0.1	ND	Pass
Carbofuran	0.002	0.025	0.002	ND	Pass	Naled	0.005	0.025	0.1	ND	Pass
Chlorantraniliprole	0.007	0.025	10	ND	Pass	Oxamyl	0.004	0.025	0.5	ND	Pass
Chlordane	0.025	0.1	0.025	ND	Pass	Paclobutrazol	0.004	0.025	0.004	ND	Pass
Chlorfenapyr	0.027	0.1	0.027	ND	Pass	Parathion Methyl	0.008	0.025	0.008	ND	Pass
Chlorpyrifos	0.003	0.025	0.003	ND	Pass	Pentachloronitrobenzene	0.015	0.05	0.1	ND	Pass
Clofentezine	0.005	0.025	0.1	ND	Pass	Permethrin	0.018	0.1	0.5	ND	Pass
Coumaphos	0.006	0.025	0.006	ND	Pass	Phosmet	0.003	0.025	0.1	ND	Pass
Cyfluthrin	0.01	0.05	2	ND	Pass	Piperonyl Butoxide	0.003	0.025	3	<LOQ	Pass
Cypermethrin	0.007	0.025	1	ND	Pass	Prallethrin	0.006	0.025	0.1	ND	Pass
Daminozide	0.015	0.05	0.015	ND	Pass	Propiconazole	0.006	0.025	0.1	ND	Pass
Diazinon	0.004	0.025	0.1	ND	Pass	Propoxur	0.004	0.025	0.004	ND	Pass
Dichlorvos	0.006	0.025	0.006	ND	Pass	Pyrethrins	0.01	0.042	0.5	ND	Pass
Dimethoate	0.003	0.025	0.003	ND	Pass	Pyridaben	0.004	0.025	0.1	ND	Pass
Dimethomorph	0.004	0.025	2	ND	Pass	Spinetoram	0.005	0.025	0.1	ND	Pass
Ethoprophos	0.003	0.025	0.003	ND	Pass	Spinosad	0.006	0.025	0.1	ND	Pass
Etofenprox	0.005	0.025	0.005	ND	Pass	Spiromesifen	0.005	0.025	0.1	ND	Pass
Etoazole	0.003	0.025	0.1	ND	Pass	Spirotetramat	0.01	0.05	0.1	ND	Pass
Fenhexamid	0.008	0.025	0.1	ND	Pass	Spiroxamine	0.005	0.025	0.005	ND	Pass
Fenoxycarb	0.004	0.025	0.004	ND	Pass	Tebuconazole	0.006	0.025	0.1	ND	Pass
Fenpyroximate	0.006	0.025	0.1	ND	Pass	Thiacloprid	0.004	0.025	0.004	ND	Pass
Fipronil	0.006	0.025	0.006	ND	Pass	Thiamethoxam	0.007	0.025	5	ND	Pass
Flonicamid	0.01	0.05	0.1	ND	Pass	Trifloxystrobin	0.004	0.025	0.1	ND	Pass

Date Tested: 06/04/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory per CCR 4 Division 19 §15730. Residual Pesticides Testing Method: SOP-TM010 & SOP-TM011; Instrument: LCMSTQ. Chlordane, Chlorfenapyr, Methyl Parathion, Pentachloronitrobenzene (PCNB) are analyzed using APCI mode on LCMSTQ system.




Levon Antonyan, PhD
Laboratory Director
06/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Regulatory Compliance Testing

3 of 6

Infused Preroll Pack-3 g-5 Serv-LIME-Alien Gas

METRC Sample: 1A4060300007F5B000171354; METRC Batch: 1A4060300007F5B000171123

Sample ID: 2606DEC0781.2537

Strain: Alien Gas

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: 20 units; Batch: 3,504 units

Produced: 06/01/2026

Collected: 06/02/2026

Received: 06/02/2026

Completed: 06/05/2026

Batch#: LP161-L5AG

Distributor

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave

Van Nuys, CA 91406

Producer

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave Van Nuys, CA

91406

Microbials

Pass

Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Aspergillus flavus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Not Detected in 1g	Pass
E. Coli	Not Detected in 1g	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Not Detected in 1g	Pass

Date Tested: 06/04/2026

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Microbial Impurities Testing Method: SOP-TM006; Instrument: PCR



Levon Antonyan

Levon Antonyan, PhD
Laboratory Director
06/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Regulatory Compliance Testing

4 of 6

Infused Preroll Pack-3 g-5 Serv-LIME-Alien Gas

METRC Sample: 1A4060300007F5B000171354; METRC Batch: 1A4060300007F5B000171123

Sample ID: 2606DEC0781.2537

Strain: Alien Gas

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: 20 units; Batch: 3,504 units

Produced: 06/01/2026

Collected: 06/02/2026

Received: 06/02/2026

Completed: 06/05/2026

Batch#: LP161-L5AG

Distributor

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave

Van Nuys, CA 91406

Producer

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave Van Nuys, CA

91406

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.45	5		ND	Tested
B2	1.173	5		ND	Tested
G1	1.543	5		ND	Tested
G2	1.573	5		ND	Tested
Ochratoxin A	3.247	10	20	ND	Pass
Total Aflatoxins	5.739	20	20	ND	Pass

Date Tested: 06/04/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Mycotoxins Testing Method: SOP-TM010; Instrument: LCMSTQ.



Levon Antonyan, PhD
Laboratory Director
06/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Regulatory Compliance Testing

5 of 6

Infused Preroll Pack-3 g-5 Serv-LIME-Alien Gas

METRC Sample: 1A4060300007F5B000171354; METRC Batch: 1A4060300007F5B000171123

Sample ID: 2606DEC0781.2537

Strain: Alien Gas

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: 20 units; Batch: 3,504 units

Produced: 06/01/2026

Collected: 06/02/2026

Received: 06/02/2026

Completed: 06/05/2026

Batch#: LP161-L5AG

Distributor

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave

Van Nuys, CA 91406

Producer

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave Van Nuys, CA

91406

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.011	0.030	0.2	<LOQ	Pass
Cadmium	0.009	0.030	0.2	<LOQ	Pass
Lead	0.005	0.030	0.5	0.0659	Pass
Mercury	0.002	0.003	0.1	0.0086	Pass

Date Tested: 06/03/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Heavy Metals Testing Method: SOP-TM008; Instrument: ICPMS



Levon Antonyan, PhD
Laboratory Director
06/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Regulatory Compliance Testing

6 of 6

Infused Preroll Pack-3 g-5 Serv-LIME-Alien Gas

METRC Sample: 1A4060300007F5B000171354; METRC Batch: 1A4060300007F5B000171123

Sample ID: 2606DEC0781.2537

Strain: Alien Gas

Matrix: Plant

Type: Enhanced/Infused Preroll

Sample Size: 20 units; Batch: 3,504 units

Produced: 06/01/2026

Collected: 06/02/2026

Received: 06/02/2026

Completed: 06/05/2026

Batch#: LP161-L5AG

Distributor

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave

Van Nuys, CA 91406

Producer

Westside Caregivers Club, Inc

Lic. # C12-0000266-LIC

7731 N Hayvenhurst Ave Van Nuys, CA

91406

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.058	0.196	1	ND	Pass
Acetone	6.208	19.532	5000	ND	Pass
Acetonitrile	11.685	39.062	410	ND	Pass
Benzene	0.080	0.390	1	ND	Pass
Butane	10.714	39.062	5000	ND	Pass
Chloroform	0.135	0.782	1	ND	Pass
Ethanol	16.135	78.126	5000	ND	Pass
Ethyl-Acetate	8.137	39.062	5000	ND	Pass
Ethyl-Ether	19.243	78.126	5000	ND	Pass
Ethylene Oxide	0.248	0.782	1	ND	Pass
Heptane	3.225	9.772	5000	ND	Pass
Isopropanol	25.720	78.126	5000	ND	Pass
Methanol	15.766	78.126	3000	ND	Pass
Methylene-Chloride	0.128	0.390	1	ND	Pass
n-Hexane	2.985	9.766	290	ND	Pass
Pentane	9.621	39.062	5000	ND	Pass
Propane	9.917	39.062	5000	ND	Pass
Toluene	8.470	39.062	890	ND	Pass
Trichloroethene	0.060	0.196	1	ND	Pass
Xylenes	1.477	4.883	2170	ND	Pass

Date Tested: 06/05/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Residual Solvents Testing Method: SOP-TM007; Instrument: GCMSHS



Levon Antonyan

Levon Antonyan, PhD
Laboratory Director
06/05/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.