

Mary's Transdermal Patch - Restore - CBD - 20mg

METRC Sample: 1A406030006A9DD000002602; METRC Batch: 1A4060300001AF7000003400

Sample ID: 2505BSD0076.0399

Produced:

Distributor

Producer

Strain: Restore

Collected: 05/06/2025

BRB California LLC

RCW Manufacturing

Matrix: Topical

Received: 05/06/2025

Lic. # C11-0001897-LIC

Lic. # CDPH-10002341

Type: Salve

Completed: 05/13/2025

15850 Little Morongo Rd.

15850 Little Morongo Rd. #C1

Sample Size: 13 units; Batch: 1,994 units

Batch#: MDP040825

Desert Hot Springs, CA 92240

Desert Hot Springs, CA 92240



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	05/09/2025	Complete
Residual Solvents	05/07/2025	Pass
Microbials	05/09/2025	Pass
Mycotoxins	05/12/2025	Pass
Pesticides	05/12/2025	Pass
Heavy Metals	05/09/2025	Pass
Foreign Matter	05/06/2025	Pass

Cannabinoids by HPLC-UV

Complete

0.57 mg/serving Total THC				20.78 mg/serving Total CBD		0.78 mg/serving Total CBG		22.52 mg/serving Overall Cannabinoids	
Analyte	LOQ	LOD	Result	Result	Result	Result	Result	Result	Result
	mg/g	mg/g	mg/g	%	mg/serving	mg/container			
THCa	0.0024000	0.0008000	ND	ND	ND	ND			
Δ9-THC	0.0039000	0.0013000	0.87	0.09	0.57	0.57			
Δ8-THC	0.0031000	0.0010000	ND	ND	ND	ND			
THCV	0.0040000	0.0013000	0.10	0.01	0.06	0.06			
CBDa	0.0023000	0.0008000	ND	ND	ND	ND			
CBD	0.0038000	0.0012000	31.65	3.17	20.78	20.78			
CBN	0.0041000	0.0013000	0.05	0.01	0.04	0.04			
CBG	0.0040000	0.0013000	1.19	0.12	0.78	0.78			
CBC	0.0033000	0.0011000	0.43	0.04	0.28	0.28			
Total THC			0.87	0.09	0.57	0.57			
Total CBD			31.65	3.17	20.78	20.78			
Total CBG			1.19	0.12	0.78	0.78			
Total			34.29	3.43	22.52	22.52			

Date Tested: 05/09/2025


1 serving(s) per container.

SOP ID: 3110; Instrumentation: Shimadzu Prominence LC-2030C Plus

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total CBG = CBGa * 0.877 + CBG

LOQ = Limit of Quantitation, LOD = Limit of Detection, NR = Not Reported, NT = Not Tested, ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Not Tested Moisture Content by Moisture Balance (SOP ID 3810)	NT Not Tested Water Activity by Hydrometer (SOP ID 3710)	Pass Foreign Materials by Magnifying Glass (SOP ID 3020)
---	---	--



 Firas Tamary
 Laboratory Director
 05/13/2025

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


ISO/IEC 17025:2017 Accredited
 All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Mary's Transdermal Patch - Restore - CBD - 20mg

METRC Sample: 1A406030006A9DD000002602; METRC Batch: 1A4060300001AF7000003400

Sample ID: 2505BSD0076.0399

Produced:

Distributor

Producer

Strain: Restore

Collected: 05/06/2025

BRB California LLC

RCW Manufacturing

Matrix: Topical

Received: 05/06/2025

Lic. # C11-0001897-LIC

Lic. # CDPH-10002341

Type: Salve

Completed: 05/13/2025

15850 Little Morongo Rd.

15850 Little Morongo Rd. #C1

Sample Size: 13 units; Batch: 1,994 units

Batch#: MDP040825

Desert Hot Springs, CA 92240

Desert Hot Springs, CA 92240

Pesticides by LCMS/MS & GCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0032	0.05	0.1	ND	Pass	Fludioxonil	0.0150	0.02	0.1	ND	Pass
Acephate	0.0027	0.02	0.1	ND	Pass	Hexythiazox	0.0009	0.02	0.1	ND	Pass
Acequinocyl	0.0084	0.05	0.1	ND	Pass	Imazalil	0.01	0.02	0.01	ND	Pass
Acetamiprid	0.0108	0.02	0.1	ND	Pass	Imidacloprid	0.0079	0.05	5	ND	Pass
Aldicarb	0.0107	0.05	0.0107	ND	Pass	Kresoxim Methyl	0.0014	0.02	0.1	ND	Pass
Azoxystrobin	0.0040	0.02	0.1	ND	Pass	Malathion	0.0078	0.02	0.5	ND	Pass
Bifenazate	0.0037	0.02	0.1	ND	Pass	Metalaxyl	0.0143	0.05	2	ND	Pass
Bifenthrin	0.011	0.05	3	ND	Pass	Methiocarb	0.006	0.02	0.006	ND	Pass
Boscalid	0.0073	0.02	0.1	ND	Pass	Methomyl	0.0014	0.02	1	ND	Pass
Captan	0.01	0.1	0.7	ND	Pass	Mevinphos	0.0034	0.0166	0.0034	ND	Pass
Carbaryl	0.0061	0.02	0.5	ND	Pass	Myclobutanil	0.0064	0.02	0.1	ND	Pass
Carbofuran	0.0078	0.05	0.0078	ND	Pass	Naled	0.0086	0.05	0.1	ND	Pass
Chlorantraniliprole	0.0094	0.02	10	ND	Pass	Oxamyl	0.0011	0.02	0.5	ND	Pass
Chlordane	0.01	0.1	0.01	ND	Pass	Paclobutrazol	0.0046	0.02	0.0046	ND	Pass
Chlorfenapyr	0.01	0.1	0.01	ND	Pass	Parathion Methyl	0.01	0.1	0.01	ND	Pass
Chlorpyrifos	0.0038	0.02	0.0038	ND	Pass	Pentachloronitrobenzene	0.01	0.1	0.1	ND	Pass
Clofentezine	0.0007	0.02	0.1	ND	Pass	Permethrin	0.0013	0.05	0.5	ND	Pass
Coumaphos	0.0018	0.02	0.0018	ND	Pass	Phosmet	0.0091	0.02	0.1	ND	Pass
Cyfluthrin	0.01	0.1	2	ND	Pass	Piperonyl Butoxide	0.0030	0.02	3	ND	Pass
Cypermethrin	0.01	0.1	1	ND	Pass	Prallethrin	0.0021	0.02	0.1	ND	Pass
Daminozide	0.0118	0.05	0.0118	ND	Pass	Propiconazole	0.0014	0.02	0.1	ND	Pass
Diazinon	0.0008	0.02	0.1	ND	Pass	Propoxur	0.0006	0.02	0.0006	ND	Pass
Dichlorvos	0.0071	0.05	0.0071	ND	Pass	Pyrethrins	0.0018	0.05	0.5	ND	Pass
Dimethoate	0.0033	0.02	0.0033	ND	Pass	Pyridaben	0.0090	0.05	0.1	ND	Pass
Dimethomorph	0.0043	0.02	2	ND	Pass	Spinetoram	0.0031	0.02	0.1	ND	Pass
Ethoprophos	0.0095	0.02	0.0095	ND	Pass	Spinosad	0.0068	0.0144	0.1	ND	Pass
Etofenprox	0.003	0.05	0.003	ND	Pass	Spiromesifen	0.0020	0.02	0.1	ND	Pass
Etoazole	0.0127	0.02	0.1	ND	Pass	Spirotetramat	0.0095	0.02	0.1	ND	Pass
Fenhexamid	0.0027	0.02	0.1	ND	Pass	Spiroxamine	0.0024	0.02	0.0024	ND	Pass
Fenoxycarb	0.0057	0.02	0.0057	ND	Pass	Tebuconazole	0.0022	0.02	0.1	ND	Pass
Fenpyroximate	0.0093	0.02	0.1	ND	Pass	Thiacloprid	0.0031	0.02	0.0031	ND	Pass
Fipronil	0.004	0.02	0.004	ND	Pass	Thiamethoxam	0.0036	0.02	5	ND	Pass
Flonicamid	0.0025	0.02	0.1	ND	Pass	Trifloxystrobin	0.0014	0.02	0.1	ND	Pass

Date Tested: 05/12/2025

SOP ID: 3210; Instrumentation: LC MS/MS

SOP ID: 3310; Instrumentation: GC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



Firas Tamary
Laboratory Director
05/13/2025

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com


ISO/IEC 17025:2017 Accredited

All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Mary's Transdermal Patch - Restore - CBD - 20mg

METRC Sample: 1A406030006A9DD000002602; METRC Batch: 1A4060300001AF7000003400

Sample ID: 2505BSD0076.0399

Produced:

Distributor

Producer

Strain: Restore

Collected: 05/06/2025

BRB California LLC

RCW Manufacturing

Matrix: Topical

Received: 05/06/2025

Lic. # C11-0001897-LIC

Lic. # CDPH-10002341

Type: Salve

Completed: 05/13/2025

15850 Little Morongo Rd.

15850 Little Morongo Rd. #C1

Sample Size: 13 units; Batch: 1,994 units

Batch#: MDP040825

Desert Hot Springs, CA 92240

Desert Hot Springs, CA 92240

Microbials by qPCR/Microbial Agar Culture

Pass

Analyte

Results

Status

Shiga toxin-producing E. Coli

Not Detected in 1g

Pass

Salmonella SPP

Not Detected in 1g

Pass

Date Tested: 05/09/2025

SOP ID: 3010; Instrumentation: PathogenDx microarray qPCR

Unless otherwise stated all quality control samples performed within specifications established by the Laboratory

Mycotoxins by LCMS/MS

Pass

Analyte	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.482	1.4		ND	Tested
B2	1.598	4.8		ND	Tested
G1	1.678	5.0		ND	Tested
G2	0.502	1.6		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	0.772	2.4	20	ND	Pass

Date Tested: 05/12/2025

SOP ID: 3210; Instrumentation: LC MS/MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.

Heavy Metals by ICP-MS

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0038	0.02	0.2	0.0416	Pass
Cadmium	0.0049	0.02	0.2	<LOQ	Pass
Lead	0.0017	0.04	0.5	<LOQ	Pass
Mercury	0.0087	0.02	0.1	ND	Pass

Date Tested: 05/09/2025

SOP ID: 3410; Instrumentation: ICP-MS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Firas Tamary
 Laboratory Director
 05/13/2025

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


ISO/IEC 17025:2017 Accredited

All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.

Mary's Transdermal Patch - Restore - CBD - 20mg

METRC Sample: 1A406030006A9DD000002602; METRC Batch: 1A4060300001AF7000003400

Sample ID: 2505BSD0076.0399

Produced:

Distributor

Producer

Strain: Restore

Collected: 05/06/2025

BRB California LLC

RCW Manufacturing

Matrix: Topical

Received: 05/06/2025

Lic. # C11-0001897-LIC

Lic. # CDPH-10002341

Type: Salve

Completed: 05/13/2025

15850 Little Morongo Rd.

15850 Little Morongo Rd. #C1

Sample Size: 13 units; Batch: 1,994 units

Batch#: MDP040825

Desert Hot Springs, CA 92240

Desert Hot Springs, CA 92240

Residual Solvents by GCMS/MS & GC-FID

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.0452	0.9375	1	ND	Pass
Acetone	2.9057	93.7500	5000	<LOQ	Pass
Acetonitrile	3.7662	93.7500	410	ND	Pass
Benzene	0.0287	0.9375	1	ND	Pass
Butane	7.4598	93.7500	5000	ND	Pass
Chloroform	0.0400	0.9375	1	ND	Pass
Ethanol	2.7671	93.7500	5000	<LOQ	Pass
Ethyl-Acetate	3.6613	93.7500	5000	ND	Pass
Ethyl-Ether	2.5127	93.7500	5000	ND	Pass
Ethylene Oxide	0.0386	0.9375	1	ND	Pass
Heptane	3.1417	93.7500	5000	<LOQ	Pass
Isopropanol	3.2580	93.7500	5000	<LOQ	Pass
Methanol	2.7761	93.7500	3000	<LOQ	Pass
Methylene-Chloride	0.0164	0.9375	1	ND	Pass
n-Hexane	2.4502	93.7500	290	ND	Pass
Pentane	3.0869	93.7500	5000	ND	Pass
Propane	21.9176	93.7500	5000	ND	Pass
Toluene	4.5956	93.7500	890	ND	Pass
Trichloroethene	0.0465	0.9375	1	ND	Pass
Xylenes	3.2814	46.8750	2170	ND	Pass

Date Tested: 05/07/2025

SOP ID: 3510; Instrumentation: HS-GCMS

LOQ = Limit of Quantitation; NT = Not Tested; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory.



 Firas Tamary
 Laboratory Director
 05/13/2025

 Confident LIMS
 All Rights Reserved
coa.support@confidentlims.com
 (866) 506-5866
www.confidentlims.com


ISO/IEC 17025:2017 Accredited
 All LQC samples required by section 5730 were performed and met the acceptance criteria. This product has been tested by Brightside Scientific using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Brightside Scientific makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. Pass or Fail information is based on California DCC Limits. This Certificate shall not be reproduced except in full, without the written approval of Brightside Scientific.