Encore Labs
120 W Bellevue Dr.
Pasadena, CA 91105

(626) 696-3086
https://encorelabs.com
Lic# C8-0000179-LIC

Kiwi Burst

METRC Batch: 1A40603000038C6000077790, 1A40603000038C6000077791
METRC Sample: 1A4060300080FAD000002012
Sample ID: 2610ENC3011_10168
Strain: Kiwi Burst
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: 260923-MGZ-CT-S

Collected: 10/01/2026
Received: 10/02/2026
Completed: 10/06/2026
Sample Size: 20 units; Batch: 6,125 units

Distributor
Sisu Extraction LLC
Lic. # C11-0002055-LIC
69 W 3rd Street , Eureka , CA, 95501

Producer
SISU Extraction
Lic. # DCC-10003338
112 W 3rd St, Eureka, CA 95501



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	10/04/2026	LC-DAD	Pass
Pesticides	10/03/2026	LC-MS	Pass
Mycotoxins	10/03/2026	LC-MS	Pass
Residual Solvents	10/03/2026	HS-GC-MS	Pass
Microbial Impurities	10/05/2026	qPCR	Pass
Heavy Metals	10/03/2026	ICP-MS	Pass
Foreign Matter	10/03/2026	Visual Inspection	Pass

Cannabinoids

Method: SOP CA_M-CANNABINOIDS

89.242 %	0.187 %	92.671 %
Total THC	Total CBD	Total Cannabinoids

Analytes	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.259	0.776	ND	ND	ND
Δ9-THC	0.288	0.880	89.242	892.42	892.417
Δ8-THC	0.274	0.821	ND	ND	ND
THCVa	0.259	0.791	ND	ND	ND
THCV	0.266	0.806	0.508	5.08	5.077
CBDa	0.281	0.843	ND	ND	ND
CBD	0.288	0.880	0.187	1.87	1.867
CBN	0.281	0.858	0.827	8.27	8.272
CBGa	0.288	0.880	ND	ND	ND
CBG	0.274	0.835	1.698	16.98	16.982
CBCa	0.251	0.762	ND	ND	ND
CBC	0.281	0.843	0.209	2.09	2.095
Total THC			**89.242**	**892.42**	**892.42**
Total CBD			**0.187**	**1.87**	**1.87**
Total Cannabinoids			**92.671**	**926.71**	**926.71**
Sum of Cannabinoids			**92.671**	**926.71**	**926.71**

1 Unit = 1g;
Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA_M-FOREIGN; Moisture and Water Activity Method: SOP CA_M-WATER

Mary Beth Smith
Laboratory Operations Manager | 10/06/2026

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the acceptance criteria specified in 4 CCR section 15730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Kiwi Burst

METRC Batch: 1A40603000038C6000077790, 1A40603000038C6000077791
METRC Sample: 1A4060300080FAD000002012
Sample ID: 2610ENC3011_10168
Strain: Kiwi Burst
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: 260923-MGZ-CT-S

Collected: 10/01/2026
Received: 10/02/2026
Completed: 10/06/2026
Sample Size: 20 units; Batch: 6,125 units

Distributor
Sisu Extraction LLC
Lic. # C11-0002055-LIC
69 W 3rd Street , Eureka , CA, 95501

Producer
SISU Extraction
Lic. # DCC-10003338
112 W 3rd St, Eureka, CA 95501

Pesticides

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.019	0.056	0.1	ND	Pass	Fludioxonil	0.011	0.034	0.1	ND	Pass
Acephate	0.006	0.02	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl ^	0.0089	0.0268	0.1	ND	Pass	Imazalil	0.021	0.064	0.1	ND	Pass
Acetamiprid	0.006	0.018	3	ND	Pass	Imidacloprid	0.009	0.026	5	ND	Pass
Aldicarb	0.031	0.095	0.1	ND	Pass	Kresoxim Methyl	0.015	0.044	0.1	ND	Pass
Azoxystrobin	0.006	0.017	16	ND	Pass	Malathion	0.008	0.023	0.5	ND	Pass
Bifenazate	0.01	0.03	0.1	ND	Pass	Metalaxyl	0.007	0.021	2	ND	Pass
Bifenthrin	0.049	0.15	3	ND	Pass	Methiocarb	0.015	0.044	0.1	ND	Pass
Boscalid	0.01	0.031	0.1	ND	Pass	Methomyl	0.017	0.051	1	ND	Pass
Captan ^	0.05	0.1516	0.7	ND	Pass	Parathion Methyl ^	0.0157	0.0477	0.1	ND	Pass
Carbaryl	0.022	0.065	0.5	ND	Pass	Mevinphos	0.024	0.072	0.1	ND	Pass
Carbofuran	0.017	0.051	0.1	ND	Pass	Myclobutanil	0.011	0.033	0.1	ND	Pass
Chlorantraniliprole	0.011	0.034	14	ND	Pass	Naled	0.026	0.078	0.1	ND	Pass
Chlordane ^	0.0099	0.03	0.1	ND	Pass	Oxamyl	0.014	0.044	0.5	ND	Pass
Chlorfenapyr ^	0.0316	0.0957	0.1	ND	Pass	Paclobutrazol	0.033	0.099	0.1	ND	Pass
Chlorpyrifos	0.024	0.073	0.1	ND	Pass	PCNB ^	0.0133	0.0403	0.1	ND	Pass
Clofentezine	0.011	0.034	0.1	ND	Pass	Permethrin	0.013	0.039	0.5	ND	Pass
Coumaphos	0.028	0.084	0.1	ND	Pass	Phosmet	0.006	0.018	0.1	ND	Pass
Cyfluthrin ^	0.0243	0.0736	2	ND	Pass	Piperonyl Butoxide	0.008	0.025	3	<LOQ	Pass
Cypermethrin ^	0.0409	0.124	1	ND	Pass	Prallethrin	0.01	0.03	0.1	ND	Pass
Daminozide	0.023	0.069	0.1	ND	Pass	Propiconazole	0.009	0.028	0.1	ND	Pass
Diazinon	0.008	0.024	0.1	ND	Pass	Propoxur	0.02	0.061	0.1	ND	Pass
Dichlorvos	0.017	0.051	0.1	ND	Pass	Pyrethrins	0.02	0.059	0.5	ND	Pass
Dimethoate	0.02	0.059	0.1	ND	Pass	Pyridaben	0.01	0.03	0.1	ND	Pass
Dimethomorph	0.01	0.03	2	ND	Pass	Spinetoram	0.012	0.037	0.1	ND	Pass
Ethoprophos	0.016	0.048	0.1	ND	Pass	Spinosad	0.01	0.032	0.1	ND	Pass
Etofenprox	0.027	0.082	0.1	ND	Pass	Spiromesifen	0.011	0.033	0.1	ND	Pass
Etoxazole	0.006	0.017	0.1	ND	Pass	Spirotetramat	0.018	0.054	0.1	ND	Pass
Fenhexamid	0.013	0.04	0.1	ND	Pass	Spiroxamine	0.01	0.03	0.1	ND	Pass
Fenoxycarb	0.012	0.037	0.1	ND	Pass	Tebuconazole	0.014	0.042	18	ND	Pass
Fenpyroximate	0.003	0.01	0.1	ND	Pass	Thiacloprid	0.01	0.031	0.1	ND	Pass
Fipronil	0.021	0.063	0.1	ND	Pass	Thiamethoxam	0.013	0.039	5	ND	Pass
Flonicamid	0.017	0.051	0.1	ND	Pass	Trifloxystrobin	0.004	0.011	0.1	ND	Pass

Date Tested: 10/03/2026
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.
Pesticide analysis was conducted utlizing ESI and APCI LCMSMS. Analytes analyzed by APCI are indicated with (^). Analysis dates that differ from the ESI run are also marked (^).

Mary Beth Smith
Laboratory Operations Manager | 10/06/2026

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the acceptance criteria specified in 4 CCR section 15730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Kiwi Burst

METRC Batch: 1A40603000038C6000077790, 1A40603000038C6000077791
METRC Sample: 1A4060300080FAD000002012

Sample ID: 2610ENC3011_10168
Strain: Kiwi Burst
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: 260923-MGZ-CT-S

Collected: 10/01/2026
Received: 10/02/2026
Completed: 10/06/2026
Sample Size: 20 units; Batch: 6,125 units

Distributor
Sisu Extraction LLC
Lic. # C11-0002055-LIC
69 W 3rd Street , Eureka , CA, 95501

Producer
SISU Extraction
Lic. # DCC-10003338
112 W 3rd St, Eureka, CA 95501

Mycotoxins

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.60	4.84		ND	Tested
Aflatoxin B2	2.17	6.57		ND	Tested
Aflatoxin G1	1.35	4.09		ND	Tested
Aflatoxin G2	1.33	4.04		ND	Tested
Ochratoxin A	2.70	8.10	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 10/03/2026
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: SOP CA_M-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	3.37	10.20	5000	ND	Pass
Acetonitrile	1.80	5.45	410	ND	Pass
Benzene	0.11	0.33	1	ND	Pass
Butane	2.31	7.01	5000	ND	Pass
Chloroform	0.21	0.65	1	ND	Pass
Ethanol	2.82	8.54	5000	43.03	Pass
Ethyl acetate	2.10	6.36	5000	ND	Pass
Ethyl ether	1.93	5.86	5000	ND	Pass
Ethylene Oxide	0.31	0.94	1	ND	Pass
Heptane	2.18	6.61	5000	ND	Pass
Hexane	2.22	6.74	290	ND	Pass
Isopropyl alcohol	2.19	6.64	5000	24.24	Pass
Methanol	2.28	6.90	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.30	1	ND	Pass
Pentane	2.39	7.25	5000	ND	Pass
Propane	2.33	7.05	5000	ND	Pass
Toluene	0.59	1.79	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	13.51	40.94	2170	ND	Pass
Trichloroethylene	0.18	0.54	1	ND	Pass

Date Tested: 10/03/2026
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mary Beth Smith
Laboratory Operations Manager | 10/06/2026

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the acceptance criteria specified in 4 CCR section 15730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Kiwi Burst

METRC Batch: 1A40603000038C6000077790, 1A40603000038C6000077791
METRC Sample: 1A4060300080FAD000002012

Sample ID: 2610ENC3011_10168
Strain: Kiwi Burst
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: 260923-MGZ-CT-S

Collected: 10/01/2026
Received: 10/02/2026
Completed: 10/06/2026
Sample Size: 20 units; Batch: 6,125 units

Distributor
Sisu Extraction LLC
Lic. # C11-0002055-LIC
69 W 3rd Street , Eureka , CA, 95501

Producer
SISU Extraction
Lic. # DCC-10003338
112 W 3rd St, Eureka, CA 95501

Microbial Impurities

Method: SOP CA_M-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 10/05/2026

Heavy Metals

Method: SOP CA_M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.033	0.099	0.200	ND	Pass
Cadmium	0.028	0.085	0.200	ND	Pass
Lead	0.049	0.147	0.500	ND	Pass
Mercury	0.015	0.045	0.100	ND	Pass

Date Tested: 10/03/2026
LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Mary Beth Smith
Laboratory Operations Manager | 10/06/2026

ISO/IEC 17025:2017 Accredited
Accreditation # 101411

Samples obtained per: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the acceptance criteria specified in 4 CCR section 15730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.