



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-000059-LIC

## Regulatory Compliance Testing

1 of 4

### Mr. Zips - Ice Cream Pie - Pre Rolls

METRC Sample: 1A4060300005143000019246; METRC Batch: 1A4060300005143000019207, 1A4060300005143000019208, 1A4060300005143000019209, 1A4060300005143000019210, 1A4060300005143000019211  
Sample ID: 2603EXL2245-9449

Strain: Ice Cream Pie

Collected: 03/20/2026

Distributor

Excelbis - Headwaters

Producer

Glass House Camarillo Cultivation, LLC

Matrix: Plant

Received: 03/21/2026

Lic. # C11-0000556-LIC

Lic. # CCL23-0000583

Type: Preroll

Completed: 03/31/2026

2346 Alisal Road

645 Laguna Road Camarillo, CA 93012

Sample Size: 20 units; Batch: 7,022 units

Batch#: B062-658KO-MZPR-ICP-02

Salinas, CA 93908



### Summary

| Test              | Date Tested | Result           |
|-------------------|-------------|------------------|
| Batch             |             | Pass             |
| Cannabinoids      | 03/23/2026  | Complete         |
| Foreign Matter    | 03/21/2026  | Pass             |
| Heavy Metals      | 03/24/2026  | Pass             |
| Microbials        | 03/23/2026  | Pass             |
| Moisture          | 03/21/2026  | 10.9% - Complete |
| Mycotoxins        | 03/24/2026  | Pass             |
| GCMS Pesticides   | 03/25/2026  | Pass             |
| LCMS Pesticides   | 03/24/2026  | Pass             |
| Residual Solvents | 03/26/2026  | Pass             |
| Water Activity    | 03/21/2026  | 0.51 aw - Pass   |

### Cannabinoids

Complete

24.587%

Total THC

0.085%

Total CBD

24.835%

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result  | Result  | Result     | Result     |
|-----------|-------|-------|---------|---------|------------|------------|
|           | mg/g  | mg/g  | %       | mg/g    | mg/serving | mg/package |
| CBC       | 0.009 | 0.025 | ND      | ND      | ND         | ND         |
| CBD       | 0.025 | 0.050 | 0.0333  | 0.333   | 0.166      | 4.662      |
| CBDa      | 0.019 | 0.050 | 0.0584  | 0.584   | 0.292      | 8.177      |
| CBG       | 0.025 | 0.050 | 0.1414  | 1.414   | 0.707      | 19.795     |
| CBN       | 0.009 | 0.025 | 0.0219  | 0.219   | 0.110      | 3.069      |
| Δ8-THC    | 0.019 | 0.050 | ND      | ND      | ND         | ND         |
| Δ9-THC    | 0.019 | 0.050 | 1.8086  | 18.086  | 9.043      | 253.211    |
| THCa      | 0.013 | 0.025 | 25.9727 | 259.727 | 129.864    | 3636.179   |
| THCV      | 0.025 | 0.050 | ND      | ND      | ND         | ND         |
| Total THC |       |       | 24.587  | 245.867 | 122.934    | 3442.139   |
| Total CBD |       |       | 0.085   | 0.845   | 0.423      | 11.833     |
| Total CBG |       |       | 0.141   | 1.414   | 0.707      | 19.795     |
| Total     |       |       | 24.835  | 248.345 | 124.173    | 3476.836   |

Date Tested: 03/23/2026

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



Accreditation #128081  
ISO/IEC 17025:2017

Scott Robertson  
Lab Director  
03/31/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-000059-LIC

## Regulatory Compliance Testing

2 of 4

### Mr. Zips - Ice Cream Pie - Pre Rolls

METRC Sample: 1A4060300005143000019246; METRC Batch: 1A4060300005143000019207, 1A4060300005143000019208, 1A4060300005143000019209, 1A4060300005143000019210, 1A4060300005143000019211

|                                           |                                |                        |                                        |
|-------------------------------------------|--------------------------------|------------------------|----------------------------------------|
| Sample ID: 2603EXL2245-9449               | Produced:                      | Distributor            | Producer                               |
| Strain: Ice Cream Pie                     | Collected: 03/20/2026          | Excelbis - Headwaters  | Glass House Camarillo Cultivation, LLC |
| Matrix: Plant                             | Received: 03/21/2026           | Lic. # C11-0000556-LIC | Lic. # CCL23-0000583                   |
| Type: Preroll                             | Completed: 03/31/2026          | 2346 Alisal Road       | 645 Laguna Road Camarillo, CA 93012    |
| Sample Size: 20 units; Batch: 7,022 units | Batch#: B062-658KO-MZPR-ICP-02 | Salinas, CA 93908      |                                        |

### GC Pesticides

Pass

| Analyte                              | LOD   | LOQ   | Limit | Conc. | Status |
|--------------------------------------|-------|-------|-------|-------|--------|
|                                      | µg/g  | µg/g  | µg/g  | µg/g  |        |
| Captan                               | 0.054 | 0.097 | 0.7   | ND    | Pass   |
| Chlordane (trans + cis)              | 0.058 | 0.098 | 0.058 | ND    | Pass   |
| Chlorfenapyr                         | 0.056 | 0.097 | 0.056 | ND    | Pass   |
| Cyfluthrin                           | 0.052 | 0.097 | 2     | ND    | Pass   |
| Cypermethrin                         | 0.054 | 0.097 | 1     | ND    | Pass   |
| Parathion Methyl                     | 0.039 | 0.097 | 0.039 | ND    | Pass   |
| Pentachloronitrobenzene (Quintozene) | 0.062 | 0.097 | 0.1   | ND    | Pass   |

### Mycotoxins

Pass

| Analytes         | LOD     | LOQ     | Limit | Conc. | Status |
|------------------|---------|---------|-------|-------|--------|
|                  | µg/kg   | µg/kg   | µg/kg | µg/kg |        |
| Aflatoxin B1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin B2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Ochratoxin A     | 10.0000 | 16.0000 | 20    | ND    | Pass   |
| Total Aflatoxins |         |         | 20    | ND    | Pass   |

### Microbials

Pass

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g | RFU/g                   |        |
| Aspergillus flavus            | 0     | Not Detected            | Pass   |
| Aspergillus fumigatus         | 0     | Not Detected            | Pass   |
| Aspergillus niger             | 0     | Not Detected            | Pass   |
| Aspergillus terreus           | 0     | Not Detected            | Pass   |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |

### Heavy Metals

Pass

| Analyte | LOD     | LOQ   | Limit | Conc.  | Status |
|---------|---------|-------|-------|--------|--------|
|         | µg/g    | µg/g  | µg/g  | µg/g   |        |
| Arsenic | 0.0150  | 0.05  | 0.2   | 0.0723 | Pass   |
| Cadmium | 0.0113  | 0.05  | 0.2   | <LOQ   | Pass   |
| Lead    | 0.00615 | 0.05  | 0.5   | <LOQ   | Pass   |
| Mercury | 0.00126 | 0.005 | 0.1   | <LOQ   | Pass   |

GCMS Date Tested: 03/25/2026

Pesticides: GC-MS/MS, GCMS Method SOP-006

LCMS Date Tested: 03/24/2026

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested: 03/23/2026

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested: 03/24/2026

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



Accreditation #128081  
ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
03/31/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

## Regulatory Compliance Testing

3 of 4

### Mr. Zips - Ice Cream Pie - Pre Rolls

METRC Sample: 1A4060300005143000019246; METRC Batch: 1A4060300005143000019207, 1A4060300005143000019208, 1A4060300005143000019209, 1A4060300005143000019210, 1A4060300005143000019211  
Sample ID: 2603EXL2245-9449

Strain: Ice Cream Pie

Collected: 03/20/2026

Distributor

Producer

Matrix: Plant

Received: 03/21/2026

Excelbis - Headwaters

Glass House Camarillo Cultivation, LLC

Type: Preroll

Completed: 03/31/2026

Lic. # C11-0000556-LIC

Lic. # CCL23-0000583

Sample Size: 20 units; Batch: 7,022 units

Batch#: B062-658KO-MZPR-ICP-02

2346 Alisal Road

645 Laguna Road Camarillo, CA 93012

Salinas, CA 93908

### LC Pesticides

Pass

| Analyte               | LOD   | LOQ   | Limit | Result | Status | Analyte                                     | LOD    | LOQ   | Limit | Result | Status |
|-----------------------|-------|-------|-------|--------|--------|---------------------------------------------|--------|-------|-------|--------|--------|
|                       | µg/g  | µg/g  | µg/g  | µg/g   |        |                                             | µg/g   | µg/g  | µg/g  | µg/g   |        |
| Abamectin             | 0.043 | 0.097 | 0.1   | ND     | Pass   | Imazalil                                    | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Acephate              | 0.019 | 0.097 | 0.1   | ND     | Pass   | Imidacloprid                                | 0.021  | 0.097 | 5     | ND     | Pass   |
| Acequinocyl           | 0.031 | 0.097 | 0.1   | ND     | Pass   | Kresoxim Methyl                             | 0.045  | 0.097 | 0.1   | ND     | Pass   |
| Acetamiprid           | 0.023 | 0.097 | 0.1   | ND     | Pass   | Malathion                                   | 0.027  | 0.097 | 0.5   | ND     | Pass   |
| Aldicarb              | 0.029 | 0.097 | 0.029 | ND     | Pass   | Metalaxyl                                   | 0.029  | 0.097 | 2     | ND     | Pass   |
| Azoxystrobin          | 0.025 | 0.097 | 0.1   | ND     | Pass   | Methiocarb                                  | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Bifenazate            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Methomyl                                    | 0.029  | 0.097 | 1     | ND     | Pass   |
| Bifenthrin            | 0.033 | 0.097 | 3     | ND     | Pass   | Mevinphos                                   | 0.033  | 0.1   | 0.033 | ND     | Pass   |
| Boscalid              | 0.021 | 0.097 | 0.1   | ND     | Pass   | Myclobutanil                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Carbaryl              | 0.025 | 0.097 | 0.5   | ND     | Pass   | Naled                                       | 0.033  | 0.097 | 0.1   | ND     | Pass   |
| Carbofuran            | 0.033 | 0.097 | 0.033 | ND     | Pass   | Oxamyl                                      | 0.021  | 0.097 | 0.5   | ND     | Pass   |
| Chlorantraniliprole   | 0.025 | 0.097 | 10    | ND     | Pass   | Paclobutrazol                               | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Chlorpyrifos          | 0.019 | 0.097 | 0.019 | ND     | Pass   | Permethrin (trans + cis)                    | 0.033  | 0.1   | 0.5   | ND     | Pass   |
| Clofentezine          | 0.035 | 0.097 | 0.1   | ND     | Pass   | Phosmet                                     | 0.051  | 0.097 | 0.1   | ND     | Pass   |
| Coumaphos             | 0.039 | 0.097 | 0.039 | ND     | Pass   | Piperonyl Butoxide                          | 0.037  | 0.097 | 3     | ND     | Pass   |
| Daminozide            | 0.019 | 0.097 | 0.019 | ND     | Pass   | Prallethrin                                 | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Diazinon              | 0.031 | 0.097 | 0.1   | ND     | Pass   | Propiconazole                               | 0.023  | 0.097 | 0.1   | ND     | Pass   |
| Dichlorvos            | 0.06  | 0.097 | 0.06  | ND     | Pass   | Propoxur                                    | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Dimethoate            | 0.027 | 0.097 | 0.027 | ND     | Pass   | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04  | 0.5   | ND     | Pass   |
| Dimethomorph (I + II) | 0.033 | 0.1   | 2     | ND     | Pass   | Pyridaben                                   | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Ethoprophos           | 0.023 | 0.097 | 0.023 | ND     | Pass   | Spinetoram (J + L)                          | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etofenprox            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spinosyn (A + D)                            | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etoxazole             | 0.027 | 0.097 | 0.1   | ND     | Pass   | Spiromesifen                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Fenhexamid            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Spirotetramat                               | 0.019  | 0.097 | 0.1   | ND     | Pass   |
| Fenoxycarb            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spiroxamine                                 | 0.025  | 0.097 | 0.025 | ND     | Pass   |
| Fenpyroximate         | 0.023 | 0.097 | 0.1   | ND     | Pass   | Tebuconazole                                | 0.027  | 0.097 | 0.1   | ND     | Pass   |
| Fipronil              | 0.037 | 0.097 | 0.037 | ND     | Pass   | Thiacloprid                                 | 0.033  | 0.097 | 0.033 | ND     | Pass   |
| Flonicamid            | 0.039 | 0.097 | 0.1   | ND     | Pass   | Thiamethoxam                                | 0.027  | 0.097 | 5     | ND     | Pass   |
| Fludioxonil           | 0.029 | 0.097 | 0.1   | ND     | Pass   | Trifloxystrobin                             | 0.037  | 0.097 | 0.1   | ND     | Pass   |
| Hexythiazox           | 0.043 | 0.097 | 0.1   | ND     | Pass   |                                             |        |       |       |        |        |

LCMS Date Tested: 03/24/2026

Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081  
ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
03/31/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

## Regulatory Compliance Testing

4 of 4

### Mr. Zips - Ice Cream Pie - Pre Rolls

METRC Sample: 1A4060300005143000019246; METRC Batch: 1A4060300005143000019207, 1A4060300005143000019208, 1A4060300005143000019209, 1A4060300005143000019210, 1A4060300005143000019211  
Sample ID: 2603EXL2245-9449

Strain: Ice Cream Pie

Collected: 03/20/2026

Distributor

Producer

Matrix: Plant

Received: 03/21/2026

Excelbis - Headwaters

Glass House Camarillo Cultivation, LLC

Type: Preroll

Completed: 03/31/2026

Lic. # C11-0000556-LIC

Lic. # CCL23-0000583

Sample Size: 20 units; Batch: 7,022 units

Batch#: B062-658KO-MZPR-ICP-02

2346 Alisal Road

645 Laguna Road Camarillo, CA 93012

Salinas, CA 93908

### Residual Solvents

Pass

| Analyte                 | LOD     | LOQ     | Limit | Conc.   | Status |
|-------------------------|---------|---------|-------|---------|--------|
|                         | µg/g    | µg/g    | µg/g  | µg/g    |        |
| Acetone                 | 15.4688 | 46.875  | 5000  | <LOQ    | Pass   |
| Acetonitrile            | 15.4688 | 46.875  | 410   | ND      | Pass   |
| Benzene                 | 0.1547  | 0.4688  | 1     | ND      | Pass   |
| Butane                  | 15.4688 | 46.875  | 5000  | ND      | Pass   |
| Chloroform              | 0.1547  | 0.4688  | 1     | ND      | Pass   |
| 1, 2-Dichloroethane     | 0.1547  | 0.4688  | 1     | ND      | Pass   |
| Ethanol                 | 15.4688 | 46.875  | 5000  | ND      | Pass   |
| Ethyl Acetate           | 15.4688 | 46.875  | 5000  | ND      | Pass   |
| Ethyl Ether             | 15.4688 | 46.875  | 5000  | ND      | Pass   |
| Ethylene Oxide          | 0.1547  | 0.4688  | 1     | ND      | Pass   |
| Heptane                 | 15.4688 | 46.875  | 5000  | ND      | Pass   |
| Hexane                  | 15.4688 | 46.875  | 290   | ND      | Pass   |
| Isopropyl Alcohol       | 15.4688 | 46.875  | 5000  | ND      | Pass   |
| Methanol                | 15.4688 | 46.875  | 3000  | 177.123 | Pass   |
| Methylene Chloride      | 0.1547  | 0.4688  | 1     | ND      | Pass   |
| Pentane                 | 15.4688 | 46.875  | 5000  | ND      | Pass   |
| Propane                 | 15.4688 | 46.875  | 5000  | ND      | Pass   |
| Toluene                 | 15.4688 | 46.875  | 890   | ND      | Pass   |
| Total Xylenes (o, m, p) | 46.4063 | 140.625 | 2170  | ND      | Pass   |
| Trichloroethylene       | 0.1547  | 0.4688  | 1     | ND      | Pass   |

# EXCELBIS

# LABS

Date Tested: 03/26/2026

Residual Solvents: HS-GC-MS RS Method SOP-009



*Scott A. Robertson*

Scott Robertson  
Lab Director  
03/31/2026

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.