infiniteCAL

Infinite Chemical Analysis Labs, CA • 8312 Miramar Mall San Diego CA 92121 • 8586232740

CA License #: C8-0000047-LIC

Certificate of Analysis

Produced: Aug 06, 2026

Sample: Pabst Watermelon Melon Soda (Edible Liquid) • **Client**: LP District 11, INC • **Batch**: Pass



Manufacturer Info

Manufacturer
LP DISTRICT 11, INC
15850 LITTLE MORONGO RD
DSRT HOT SPGS, CA 92240

License
DCC-10003262
Adult-Use and Medicinal - Manufacturing License

Distributor Info

Distributor
Lp Roadrunner Logistics LLC
15886 Little Morongo RD Unit B-6
Desert Hot Springs, CA 92240

License
C11-0001603-LIC
Adult-Use - Distributor License

Batch No.: PL-WM011
Test Pkg: 1A4060300005152D000000763
Src Pkg: 1A406030000A16F000001789
Matrix: Edible Liquid
Density: 1.006 g/ml
Sample ID: ICC-260805-06-002
Collected on: Aug 05, 2026
Received on: Aug 05, 2026
Batch Size: 45288 Units
Sample Size: 50 Units
Package Size: 364.08 g
Serving Size: 121.36 g

Batch Result: Pass

Potency	Pass	**Mycotoxins**	Pass
Solvents	Pass	**Pesticides**	Pass
Metals	Pass	**Foreign**	Pass
Microbial	Pass		

Cannabinoid Overview

Δ^9-THC:	**8.20 mg/srv**
CBD:	**0.000 mg/srv**
Total Cannabinoids:	**8.20 mg/srv**
Sum of Cannabinoids:	**8.20 mg/srv**

POT-INST-005: POT-INST-005: Potency • Aug 06, 2026

Analyte	Limit (mg)	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBC				ND	ND	0.00111/0.00331	N/A
CBD				ND	ND	0.000337/0.00167	N/A
CBDA				ND	ND	0.000806/0.00241	N/A
CBDV				ND	ND	0.000268/0.00167	N/A
CBG				ND	ND	0.000380/0.00167	N/A
CBGA				ND	ND	0.000594/0.00178	N/A
CBL				ND	ND	0.000263/0.00167	N/A
CBN				ND	ND	0.000380/0.00167	N/A

Analyte	Limit (mg)	Amt (mg/srv)	Amt (mg/pkg)	Amt (%)	Amt (mg/ml)	LOD/LOQ (mg/ml)	Pass/Fail
CBT				ND	ND	0.000478/0.00167	N/A
Δ^8-THC				ND	ND	0.000270/0.00167	N/A
Δ^9-THC	11/srv 110/pkg	8.20	24.60	0.00676	0.06800.000446/0.00167		Pass
THCA				ND	ND	0.000613/0.00184	N/A
THCV				ND	ND	0.000206/0.00167	N/A
Total THC**		8.20	24.60	0.00676	0.0680		N/A
Total CBD**				ND	ND		N/A
Total Cannabinoids**		8.20	24.60	0.00676	0.0680		N/A

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)
** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)
** Total CBD = CBD + (CBDA x 0.877)
NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope* *Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC

https://lims.tagleaf.com/coa_/V8yu5LNGxa

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Aug 06, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Aug 06, 2026

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Aug 06, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.141/0.429	Pass
Acetone	5000	ND	14.4/43.2	Pass
Acetonitrile	410	ND	0.101/0.302	Pass
Benzene	1	ND	0.0177/0.0538	Pass
Butane	5000	ND	0.818/4.08	Pass
Chloroform	1	ND	0.0303/0.0909	Pass
Ethanol	5000	< LOQ	2.20/6.60	Pass
Ethyl acetate	5000	6.35	0.264/1.93	Pass
Ethylene oxide	1	ND	0.129/0.488	Pass
Ethyl ether	5000	ND	0.996/2.99	Pass
Heptane	5000	ND	0.579/2.41	Pass
Hexane	290	ND	0.0556/0.237	Pass
Isopropyl alcohol	5000	ND	1.08/3.23	Pass
Methanol	3000	ND	2.50/7.51	Pass
Methylene chloride	1	ND	0.107/0.614	Pass
Pentane	5000	ND	0.810/3.60	Pass
Propane	5000	ND	3.73/11.2	Pass
Toluene	890	ND	0.0741/0.728	Pass
Trichloroethylene	1	ND	0.0152/0.122	Pass
o-Xylene		ND	0.0848/0.722	N/A
p- and m-Xylene		ND	0.0972/1.44	N/A
Total xylenes	2170	ND	0.0849/0.723	Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Aug 05, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Arsenic	1.5	< LOQ	0.00300/0.00900	Pass
Cadmium	0.5	ND	0.00100/0.00200	Pass
Lead	0.5	ND	0.00100/0.00400	Pass
Mercury	3	ND	0.00500/0.0140	Pass

MICRO-008, MICRO-INST-001, MICRO-PREP-001: MICRO-008, MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (noninhalable) • Aug 06, 2026

Analyte	Limit	Amt	Pass/Fail
Salmonella spp.	Any amt in 1 gram	ND	Pass
Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Aug 06, 2026

Analyte	Limit (µg/kg)	Amt (µg/kg)	LOD/LOQ (µg/kg)	Pass/Fail
Aflatoxin B1		ND	1.09/3.27	N/A
Aflatoxin B2		ND	0.945/2.84	N/A
Aflatoxin G1		ND	2.39/7.17	N/A
Aflatoxin G2		ND	0.739/2.52	N/A
Aflatoxins	20	ND		Pass
Ochratoxin A	20	ND	3.87/11.7	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Aug 06, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Captan	5	ND	0.120/0.358	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass
Cyfluthrin	1	ND	0.0186/0.0558	Pass
Cypermethrin	1	ND	0.0145/0.0435	Pass
Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Pentachloronitrobenzene	0.2	ND	0.0182/0.0545	Pass

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Aug 06, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Aug 06, 2026

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Aug 06, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.3	ND	0.0500/0.100	Pass
Acephate	5	ND	0.0164/0.0497	Pass
Acequinocyl	4	ND	0.0194/0.0587	Pass
Acetamiprid	5	ND	0.0146/0.0442	Pass
Aldicarb	Any amt	ND	0.0216/0.0654	Pass
Azoxystrobin	40	ND	0.00960/0.0291	Pass
Bifenazate	5	ND	0.0115/0.0349	Pass
Bifenthrin	0.5	ND	0.0130/0.0395	Pass
Boscalid	10	ND	0.0197/0.0596	Pass
Carbaryl	0.5	ND	0.0160/0.0486	Pass
Carbofuran	Any amt	ND	0.00902/0.0300	Pass
Chlorantraniliprole	40	ND	0.0209/0.0632	Pass
Chlorpyrifos	Any amt	ND	0.0176/0.0534	Pass
Clofentezine	0.5	ND	0.0129/0.0389	Pass
Coumaphos	Any amt	ND	0.0185/0.0559	Pass
Daminozide	Any amt	ND	0.0261/0.0791	Pass
Diazinon	0.2	ND	0.00645/0.0300	Pass
Dichlorvos	Any amt	ND	0.0223/0.0674	Pass
Dimethoate	Any amt	ND	0.0118/0.0356	Pass
Dimethomorph	20	ND	0.0137/0.0416	Pass
Ethoprophos	Any amt	ND	0.0174/0.0528	Pass
Etofenprox	Any amt	ND	0.00849/0.0300	Pass
Etoxazole	1.5	ND	0.00783/0.0300	Pass
Fenhexamid	10	ND	0.0129/0.0392	Pass
Fenoxycarb	Any amt	ND	0.0144/0.0435	Pass
Fenpyroximate	2	ND	0.00972/0.0300	Pass
Fipronil	Any amt	ND	0.0148/0.0447	Pass
Flonicamid	2	ND	0.0268/0.0811	Pass
Fludioxonil	30	ND	0.0153/0.0464	Pass
Hexythiazox	2	ND	0.0257/0.0778	Pass

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Imazalil	Any amt	ND	0.0156/0.0474	Pass
Imidacloprid	3	ND	0.0235/0.0711	Pass
Kresoxim-methyl	1	ND	0.0125/0.0379	Pass
Malathion	5	ND	0.0117/0.0354	Pass
Metalaxyl	15	ND	0.0101/0.0306	Pass
Methiocarb	Any amt	ND	0.0156/0.0473	Pass
Methomyl	0.1	ND	0.0158/0.0479	Pass
Mevinphos	Any amt	ND	0.0139/0.0423	Pass
Myclobutanil	9	ND	0.0180/0.0546	Pass
Naled	0.5	ND	0.0170/0.0514	Pass
Oxamyl	0.2	ND	0.0153/0.0465	Pass
Paclobutrazol	Any amt	ND	0.0132/0.0400	Pass
Permethrin	20	ND	0.00831/0.0300	Pass
Phosmet	0.2	ND	0.0125/0.0377	Pass
Piperonylbutoxide	8	ND	0.00759/0.0300	Pass
Prallethrin	0.4	ND	0.0226/0.0685	Pass
Propiconazole	20	ND	0.0195/0.0590	Pass
Propoxur	Any amt	ND	0.0155/0.0471	Pass
Pyrethrins	1	ND	0.00431/0.0300	Pass
Pyridaben	3	ND	0.0115/0.0350	Pass
Spinetoram	3	ND	0.00639/0.0300	Pass
Spinosad	3	ND	0.00410/0.0300	Pass
Spiromesifen	12	ND	0.0137/0.0416	Pass
Spirotetramat	13	ND	0.0134/0.0407	Pass
Spiroxamine	Any amt	ND	0.0106/0.0320	Pass
Tebuconazole	2	ND	0.0144/0.0437	Pass
Thiacloprid	Any amt	ND	0.0139/0.0421	Pass
Thiamethoxam	4.5	ND	0.0181/0.0549	Pass
Trifloxystrobin	30	ND	0.0102/0.0310	Pass

Results Certified By: David Marelius PhD
CSO, Infinite Chemical Analysis Labs, CA
Aug 06, 2026

Results Certified By: Erik Paulson PhD
Lab Director, Infinite Chemical Analysis Labs, CA
Aug 06, 2026