

Certificate of Analysis

Produced: Mar 06, 2025

Sample: Pabst Lemon Seltzer (Edible Liquid) • Client: LP District 11, INC • Batch: Pass



Manufacturer Info

**Manufacturer**  
LP District 11, INC.  
15850 LITTLE MORONGO RD #B-5  
DSRT HOT SPGS, CA 92240  
**License**  
CDPH-10003262  
Adult-Use - Manufacturing License

Distributor Info

**Distributor**  
Lp District 11, Inc.  
15880 LITTLE MORONGO RD #B-5  
DSRT HOT SPGS, CA 92240  
**License**  
C11-0000393-LIC  
Adult-Use and Medicinal - Distributor License

**Batch No.:** PL-LS033  
**Test Pkg:** 1A406030000A170000005459  
**Src Pkg:** 1A406030000A16F0000000858  
**Matrix:** Edible Liquid  
**Density:** 0.9867 g/ml  
**Category:** Edible  
**Sample ID:** ICC-250304-03-001  
**Collected on:** Mar 04, 2025  
**Received on:** Mar 04, 2025  
**Batch Size:** 28260 Units  
**Sample Size:** 32 Units  
**Received By:** Rebecca Fischer  
**Package Size:** 362.97 g  
**Serving Size:** 362.97 g

Batch Result: Pass

|           |      |            |      |
|-----------|------|------------|------|
| Potency   | Pass | Mycotoxins | Pass |
| Solvents  | Pass | Pesticides | Pass |
| Metals    | Pass | Foreign    | Pass |
| Microbial | Pass |            |      |

Cannabinoid Overview

|                      |             |
|----------------------|-------------|
| Δ <sup>9</sup> -THC: | 10.7 mg/srv |
| CBD:                 | 0.00 mg/srv |
| Total Cannabinoids:  | 10.7 mg/srv |
| Sum of Cannabinoids: | 10.7 mg/srv |

POT-INST-005: POT-INST-005: Potency • Mar 06, 2025

| Analyte | Amt (mg/srv) | Amt (mg/pkg) | Amt (%) | Amt (mg/ml) | LOD/LOQ (mg/g)   | Analyte             | Amt (mg/srv) | Amt (mg/pkg) | Amt (%) | Amt (mg/ml) | LOD/LOQ (mg/g)   |
|---------|--------------|--------------|---------|-------------|------------------|---------------------|--------------|--------------|---------|-------------|------------------|
| CBC     |              |              | ND      | ND          | 0.00109/0.00328  | CBT                 |              |              | ND      | ND          | 0.000474/0.00166 |
| CBD     |              |              | ND      | ND          | 0.000334/0.00166 | Δ <sup>8</sup> -THC |              |              | ND      | ND          | 0.000268/0.00166 |
| CBDA    |              |              | ND      | ND          | 0.000800/0.00240 | Δ <sup>9</sup> -THC | 10.7         | 10.7         | 0.00295 | 0.0291      | 0.000443/0.00166 |
| CBDV    |              |              | ND      | ND          | 0.000265/0.00166 | THCA                |              |              | ND      | ND          | 0.000608/0.00183 |
| CBG     |              |              | ND      | ND          | 0.000378/0.00166 | THCV                |              |              | ND      | ND          | 0.000205/0.00166 |
| CBGA    |              |              | ND      | ND          | 0.000590/0.00177 | Total THC**         | 10.7         | 10.7         | 0.00295 | 0.0291      |                  |
| CBL     |              |              | ND      | ND          | 0.000261/0.00166 | Total CBD**         |              |              | ND      | ND          |                  |
| CBN     |              |              | ND      | ND          | 0.000378/0.00166 |                     |              |              |         |             |                  |

\*\* Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)  
\*\* Total CBD = CBD + (CBDA x 0.877)  
NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\* \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5725(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC



*Signature*

## RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Mar 05, 2025

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/ml) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/ml) | Pass/Fail |
|--------------------|--------------|------------|-----------------|-----------|--------------------|--------------|------------|-----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.167/0.510     | Pass      | Hexane             | 290          | ND         | 0.0662/0.282    | Pass      |
| Acetone            | 5000         | ND         | 17.1/51.4       | Pass      | Isopropyl alcohol  | 5000         | ND         | 1.28/3.85       | Pass      |
| Acetonitrile       | 410          | ND         | 0.120/0.360     | Pass      | Methanol           | 3000         | 101        | 2.98/8.94       | Pass      |
| Benzene            | 1            | ND         | 0.0211/0.0641   | Pass      | Methylene chloride | 1            | ND         | 0.127/0.731     | Pass      |
| Butane             | 5000         | ND         | 0.974/4.86      | Pass      | Pentane            | 5000         | ND         | 0.965/4.28      | Pass      |
| Chloroform         | 1            | ND         | 0.0361/0.108    | Pass      | Propane            | 5000         | ND         | 4.45/13.3       | Pass      |
| Ethanol            | 5000         | 2340       | 2.62/7.86       | Pass      | Toluene            | 890          | ND         | 0.0882/0.866    | Pass      |
| Ethyl acetate      | 5000         | ND         | 0.314/2.29      | Pass      | Trichloroethylene  | 1            | ND         | 0.0180/0.145    | Pass      |
| Ethylene oxide     | 1            | ND         | 0.153/0.581     | Pass      | o-Xylene           |              | ND         | 0.101/0.859     | N/A       |
| Ethyl ether        | 5000         | ND         | 1.19/3.56       | Pass      | p- and m-Xylene    |              | ND         | 0.116/1.72      | N/A       |
| Heptane            | 5000         | ND         | 0.689/2.87      | Pass      | Total xylenes      | 2170         | ND         | 0.0168/0.143    | Pass      |

## HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Mar 05, 2025

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 1.5          | ND         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | ND         | 0.00100/0.00400 | Pass      |
| Cadmium | 0.5          | ND         | 0.00100/0.00200 | Pass      | Mercury | 3            | ND         | 0.00500/0.0140  | Pass      |

## MICRO-008, MICRO-PREP-001, MICRO-INST-001: MICRO-008, MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Mar 05, 2025

| Analyte         | Amt | Pass/Fail | Analyte                       | Amt | Pass/Fail |
|-----------------|-----|-----------|-------------------------------|-----|-----------|
| Salmonella spp. | ND  | Pass      | Shiga toxin-producing E. coli | ND  | Pass      |

## PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Mar 05, 2025

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | 2.60/7.88       | N/A       | Aflatoxin G2 |               | ND          | 1.89/5.72       | N/A       |
| Aflatoxin B2 |               | ND          | 2.04/6.18       | N/A       | Aflatoxins   | 20            | ND          |                 | Pass      |
| Aflatoxin G1 |               | ND          | 2.97/8.99       | N/A       | Ochratoxin A | 20            | ND          | 3.87/11.7       | Pass      |

## PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Mar 05, 2025

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 5            | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0145/0.0435  | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.2          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 1            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |



## PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Mar 05, 2025

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte           | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------|--------------|------------|----------------|-----------|
| Abamectin           | 0.3          | ND         | 0.0500/0.100   | Pass      | Imazalil          | Any amt      | ND         | 0.0156/0.0474  | Pass      |
| Acephate            | 5            | ND         | 0.0164/0.0497  | Pass      | Imidacloprid      | 3            | ND         | 0.0235/0.0711  | Pass      |
| Acequinocyl         | 4            | ND         | 0.0194/0.0587  | Pass      | Kresoxim-methyl   | 1            | ND         | 0.0125/0.0379  | Pass      |
| Acetamiprid         | 5            | ND         | 0.0146/0.0442  | Pass      | Malathion         | 5            | ND         | 0.0117/0.0354  | Pass      |
| Aldicarb            | Any amt      | ND         | 0.0216/0.0654  | Pass      | Metaxalyl         | 15           | ND         | 0.0101/0.0306  | Pass      |
| Azoxystrobin        | 40           | ND         | 0.00960/0.0291 | Pass      | Methiocarb        | Any amt      | ND         | 0.0156/0.0473  | Pass      |
| Bifenazate          | 5            | ND         | 0.0115/0.0349  | Pass      | Methomyl          | 0.1          | ND         | 0.0158/0.0479  | Pass      |
| Bifenthrin          | 0.5          | ND         | 0.0130/0.0395  | Pass      | Mevinphos         | Any amt      | ND         | 0.0139/0.0423  | Pass      |
| Boscalid            | 10           | ND         | 0.0197/0.0596  | Pass      | Myclobutanil      | 9            | ND         | 0.0180/0.0546  | Pass      |
| Carbaryl            | 0.5          | ND         | 0.0160/0.0486  | Pass      | Naled             | 0.5          | ND         | 0.0170/0.0514  | Pass      |
| Carbofuran          | Any amt      | ND         | 0.00902/0.0300 | Pass      | Oxamyl            | 0.2          | ND         | 0.0153/0.0465  | Pass      |
| Chlorantraniliprole | 40           | ND         | 0.0209/0.0632  | Pass      | Paclobutrazol     | Any amt      | ND         | 0.0132/0.0400  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0176/0.0534  | Pass      | Permethrin        | 20           | ND         | 0.00831/0.0300 | Pass      |
| Clofentezine        | 0.5          | ND         | 0.0129/0.0389  | Pass      | Phosmet           | 0.2          | ND         | 0.0125/0.0377  | Pass      |
| Coumaphos           | Any amt      | ND         | 0.0185/0.0559  | Pass      | Piperonylbutoxide | 8            | ND         | 0.00759/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | 0.0261/0.0791  | Pass      | Prallethrin       | 0.4          | ND         | 0.0226/0.0685  | Pass      |
| Diazinon            | 0.2          | ND         | 0.00645/0.0300 | Pass      | Propiconazole     | 20           | ND         | 0.0195/0.0590  | Pass      |
| Dichlorvos          | Any amt      | ND         | 0.0223/0.0674  | Pass      | Propoxur          | Any amt      | ND         | 0.0155/0.0471  | Pass      |
| Dimethoate          | Any amt      | ND         | 0.0118/0.0356  | Pass      | Pyrethrins        | 1            | ND         | 0.00431/0.0300 | Pass      |
| Dimethomorph        | 20           | ND         | 0.0137/0.0416  | Pass      | Pyridaben         | 3            | ND         | 0.0115/0.0350  | Pass      |
| Ethoprophos         | Any amt      | ND         | 0.0174/0.0528  | Pass      | Spinetoram        | 3            | ND         | 0.00639/0.0300 | Pass      |
| Etofenprox          | Any amt      | ND         | 0.00849/0.0300 | Pass      | Spinosad          | 3            | ND         | 0.00410/0.0300 | Pass      |
| Etoxazole           | 1.5          | ND         | 0.00783/0.0300 | Pass      | Spiromesifen      | 12           | ND         | 0.0137/0.0416  | Pass      |
| Fenhexamid          | 10           | ND         | 0.0129/0.0392  | Pass      | Spirotetramat     | 13           | ND         | 0.0134/0.0407  | Pass      |
| Fenoxycarb          | Any amt      | ND         | 0.0144/0.0435  | Pass      | Spiroxamine       | Any amt      | ND         | 0.0106/0.0320  | Pass      |
| Fenpyroximate       | 2            | ND         | 0.00972/0.0300 | Pass      | Tebuconazole      | 2            | ND         | 0.0144/0.0437  | Pass      |
| Fipronil            | Any amt      | ND         | 0.0148/0.0447  | Pass      | Thiacloprid       | Any amt      | ND         | 0.0139/0.0421  | Pass      |
| Flonicamid          | 2            | ND         | 0.0268/0.0811  | Pass      | Thiamethoxam      | 4.5          | ND         | 0.0181/0.0549  | Pass      |
| Fludioxonil         | 30           | ND         | 0.0153/0.0464  | Pass      | Trifloxystrobin   | 30           | ND         | 0.0102/0.0310  | Pass      |
| Hexythiazox         | 2            | ND         | 0.0257/0.0778  | Pass      |                   |              |            |                |           |

