

PNP E Apple Slushie 1G

METRC Batch: 1A406030003BD0A00000073
METRC Sample: 1A406030003CA51000000263
Sample ID: 2409ENC9104_5909
Strain: PNP E Apple Slushie
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: CW955PPAS

Collected: 09/11/2024
Received: 09/11/2024
Completed: 09/13/2024
Sample Size: 32 units; Batch: 25,098 units

Distributor
MTN Group, Inc.

Producer
MTN Group Inc

Lic. # C11-0001448-LIC
8040 Slauson Ave,
Montebello, CA, 90640

Lic. # CDPH-10004725
8040 Slauson Ave
Montebello, CA 90640



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	09/12/2024	LC-DAD	Pass
Pesticides	09/12/2024	LC-MS	Pass
Mycotoxins	09/12/2024	LC-MS	Pass
Residual Solvents	09/12/2024	HS-GC-MS	Pass
Microbial Impurities	09/13/2024	qPCR	Pass
Heavy Metals	09/13/2024	ICP-MS	Pass
Foreign Matter	09/12/2024	Visual Inspection	Pass

Cannabinoids

Method: SOP EL-CANNABINOIDS

87.201 %

Total THC

0.193 %

Total CBD

92.380 %

Total Cannabinoids

Analytes	LOD	LOQ	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.234	0.708	ND	ND	ND
Δ9-THC	0.250	0.757	87.201	872.01	872.01
Δ8-THC	0.276	0.837	ND	ND	ND
THCVa	0.269	0.816	ND	ND	ND
THCV	0.279	0.844	0.509	5.09	5.09
CBDa	0.245	0.742	ND	ND	ND
CBD	0.236	0.715	0.193	1.93	1.93
CBN	0.222	0.674	0.601	6.01	6.01
CBGa	0.266	0.806	ND	ND	ND
CBG	0.245	0.743	2.107	21.07	21.07
CBCa	0.217	0.657	ND	ND	ND
CBC	0.255	0.772	1.769	17.69	17.69
Total THC			87.201	872.01	872.01
Total CBD			0.193	1.93	1.93
Total Cannabinoids			92.380	923.80	923.80
Sum of Cannabinoids			92.380	923.80	923.80

1 Unit = 1g;

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Mary Beth Smith
Mary Beth Smith
Compliance Manager | 09/13/2024



ISO/IEC 17025:2017 Accredited
Accreditation # 101411

PNP E Apple Slushie 1G

METRC Batch: 1A406030003BD0A000000073
METRC Sample: 1A406030003CA51000000263
Sample ID: 2409ENC9104_5909
Strain: PNP E Apple Slushie
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: CW955PPAS

Collected: 09/11/2024
Received: 09/11/2024
Completed: 09/13/2024
Sample Size: 32 units; Batch: 25,098 units

Distributor
MTN Group, Inc.
Lic. # C11-0001448-LIC
8040 Slauson Ave,
Montebello, CA, 90640

Producer
MTN Group Inc
Lic. # CDPH-10004725
8040 Slauson Ave
Montebello, CA 90640

Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND	Pass	Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	ND	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	ND	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoxazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 09/12/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith
Mary Beth Smith
Compliance Manager | 09/13/2024



PNP E Apple Slushie 1G

METRC Batch: 1A406030003BD0A000000073
METRC Sample: 1A406030003CA51000000263
Sample ID: 2409ENC9104_5909
Strain: PNP E Apple Slushie
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: CW955PPAS

Collected: 09/11/2024
Received: 09/11/2024
Completed: 09/13/2024
Sample Size: 32 units; Batch: 25,098 units

Distributor
MTN Group, Inc.

Lic. # C11-0001448-LIC
8040 Slauson Ave,
Montebello, CA, 90640

Producer
MTN Group Inc

Lic. # CDPH-10004725
8040 Slauson Ave
Montebello, CA 90640

Mycotoxins

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 09/12/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: EL-RES_SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	ND	Pass
Ethyl acetate	10.00	30.00	5000	<LOQ	Pass
Ethyl ether	10.00	30.00	5000	ND	Pass
Ethylene oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
Hexane	10.00	30.00	290	ND	Pass
Isopropyl alcohol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	20.00	60.00	2170	ND	Pass
Trichloroethylene	0.10	0.29	1	ND	Pass

Date Tested: 09/12/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith
Mary Beth Smith
Compliance Manager | 09/13/2024



PNP E Apple Slushie 1G

METRC Batch: 1A406030003BD0A000000073
METRC Sample: 1A406030003CA51000000263
Sample ID: 2409ENC9104_5909
Strain: PNP E Apple Slushie
Matrix: Concentrates & Extracts
Type: Distillate
Batch#: CW955PPAS

Collected: 09/11/2024
Received: 09/11/2024
Completed: 09/13/2024
Sample Size: 32 units; Batch: 25,098 units

Distributor
MTN Group, Inc.
Lic. # C11-0001448-LIC
8040 Slauson Ave,
Montebello, CA, 90640

Producer
MTN Group Inc
Lic. # CDPH-10004725
8040 Slauson Ave
Montebello, CA 90640

Microbial Impurities

Method: SOP EL-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin-producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 09/13/2024

Heavy Metals

Method: SOP EL-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 09/13/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith
Mary Beth Smith
Compliance Manager | 09/13/2024

