

# Certificate of Analysis

Produced: Nov 24, 2025

Sample: Punch - Live Rosin - Madd Pebbles - Badder (1g) - Tier 4 (Concentrate) • Client: Punch Edibles & Extracts • Batch: Pass



## Manufacturer Info

**Manufacturer**  
Punch Media, LLC  
8724 REMMET AVE  
CANOGA PARK, CA 91304

**License**  
DCC-10003615  
Adult-Use and Medicinal - Manufacturing License

## Distributor Info

**Distributor**  
PUNCH MEDIA, LLC  
21525 Parthenia St  
Canoga Park, CA 91304

**License**  
C11-0001516-LIC  
Adult-Use and Medicinal - Distributor License

**Batch No.:** PEBAMADPEB001  
**Test Pkg:** 1A4060300044C65000397043  
**Src Pkg:** 1A4060300005D6A000005896  
**Matrix:** Concentrate  
**Sample ID:** ICC-251119-37-004  
**Collected on:** Nov 19, 2025  
**Received on:** Nov 19, 2025  
**Batch Size:** 1407 Units  
**Sample Size:** 13 Units  
**Package Size:** 1 g

## Batch Result: Pass

|                  |      |                   |      |
|------------------|------|-------------------|------|
| <b>Potency</b>   | Pass | <b>Mycotoxins</b> | Pass |
| <b>Solvents</b>  | Pass | <b>Pesticides</b> | Pass |
| <b>Metals</b>    | Pass | <b>Foreign</b>    | Pass |
| <b>Microbial</b> | Pass |                   |      |

## Cannabinoid Overview

|                             |                    |
|-----------------------------|--------------------|
| <b>Total THC:</b>           | <b>718 mg/pkg</b>  |
| <b>Total CBD:</b>           | <b>1.17 mg/pkg</b> |
| <b>Total Cannabinoids:</b>  | <b>753 mg/pkg</b>  |
| <b>Sum of Cannabinoids:</b> | <b>858 mg/pkg</b>  |

## POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Potency • Nov 24, 2025

| Analyte | Limit (mg) | Amt (mg/pkg) | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Pass/Fail | Analyte              | Limit (mg) | Amt (mg/pkg) | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Pass/Fail |
|---------|------------|--------------|---------|------------|----------------|-----------|----------------------|------------|--------------|---------|------------|----------------|-----------|
| CBC     |            |              | ND      | ND         | 0.272/0.816    | N/A       | CBT                  |            |              | ND      | ND         | 0.118/0.412    | N/A       |
| CBD     |            |              | ND      | ND         | 0.0832/0.412   | N/A       | Δ <sup>8</sup> -THC  |            |              | ND      | ND         | 0.0667/0.412   | N/A       |
| CBDA    |            | 1.33         | 0.133   | 1.33       | 0.199/0.597    | N/A       | Δ <sup>9</sup> -THC  | 1100/pkg   | 3.57         | 0.357   | 3.57       | 0.110/0.412    | Pass      |
| CBDV    |            |              | ND      | ND         | 0.0660/0.412   | N/A       | THCA                 |            | 815          | 81.5    | 815        | 0.151/0.454    | N/A       |
| CBG     |            |              | ND      | ND         | 0.0940/0.412   | N/A       | THCV                 |            |              | ND      | ND         | 0.0509/0.412   | N/A       |
| CBGA    |            | 38.4         | 3.84    | 38.4       | 0.147/0.440    | N/A       | Total THC**          |            | 718          | 71.8    | 718        |                | N/A       |
| CBL     |            |              | ND      | ND         | 0.0649/0.412   | N/A       | Total CBD**          |            | 1.17         | 0.117   | 1.17       |                | N/A       |
| CBN     |            |              | ND      | ND         | 0.0940/0.412   | N/A       | Total Cannabinoids** |            | 753          | 75.3    | 753        |                | N/A       |

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)

\*\* Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)

\*\* Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*

\*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5725(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC



*DM*

**RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Nov 21, 2025**

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|----------------|-----------|--------------------|--------------|------------|----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.167/0.509    | Pass      | Hexane             | 290          | ND         | 0.0660/0.281   | Pass      |
| Acetone            | 5000         | 52.3       | 17.1/51.2      | Pass      | Isopropyl alcohol  | 5000         | 26.2       | 1.28/3.84      | Pass      |
| Acetonitrile       | 410          | ND         | 0.120/0.359    | Pass      | Methanol           | 3000         | 13.2       | 2.97/8.91      | Pass      |
| Benzene            | 1            | ND         | 0.0210/0.0639  | Pass      | Methylene chloride | 1            | ND         | 0.127/0.729    | Pass      |
| Butane             | 5000         | ND         | 0.970/4.85     | Pass      | Pentane            | 5000         | ND         | 0.961/4.27     | Pass      |
| Chloroform         | 1            | ND         | 0.0360/0.108   | Pass      | Propane            | 5000         | ND         | 4.43/13.3      | Pass      |
| Ethanol            | 5000         | ND         | 2.61/7.84      | Pass      | Toluene            | 890          | ND         | 0.0879/0.863   | Pass      |
| Ethyl acetate      | 5000         | ND         | 0.313/2.29     | Pass      | Trichloroethylene  | 1            | ND         | 0.0180/0.145   | Pass      |
| Ethylene oxide     | 1            | ND         | 0.153/0.579    | Pass      | o-Xylene           |              | ND         | 0.101/0.856    | N/A       |
| Ethyl ether        | 5000         | ND         | 1.18/3.55      | Pass      | p- and m-Xylene    |              | ND         | 0.115/1.71     | N/A       |
| Heptane            | 5000         | ND         | 0.687/2.86     | Pass      | Total xylenes      | 2170         | ND         |                | Pass      |

**HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Nov 20, 2025**

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 0.2          | < LOQ      | 0.00300/0.00900 | Pass      | Lead    | 0.5          | 0.00677    | 0.00100/0.00400 | Pass      |
| Cadmium | 0.2          | < LOQ      | 0.00100/0.00200 | Pass      | Mercury | 0.1          | ND         | 0.00500/0.0140  | Pass      |

**MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (inhalable) • Nov 24, 2025**

| Analyte               | Limit             | Amt | Pass/Fail | Analyte                       | Limit             | Amt | Pass/Fail |
|-----------------------|-------------------|-----|-----------|-------------------------------|-------------------|-----|-----------|
| Aspergillus flavus    | Any amt in 1 gram | ND  | Pass      | Aspergillus terreus           | Any amt in 1 gram | ND  | Pass      |
| Aspergillus fumigatus | Any amt in 1 gram | ND  | Pass      | Salmonella spp.               | Any amt in 1 gram | ND  | Pass      |
| Aspergillus niger     | Any amt in 1 gram | ND  | Pass      | Shiga toxin-producing E. coli | Any amt in 1 gram | ND  | Pass      |

**PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Nov 24, 2025**

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | 2.96/8.98       | N/A       | Aflatoxin G2 |               | ND          | 2.07/6.26       | N/A       |
| Aflatoxin B2 |               | ND          | 3.36/10.2       | N/A       | Aflatoxins   | 20            | ND          |                 | Pass      |
| Aflatoxin G1 |               | ND          | 1.73/5.25       | N/A       | Ochratoxin A | 20            | ND          | 4.41/13.4       | Pass      |

**PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Nov 24, 2025**

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 0.7          | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0602/0.181   | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.1          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 2            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |



## PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Nov 24, 2025

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte           | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------|--------------|------------|----------------|-----------|
| Abamectin           | 0.1          | ND         | 0.0500/0.100   | Pass      | Imazalil          | Any amt      | ND         | 0.00898/0.0300 | Pass      |
| Acephate            | 0.1          | ND         | 0.00743/0.0300 | Pass      | Imidacloprid      | 5            | ND         | 0.0109/0.0331  | Pass      |
| Acequinocyl         | 0.1          | ND         | 0.0150/0.0456  | Pass      | Kresoxim-methyl   | 0.1          | ND         | 0.00708/0.0300 | Pass      |
| Acetamiprid         | 0.1          | ND         | 0.00496/0.0300 | Pass      | Malathion         | 0.5          | ND         | 0.00313/0.0300 | Pass      |
| Aldicarb            | Any amt      | ND         | 0.00838/0.0300 | Pass      | Metaxyl           | 2            | ND         | 0.00467/0.0300 | Pass      |
| Azoxystrobin        | 0.1          | ND         | 0.00530/0.0300 | Pass      | Methiocarb        | Any amt      | ND         | 0.00245/0.0300 | Pass      |
| Bifenazate          | 0.1          | ND         | 0.00706/0.0300 | Pass      | Methomyl          | 1            | ND         | 0.00879/0.0300 | Pass      |
| Bifenthrin          | 3            | ND         | 0.00439/0.0300 | Pass      | Mevinphos         | Any amt      | ND         | 0.00772/0.0300 | Pass      |
| Boscalid            | 0.1          | ND         | 0.00809/0.0300 | Pass      | Myclobutanil      | 0.1          | ND         | 0.00707/0.0300 | Pass      |
| Carbaryl            | 0.5          | ND         | 0.00604/0.0300 | Pass      | Naled             | 0.1          | ND         | 0.00849/0.0300 | Pass      |
| Carbofuran          | Any amt      | ND         | 0.00538/0.0300 | Pass      | Oxamyl            | 0.5          | ND         | 0.00746/0.0300 | Pass      |
| Chlorantraniliprole | 10           | ND         | 0.00883/0.0300 | Pass      | Paclobutrazol     | Any amt      | ND         | 0.00851/0.0300 | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0152/0.0460  | Pass      | Permethrin        | 0.5          | ND         | 0.00190/0.0300 | Pass      |
| Clofentezine        | 0.1          | ND         | 0.00206/0.0300 | Pass      | Phosmet           | 0.1          | ND         | 0.00511/0.0300 | Pass      |
| Coumaphos           | Any amt      | ND         | 0.00393/0.0300 | Pass      | Piperonylbutoxide | 3            | ND         | 0.00267/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | 0.0176/0.0534  | Pass      | Prallethrin       | 0.1          | ND         | 0.0235/0.0711  | Pass      |
| Diazinon            | 0.1          | ND         | 0.00475/0.0300 | Pass      | Propiconazole     | 0.1          | ND         | 0.00909/0.0300 | Pass      |
| Dichlorvos          | Any amt      | ND         | 0.0182/0.0550  | Pass      | Propoxur          | Any amt      | ND         | 0.00780/0.0300 | Pass      |
| Dimethoate          | Any amt      | ND         | 0.00592/0.0300 | Pass      | Pyrethrins        | 0.5          | ND         | 0.00278/0.0300 | Pass      |
| Dimethomorph        | 2            | ND         | 0.00454/0.0300 | Pass      | Pyridaben         | 0.1          | ND         | 0.00231/0.0300 | Pass      |
| Ethoprophos         | Any amt      | ND         | 0.00610/0.0300 | Pass      | Spinetoram        | 0.1          | ND         | 0.00119/0.0300 | Pass      |
| Etofenprox          | Any amt      | ND         | 0.00437/0.0300 | Pass      | Spinosad          | 0.1          | ND         | 0.00830/0.0300 | Pass      |
| Etiozole            | 0.1          | ND         | 0.00365/0.0300 | Pass      | Spiromesifen      | 0.1          | ND         | 0.00894/0.0300 | Pass      |
| Fenhexamid          | 0.1          | ND         | 0.0113/0.0342  | Pass      | Spirotetramat     | 0.1          | ND         | 0.00808/0.0300 | Pass      |
| Fenoxycarb          | Any amt      | ND         | 0.00415/0.0300 | Pass      | Spiroxamine       | Any amt      | ND         | 0.00555/0.0300 | Pass      |
| Fenpyroximate       | 0.1          | ND         | 0.00396/0.0300 | Pass      | Tebuconazole      | 0.1          | ND         | 0.00605/0.0300 | Pass      |
| Fipronil            | Any amt      | ND         | 0.0165/0.0500  | Pass      | Thiacloprid       | Any amt      | ND         | 0.00506/0.0300 | Pass      |
| Flonicamid          | 0.1          | ND         | 0.0115/0.0350  | Pass      | Thiamethoxam      | 5            | ND         | 0.00760/0.0300 | Pass      |
| Fludioxonil         | 0.1          | ND         | 0.0119/0.0362  | Pass      | Trifloxystrobin   | 0.1          | ND         | 0.00293/0.0300 | Pass      |
| Hexythiazox         | 0.1          | ND         | 0.00124/0.0300 | Pass      |                   |              |            |                |           |

