

Certificate of Analysis

Produced: Dec 30, 2025

Sample: Punch - Live Rosin - Papaya Dew - Badder (1g) - Tier 4 (Concentrate) • Client: Punch Edibles & Extracts • Batch: Pass



Manufacturer Info
Manufacturer
 Punch Media, LLC
 8724 REMMET AVE
 CANOGA PARK, CA 91304
License
 DCC-10003615
 Adult-Use and Medicinal - Manufacturing License

Distributor Info
Distributor
 PUNCH MEDIA, LLC
 21525 Parthenia St
 Canoga Park, CA 91304
License
 C11-0001516-LIC
 Adult-Use and Medicinal - Distributor License

Batch No.: PEBAPPAPDEW001
Test Pkg: 1A4060300044C65000412346
Src Pkg: 1A4060300005D6A000006004
Matrix: Concentrate
Sample ID: ICC-251222-34-001
Collected on: Dec 22, 2025
Received on: Dec 22, 2025
Batch Size: 1365 Units
Sample Size: 13 Units
Package Size: 1 g

Batch Result: Pass

| | | | |
|-----------|------|------------|------|
| Potency | Pass | Mycotoxins | Pass |
| Solvents | Pass | Pesticides | Pass |
| Metals | Pass | Foreign | Pass |
| Microbial | Pass | | |

Cannabinoid Overview

| | |
|----------------------|--------------|
| Total THC: | 726 mg/pkg |
| Total CBD: | 0.000 mg/pkg |
| Total Cannabinoids: | 767 mg/pkg |
| Sum of Cannabinoids: | 874 mg/pkg |

POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Potency • Dec 29, 2025

| Analyte | Limit (mg) | Amt (mg/pkg) | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Pass/Fail | Analyte | Limit (mg) | Amt (mg/pkg) | Amt (%) | Amt (mg/g) | LOD/LOQ (mg/g) | Pass/Fail |
|---------|------------|--------------|---------|------------|----------------|-----------|----------------------|------------|--------------|---------|------------|----------------|-----------|
| CBC | | | ND | ND | 0.267/0.800 | N/A | CBT | | | ND | ND | 0.116/0.404 | N/A |
| CBD | | | ND | ND | 0.0816/0.404 | N/A | Δ ⁸ -THC | | | ND | ND | 0.0654/0.404 | N/A |
| CBDA | | | ND | ND | 0.195/0.585 | N/A | Δ ⁹ -THC | 1100/pkg | 3.99 | 0.399 | 3.99 | 0.108/0.404 | Pass |
| CBDV | | | ND | ND | 0.0647/0.404 | N/A | THCA | | 823 | 82.3 | 823 | 0.148/0.445 | N/A |
| CBG | | | ND | ND | 0.0921/0.404 | N/A | THCV | | | | ND | 0.0499/0.404 | N/A |
| CBGA | 46.8 | 4.68 | 4.68 | 46.8 | 0.144/0.432 | N/A | Total THC** | | 726 | 72.6 | 726 | | N/A |
| CBL | | | ND | ND | 0.0636/0.404 | N/A | Total CBD** | | | ND | ND | | N/A |
| CBN | | | ND | ND | 0.0921/0.404 | N/A | Total Cannabinoids** | | 767 | 76.7 | 767 | | N/A |

** Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids * 0.877)

** Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)

** Total CBD = CBD + (CBDA x 0.877)

NR= Not Reported, ND= Not Detected, *Reported by Dry Mass*; *analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope*

*Density tested at a temperature range between 19-24 °C, *Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5725(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC



RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • Dec 29, 2025

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------------|--------------|------------|----------------|-----------|--------------------|--------------|------------|----------------|-----------|
| 1,2-Dichloroethane | 1 | ND | 0.166/0.507 | Pass | Hexane | 290 | ND | 0.0657/0.280 | Pass |
| Acetone | 5000 | 120 | 17.0/51.0 | Pass | Isopropyl alcohol | 5000 | 34.4 | 1.27/3.82 | Pass |
| Acetonitrile | 410 | ND | 0.119/0.357 | Pass | Methanol | 3000 | ND | 2.96/8.87 | Pass |
| Benzene | 1 | ND | 0.0209/0.0636 | Pass | Methylene chloride | 1 | ND | 0.126/0.726 | Pass |
| Butane | 5000 | ND | 0.966/4.83 | Pass | Pentane | 5000 | ND | 0.957/4.25 | Pass |
| Chloroform | 1 | ND | 0.0358/0.107 | Pass | Propane | 5000 | ND | 4.41/13.2 | Pass |
| Ethanol | 5000 | ND | 2.60/7.81 | Pass | Toluene | 890 | ND | 0.0876/0.860 | Pass |
| Ethyl acetate | 5000 | ND | 0.312/2.28 | Pass | Trichloroethylene | 1 | ND | 0.0179/0.144 | Pass |
| Ethylene oxide | 1 | ND | 0.152/0.576 | Pass | o-Xylene | | ND | 0.100/0.853 | N/A |
| Ethyl ether | 5000 | ND | 1.18/3.53 | Pass | p- and m-Xylene | | ND | 0.115/1.71 | N/A |
| Heptane | 5000 | ND | 0.684/2.85 | Pass | Total xylenes | 2170 | ND | | Pass |

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • Dec 23, 2025

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 0.2 | < LOQ | 0.00300/0.00900 | Pass | Lead | 0.5 | 0.00895 | 0.00100/0.00400 | Pass |
| Cadmium | 0.2 | ND | 0.00100/0.00200 | Pass | Mercury | 0.1 | ND | 0.00500/0.0140 | Pass |

MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (inhalable) • Dec 30, 2025

| Analyte | Limit | Amt | Pass/Fail | Analyte | Limit | Amt | Pass/Fail |
|-----------------------|-------------------|-----|-----------|-------------------------------|-------------------|-----|-----------|
| Aspergillus flavus | Any amt in 1 gram | ND | Pass | Aspergillus terreus | Any amt in 1 gram | ND | Pass |
| Aspergillus fumigatus | Any amt in 1 gram | ND | Pass | Salmonella spp. | Any amt in 1 gram | ND | Pass |
| Aspergillus niger | Any amt in 1 gram | ND | Pass | Shiga toxin-producing E. coli | Any amt in 1 gram | ND | Pass |

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • Dec 29, 2025

| Analyte | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 | | ND | 2.96/8.98 | N/A | Aflatoxin G2 | | ND | 2.07/6.26 | N/A |
| Aflatoxin B2 | | ND | 3.36/10.2 | N/A | Aflatoxins | 20 | ND | | Pass |
| Aflatoxin G1 | | ND | 1.73/5.25 | N/A | Ochratoxin A | 20 | ND | 4.41/13.4 | Pass |


PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • Dec 29, 2025

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan | 0.7 | ND | 0.120/0.358 | Pass | Cypermethrin | 1 | ND | 0.0602/0.181 | Pass |
| Chlordane | Any amt | ND | 0.0249/0.0747 | Pass | Methyl parathion | Any amt | ND | 0.00811/0.0243 | Pass |
| Chlorfenapyr | Any amt | ND | 0.0251/0.0753 | Pass | Pentachloronitrobenzene | 0.1 | ND | 0.0182/0.0545 | Pass |
| Cyfluthrin | 2 | ND | 0.0186/0.0558 | Pass | | | | | |



PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • Dec 29, 2025

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------|--------------|------------|----------------|-----------|
| Abamectin | 0.1 | ND | 0.0500/0.100 | Pass | Imazalil | Any amt | ND | 0.00898/0.0300 | Pass |
| Acephate | 0.1 | ND | 0.00743/0.0300 | Pass | Imidacloprid | 5 | ND | 0.0109/0.0331 | Pass |
| Acetaminocyl | 0.1 | ND | 0.0150/0.0456 | Pass | Kresoxim-methyl | 0.1 | ND | 0.00708/0.0300 | Pass |
| Acetamiprid | 0.1 | ND | 0.00496/0.0300 | Pass | Malathion | 0.5 | ND | 0.00313/0.0300 | Pass |
| Aldicarb | Any amt | ND | 0.00838/0.0300 | Pass | Metalaxyl | 2 | ND | 0.00467/0.0300 | Pass |
| Azoxystrobin | 0.1 | ND | 0.00530/0.0300 | Pass | Methiocarb | Any amt | ND | 0.00245/0.0300 | Pass |
| Bifenazate | 0.1 | ND | 0.00706/0.0300 | Pass | Methomyl | 1 | ND | 0.00879/0.0300 | Pass |
| Bifenthrin | 3 | ND | 0.00439/0.0300 | Pass | Mevinphos | Any amt | ND | 0.00772/0.0300 | Pass |
| Boscalid | 0.1 | ND | 0.00809/0.0300 | Pass | Myclobutanil | 0.1 | ND | 0.00707/0.0300 | Pass |
| Carbaryl | 0.5 | ND | 0.00604/0.0300 | Pass | Naled | 0.1 | ND | 0.00849/0.0300 | Pass |
| Carbofuran | Any amt | ND | 0.00538/0.0300 | Pass | Oxamyl | 0.5 | ND | 0.00746/0.0300 | Pass |
| Chlorantraniliprole | 10 | ND | 0.00883/0.0300 | Pass | Paclobutrazol | Any amt | ND | 0.00851/0.0300 | Pass |
| Chlorpyrifos | Any amt | ND | 0.0152/0.0460 | Pass | Permethrin | 0.5 | ND | 0.00190/0.0300 | Pass |
| Clofentezine | 0.1 | ND | 0.00206/0.0300 | Pass | Phosmet | 0.1 | ND | 0.00511/0.0300 | Pass |
| Coumaphos | Any amt | ND | 0.00393/0.0300 | Pass | Piperonylbutoxide | 3 | ND | 0.00267/0.0300 | Pass |
| Daminozide | Any amt | ND | 0.0176/0.0534 | Pass | Prallethrin | 0.1 | ND | 0.0235/0.0711 | Pass |
| Diazinon | 0.1 | ND | 0.00475/0.0300 | Pass | Propiconazole | 0.1 | ND | 0.00909/0.0300 | Pass |
| Dichlorvos | Any amt | ND | 0.0182/0.0550 | Pass | Propoxur | Any amt | ND | 0.00780/0.0300 | Pass |
| Dimethoate | Any amt | ND | 0.00592/0.0300 | Pass | Pyrethrins | 0.5 | ND | 0.00278/0.0300 | Pass |
| Dimethomorph | 2 | ND | 0.00454/0.0300 | Pass | Pyridaben | 0.1 | ND | 0.00231/0.0300 | Pass |
| Ethoprophos | Any amt | ND | 0.00610/0.0300 | Pass | Spinetoram | 0.1 | ND | 0.00119/0.0300 | Pass |
| Etofenprox | Any amt | ND | 0.00437/0.0300 | Pass | Spinosad | 0.1 | ND | 0.00830/0.0300 | Pass |
| Etoxazole | 0.1 | ND | 0.00365/0.0300 | Pass | Spiromesifen | 0.1 | ND | 0.00894/0.0300 | Pass |
| Fenhexamid | 0.1 | ND | 0.0113/0.0342 | Pass | Spirotetramat | 0.1 | ND | 0.00808/0.0300 | Pass |
| Fenoxycarb | Any amt | ND | 0.00415/0.0300 | Pass | Spiroxamine | Any amt | ND | 0.00555/0.0300 | Pass |
| Fenpyroximate | 0.1 | ND | 0.00396/0.0300 | Pass | Tebuconazole | 0.1 | ND | 0.00605/0.0300 | Pass |
| Fipronil | Any amt | ND | 0.0165/0.0500 | Pass | Thiacloprid | Any amt | ND | 0.00506/0.0300 | Pass |
| Flonicamid | 0.1 | ND | 0.0115/0.0350 | Pass | Thiamethoxam | 5 | ND | 0.00760/0.0300 | Pass |
| Fludioxonil | 0.1 | ND | 0.0119/0.0362 | Pass | Trifloxystrobin | 0.1 | ND | 0.00293/0.0300 | Pass |
| Hexythiazox | 0.1 | ND | 0.00124/0.0300 | Pass | | | | | |



DM