

Encore Labs 75 N Vinedo Ave. Pasadena, CA 91107 (626) 696-3086 https://encore-labs.com Lic# C8-000086-LIC

# **Purple Punch**

METRC Batch: 1A406030006D6C9000000531, 1A406030006D6C9000000556, 1A406030006D6C9000000582, 1A406030006D6C9000000589

METRC Sample: 1A40603000070EA000486171 Sample ID: 2409ENC9865 8439 Strain: Purple Punch Matrix: Concentrates & Extracts Type: Distillate Batch#: ST-ORG-PRP-K2324

- Produced: 09/25/2024 Collected: 09/30/2024 Received: 09/30/2024 Completed: 10/01/2024 Sample Size: 32 units; Batch: 17,403 units 718 E. Commercial St.,
- Distributor Producer Ironworks Collective, Inc SGI Jackson LLC Lic. # C11-0000620-LIC

Los Angeles, CA, 90012

Lic. # DCC-10005033 2309 S Santa Fe Ave Los Angeles, CA 90058



Summary			
Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	09/30/2024	LC-DAD	Pass
Pesticides	09/30/2024	LC-MS	Pass
Mycotoxins	09/30/2024	LC-MS	Pass
Residual Solvents	09/30/2024	HS-GC-MS	Pass
Microbial Impurities	10/01/2024	qPCR	Pass
Heavy Metals	10/01/2024	ICP-MS	Pass
Foreign Matter	09/30/2024	Visual Inspection	Pass

### Cannabinoids

Method: SOP EL-CANNABINOIDS

87.630 %			0.18	9 %		91.368 %		
Total THC			Total	CBD		Total Cannabinoids		
Analytes	LOD	LOQ	Result	Result	Result			
	mg/g	mg/g	%	mg/g	mg/unit			
HCa	0.243	0.735	ND	ND	ND			
19-THC	0.260	0.787	87.630	876.30	876.30			
18-THC	0.287	0.869	ND	ND	ND			
HCVa	0.280	0.848	ND	ND	ND			
HCV	0.289	0.877	0.431	4.31	4.31			
CBDa	0.254	0.771	ND	ND	ND			
CBD	0.245	0.743	0.189	1.89	1.89			
CBN	0.231	0.700	0.549	5.49	5.49			
CBGa	0.276	0.837	ND	ND	ND			
CBG	0.255	0.772	1.820	18.20	18.20			
CBCa	0.225	0.682	ND	ND	ND			
CBC	0.264	0.801	0.749	7.49	7.49			
Total THC			87.630	876.30	876.30			
Total CBD			0.189	1.89	1.89			
Total Cannabinoids			91.368	913.68	913.68			
Sum of Cannabinoids			91.368	913.68	913.68			

1 Unit = 1g;

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP EL-FOREIGN; Moisture and Water Activity Method: SOP EL-WATER



Evelyn Alvarez QA Director | 10/01/2024



Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

# **Purple Punch**

METRC Batch: 1A406030006D6C9000000531, 1A406030006D6C9000000556, 1A406030006D6C9000000582, 1A406030006D6C9000000589 METRC Sample: 1A40603000070EA000486171 Produced: 09/25/2024 Distributor Producer Sample ID: 2409ENC9865\_8439 Collected: 09/30/2024 Ironworks Collective, Inc SGI Jackson LLC Strain: Purple Punch Received: 09/30/2024 Matrix: Concentrates & Extracts Completed: 10/01/2024 Lic. # DCC-10005033 Lic. # C11-0000620-LIC Sample Size: 32 units; Batch: 17,403 units 718 E. Commercial St., Type: Distillate 2309 S Santa Fe Ave Batch#: ST-ORG-PRP-K2324 Los Angeles, CA, 90012 Los Angeles, CA 90058

### Pesticides

Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.005	0.02	0.10	ND		Fludioxonil	0.01	0.05	0.10	ND	Pass
Acephate	0.002	0.01	0.10	ND	Pass	Hexythiazox	0.005	0.02	0.10	ND	Pass
Acequinocyl	0.01	0.02	0.10	ND	Pass	Imazalil	0.05	0.1	0.05	ND	Pass
Acetamiprid	0.005	0.02	0.10	ND	Pass	Imidacloprid	0.005	0.02	5.00	ND	Pass
Aldicarb	0.05	0.1	0.05	ND	Pass	Kresoxim Methyl	0.005	0.02	0.10	ND	Pass
Azoxystrobin	0.005	0.02	0.10	ND	Pass	Malathion	0.02	0.05	0.50	ND	Pass
Bifenazate	0.005	0.01	0.10	ND	Pass	Metalaxyl	0.002	0.005	2.00	ND	Pass
Bifenthrin	0.02	0.05	3.00	ND	Pass	Methiocarb	0.05	0.1	0.05	ND	Pass
Boscalid	0.02	0.05	0.10	ND	Pass	Methomyl	0.01	0.02	1.00	ND	Pass
Captan	0.2	0.3	0.70	ND	Pass	Parathion Methyl	0.02	0.05	0.02	ND	Pass
Carbaryl	0.02	0.05	0.50	ND	Pass	Mevinphos	0.02	0.05	0.02	ND	Pass
Carbofuran	0.05	0.1	0.05	ND	Pass	Myclobutanil	0.005	0.01	0.10	0.013	Pass
Chlorantraniliprole	0.002	0.01	10.00	ND	Pass	Naled	0.01	0.02	0.10	ND	Pass
Chlordane	0.05	0.1	0.05	ND	Pass	Oxamyl	0.005	0.01	0.50	ND	Pass
Chlorfenapyr	0.05	0.1	0.05	ND	Pass	Paclobutrazol	0.05	0.1	0.05	ND	Pass
Chlorpyrifos	0.05	0.1	0.05	ND	Pass	PCNB	0.02	0.05	0.10	ND	Pass
Clofentezine	0.01	0.02	0.10	ND	Pass	Permethrin	0.02	0.05	0.50	ND	Pass
Coumaphos	0.02	0.05	0.02	ND	Pass	Phosmet	0.01	0.02	0.10	ND	Pass
Cyfluthrin	0.05	0.1	2.00	ND	Pass	Piperonyl Butoxide	0.02	0.05	3.00	ND	Pass
Cypermethrin	0.1	0.2	1.00	ND	Pass	Prallethrin	0.005	0.02	0.10	ND	Pass
Daminozide	0.02	0.05	0.02	ND	Pass	Propiconazole	0.005	0.01	0.10	ND	Pass
Diazinon	0.002	0.01	0.10	ND	Pass	Propoxure	0.05	0.1	0.05	ND	Pass
Dichlorvos	0.02	0.05	0.02	ND	Pass	Pyrethrins	0.02	0.05	0.50	ND	Pass
Dimethoate	0.02	0.05	0.02	ND	Pass	Pyridaben	0.005	0.01	0.10	ND	Pass
Dimethomorph	0.005	0.02	2.00	ND	Pass	Spinetoram	0.005	0.01	0.10	ND	Pass
Ethoprophos	0.05	0.1	0.05	ND	Pass	Spinosad	0.005	0.01	0.10	ND	Pass
Etofenprox	0.05	0.1	0.05	ND	Pass	Spiromesifen	0.01	0.02	0.10	ND	Pass
Etoxazole	0.005	0.02	0.10	ND	Pass	Spirotetramat	0.005	0.01	0.10	ND	Pass
Fenhexamid	0.005	0.02	0.10	ND	Pass	Spiroxamine	0.05	0.1	0.05	ND	Pass
Fenoxycarb	0.05	0.1	0.05	ND	Pass	Tebuconazole	0.005	0.01	0.10	ND	Pass
Fenpyroximate	0.005	0.02	0.10	ND	Pass	Thiacloprid	0.02	0.05	0.02	ND	Pass
Fipronil	0.05	0.1	0.05	ND	Pass	Thiamethoxam	0.005	0.01	5.00	ND	Pass
Flonicamid	0.01	0.02	0.10	ND	Pass	Trifloxystrobin	0.005	0.01	0.10	ND	Pass

Date Tested: 09/30/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

# **Purple Punch**

METRC Batch: 1A406030006D6C9000000531, 1A406030006	D6C900000556, 1A406030006D6C90000	0582, 1A406030006D6C90	00000589
METRC Sample: 1A40603000070EA000486171	Produced: 09/25/2024	Distributor	Producer
Sample ID: 2409ENC9865_8439	Collected: 09/30/2024	Ironworks Collective, Inc	SGI Jackson LLC
Strain: Purple Punch	Received: 09/30/2024		
Matrix: Concentrates & Extracts	Completed: 10/01/2024		Lic. # DCC-10005033
Type: Distillate	Sample Size: 32 units; Batch: 17,403 units	718 E. Commercial St	2309 S Santa Fe Ave
Batch#: ST-ORG-PRP-K2324		Los Angeles, CA, 90012	Los Angeles, CA 90058

#### Mycotoxins Method: EL-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.00	2.00		ND	Tested
Aflatoxin B2	1.00	2.00		ND	Tested
Aflatoxin G1	2.00	4.00		ND	Tested
Aflatoxin G2	1.00	2.00		ND	Tested
Ochratoxin A	4.00	10.00	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 09/30/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

#### Residual Solvents Method: EL-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	33.00	100.00	5000	ND	Pass
Acetonitrile	10.00	30.00	410	ND	Pass
Benzene	0.09	0.28	1	ND	Pass
Butane	10.00	30.00	5000	ND	Pass
Chloroform	0.10	0.29	1	ND	Pass
Ethanol	10.00	30.00	5000	113.91	Pass
Ethyl acetate	10.00	30.00	5000	30.04	Pass
Ethyl ether	10.00	30.00	5000	ND	Pass
Ethylene oxide	0.08	0.24	1	ND	Pass
Heptane	10.00	30.00	5000	ND	Pass
Hexane	10.00	30.00	290	ND	Pass
Isopropyl alcohol	10.00	30.00	5000	ND	Pass
Methanol	10.00	30.00	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.29	1	ND	Pass
Pentane	10.00	30.00	5000	ND	Pass
Propane	10.00	30.00	5000	ND	Pass
Toluene	10.00	30.00	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	20.00	60.00	2170	ND	Pass
Trichloroethylene	0.10	0.29	1	ND	Pass

Date Tested: 09/30/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Emp **Evelyn Alvarez** QA Director | 10/01/2024



Acceleration # 101411 Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



(626) 696-3086 https://encore-labs.com Lic# C8-0000086-LIC

# **Purple Punch**

Ν	IETRC Batch: 1A406030006D6C9000000531, 1A406030006I	D6C9000000556, 1A406030006D6C900000	0582, 1A406030006D6C90	00000589
N	IETRC Sample: 1A40603000070EA000486171	Produced: 09/25/2024	Distributor	Producer
S	ample ID: 2409ENC9865_8439	Collected: 09/30/2024	Ironworks Collective, Inc	SGI Jackson LLC
S	train: Purple Punch	Received: 09/30/2024		
Ν	latrix: Concentrates & Extracts	Completed: 10/01/2024	Lic. # C11-0000620-LIC	Lic. # DCC-10005033
Т	ype: Distillate	Sample Size: 32 units; Batch: 17,403 units	718 E. Commercial St.,	2309 S Santa Fe Ave
B	atch#: ST-ORG-PRP-K2324		Los Angeles, CA, 90012	Los Angeles, CA 90058
N T	latrix: Concentrates & Extracts ype: Distillate		718 E. Commercial St.,	2309 S Santa Fe Ave

### Microbial Impurities

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 10/01/2024

### Heavy Metals

Method:	SOP	EL-HEA	/YMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.012	0.036	0.200	ND	Pass
Cadmium	0.015	0.044	0.200	ND	Pass
Lead	0.055	0.167	0.500	ND	Pass
Mercury	0.005	0.015	0.100	ND	Pass

Date Tested: 10/01/2024

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







Samples obtained per method: SOP LAB-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.