



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-000059-LIC

Regulatory Compliance Testing

1 of 4

## Quiet Kings - Pre Roll - Gush Mintz - 5 pk 0.5g PR - Indica

METRC Sample: 1A40603000679D1000012869; METRC Batch: 1A4060300073BF5000000494

Sample ID: 2510EXL5810.24848

Produced:

Distributor

Producer

Strain: Gush Mintz

Collected: 10/22/2025

Green Vibe, Inc

Green Vibe Inc.

Matrix: Plant

Received: 10/23/2025

Lic. # C11-0001913-LIC

Lic. # DCC-10005050

Type: Preroll

Completed: 10/29/2025

3060 Hilltop Road

3060 Hilltop Road Moss Landing, CA

Sample Size: 20 units; Batch: 5,048 units

Batch#: 510QK10289GMZ-P5

Moss Landing, CA 95039



### Summary

| Test              | Date Tested | Result           |
|-------------------|-------------|------------------|
| Batch             |             | Pass             |
| Cannabinoids      | 10/28/2025  | Complete         |
| Foreign Matter    | 10/23/2025  | Pass             |
| Heavy Metals      | 10/24/2025  | Pass             |
| Microbials        | 10/26/2025  | Pass             |
| Moisture          | 10/24/2025  | 13.6% - Complete |
| Mycotoxins        | 10/28/2025  | Pass             |
| GCMS Pesticides   | 10/25/2025  | Pass             |
| LCMS Pesticides   | 10/28/2025  | Pass             |
| Residual Solvents | 10/28/2025  | Pass             |
| Water Activity    | 10/24/2025  | 0.44 aw - Pass   |

### Cannabinoids

Complete

24.933%

Total THC

0.185%

Total CBD

25.320%

Total Cannabinoids

| Analyte   | LOD   | LOQ   | Result  | Result  | Result     | Result     |
|-----------|-------|-------|---------|---------|------------|------------|
|           | mg/g  | mg/g  | %       | mg/g    | mg/serving | mg/package |
| CBC       | 0.009 | 0.025 | 0.0366  | 0.366   | 0.183      | 0.915      |
| CBD       | 0.025 | 0.050 | 0.1278  | 1.278   | 0.639      | 3.195      |
| CBDa      | 0.019 | 0.050 | 0.0650  | 0.650   | 0.325      | 1.624      |
| CBG       | 0.025 | 0.050 | 0.1658  | 1.658   | 0.829      | 4.144      |
| CBN       | 0.009 | 0.025 | ND      | ND      | ND         | ND         |
| Δ8-THC    | 0.019 | 0.050 | ND      | ND      | ND         | ND         |
| Δ9-THC    | 0.019 | 0.050 | 1.5203  | 15.203  | 7.601      | 38.007     |
| THCa      | 0.013 | 0.025 | 26.6962 | 266.962 | 133.481    | 667.406    |
| THCV      | 0.025 | 0.050 | ND      | ND      | ND         | ND         |
| Total THC |       |       | 24.933  | 249.329 | 124.664    | 623.322    |
| Total CBD |       |       | 0.185   | 1.848   | 0.924      | 4.620      |
| Total CBG |       |       | 0.166   | 1.658   | 0.829      | 4.144      |
| Total     |       |       | 25.320  | 253.201 | 126.600    | 633.002    |

Date Tested: 10/28/2025

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, SOP-004

Water Activity: Water Activity Meter, SOP-012

Moisture Content: Moisture Analyzer, SOP-011

Foreign Matter: Visual Inspection, SOP-001



*Scott A. Robertson*

Scott Robertson  
Lab Director  
10/29/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

Regulatory Compliance Testing

2 of 4

## Quiet Kings - Pre Roll - Gush Mintz - 5 pk 0.5g PR - Indica

METRC Sample: 1A40603000679D1000012869; METRC Batch: 1A4060300073BF5000000494

|                                           |                          |                        |                                    |
|-------------------------------------------|--------------------------|------------------------|------------------------------------|
| <b>Sample ID:</b> 2510EXL5810.24848       | <b>Produced:</b>         | <b>Distributor</b>     | <b>Producer</b>                    |
| Strain: Gush Mintz                        | Collected: 10/22/2025    | <b>Green Vibe, Inc</b> | <b>Green Vibe Inc.</b>             |
| Matrix: Plant                             | Received: 10/23/2025     | Lic. # C11-0001913-LIC | Lic. # DCC-10005050                |
| Type: Preroll                             | Completed: 10/29/2025    | 3060 Hilltop Road      | 3060 Hilltop Road Moss Landing, CA |
| Sample Size: 20 units; Batch: 5,048 units | Batch#: 510QK10289GMZ-P5 | Moss Landing, CA 95039 | 95039                              |

### GC Pesticides

Pass

| Analyte                              | LOD   | LOQ   | Limit | Mass | Status |
|--------------------------------------|-------|-------|-------|------|--------|
|                                      | µg/g  | µg/g  | µg/g  | µg/g |        |
| Captan                               | 0.054 | 0.097 | 0.7   | ND   | Pass   |
| Chlordane (trans + cis)              | 0.058 | 0.098 | 0.058 | ND   | Pass   |
| Chlorfenapyr                         | 0.056 | 0.097 | 0.056 | ND   | Pass   |
| Cyfluthrin                           | 0.052 | 0.097 | 2     | ND   | Pass   |
| Cypermethrin                         | 0.054 | 0.097 | 1     | ND   | Pass   |
| Parathion Methyl                     | 0.039 | 0.097 | 0.039 | ND   | Pass   |
| Pentachloronitrobenzene (Quintozene) | 0.062 | 0.097 | 0.1   | ND   | Pass   |

### Mycotoxins

Pass

| Analytes         | LOD     | LOQ     | Limit | Conc. | Status |
|------------------|---------|---------|-------|-------|--------|
|                  | µg/kg   | µg/kg   | µg/kg | µg/kg |        |
| Aflatoxin B1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin B2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G1     | 4.0000  | 5.0000  |       | ND    | Tested |
| Aflatoxin G2     | 4.0000  | 5.0000  |       | ND    | Tested |
| Ochratoxin A     | 10.0000 | 16.0000 | 20    | ND    | Pass   |
| Total Aflatoxins |         |         | 20    | ND    | Pass   |

### Microbials

Pass

| Analyte                       | Limit | Detected / Not Detected | Status |
|-------------------------------|-------|-------------------------|--------|
|                               | RFU/g | RFU/g                   |        |
| Aspergillus flavus            | 0     | Not Detected            | Pass   |
| Aspergillus fumigatus         | 0     | Not Detected            | Pass   |
| Aspergillus niger             | 0     | Not Detected            | Pass   |
| Aspergillus terreus           | 0     | Not Detected            | Pass   |
| Shiga toxin-producing E. Coli | 0     | Not Detected            | Pass   |
| Salmonella SPP                | 0     | Not Detected            | Pass   |

### Heavy Metals

Pass

| Analyte | LOD     | LOQ   | Limit | Conc. | Status |
|---------|---------|-------|-------|-------|--------|
|         | PPM     | PPM   | PPM   | PPM   |        |
| Arsenic | 0.0150  | 0.05  | 0.2   | ND    | Pass   |
| Cadmium | 0.0113  | 0.05  | 0.2   | <LOQ  | Pass   |
| Lead    | 0.00615 | 0.05  | 0.5   | <LOQ  | Pass   |
| Mercury | 0.00126 | 0.005 | 0.1   | <LOQ  | Pass   |

GCMS Date Tested: 10/25/2025

Pesticides: GC-MS/MS, GCMS Method SOP-006

LCMS Date Tested: 10/28/2025

Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001

Microbial Date Tested: 10/26/2025

Microbials Footnote: Microbial: SOP-010

RFU = Relative Fluorescence Units

Heavy Metals Date Tested: 10/24/2025

Heavy Metals: Heavy Metals: ICP-MS, SOP-007



*Scott A. Robertson*

Scott Robertson  
Lab Director  
10/29/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
http://excelbislabs.com  
Lic# C8-0000059-LIC

Regulatory Compliance Testing

3 of 4

## Quiet Kings - Pre Roll - Gush Mintz - 5 pk 0.5g PR - Indica

METRC Sample: 1A40603000679D1000012869; METRC Batch: 1A4060300073BF5000000494

Sample ID: 2510EXL5810.24848

Produced:

Distributor

Producer

Strain: Gush Mintz

Collected: 10/22/2025

Green Vibe, Inc

Green Vibe Inc.

Matrix: Plant

Received: 10/23/2025

Lic. # C11-0001913-LIC

Lic. # DCC-10005050

Type: Preroll

Completed: 10/29/2025

3060 Hilltop Road

3060 Hilltop Road Moss Landing, CA

Sample Size: 20 units; Batch: 5,048 units

Batch#: 510QK10289GMZ-P5

Moss Landing, CA 95039

95039

## LC Pesticides

Pass

| Analyte               | LOD   | LOQ   | Limit | Result | Status | Analyte                                     | LOD    | LOQ   | Limit | Result | Status |
|-----------------------|-------|-------|-------|--------|--------|---------------------------------------------|--------|-------|-------|--------|--------|
|                       | µg/g  | µg/g  | µg/g  | µg/g   |        |                                             | µg/g   | µg/g  | µg/g  | µg/g   |        |
| Abamectin             | 0.043 | 0.097 | 0.1   | ND     | Pass   | Imazalil                                    | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Acephate              | 0.019 | 0.097 | 0.1   | ND     | Pass   | Imidacloprid                                | 0.021  | 0.097 | 5     | ND     | Pass   |
| Acequinocyl           | 0.031 | 0.097 | 0.1   | ND     | Pass   | Kresoxim Methyl                             | 0.045  | 0.097 | 0.1   | ND     | Pass   |
| Acetamiprid           | 0.023 | 0.097 | 0.1   | ND     | Pass   | Malathion                                   | 0.027  | 0.097 | 0.5   | ND     | Pass   |
| Aldicarb              | 0.029 | 0.097 | 0.029 | ND     | Pass   | Metalaxyl                                   | 0.029  | 0.097 | 2     | ND     | Pass   |
| Azoxystrobin          | 0.025 | 0.097 | 0.1   | ND     | Pass   | Methiocarb                                  | 0.029  | 0.097 | 0.029 | ND     | Pass   |
| Bifenazate            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Methomyl                                    | 0.029  | 0.097 | 1     | ND     | Pass   |
| Bifenthrin            | 0.033 | 0.097 | 3     | ND     | Pass   | Mevinphos                                   | 0.033  | 0.1   | 0.033 | ND     | Pass   |
| Boscalid              | 0.021 | 0.097 | 0.1   | ND     | Pass   | Myclobutanil                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Carbaryl              | 0.025 | 0.097 | 0.5   | ND     | Pass   | Naled                                       | 0.033  | 0.097 | 0.1   | ND     | Pass   |
| Carbofuran            | 0.033 | 0.097 | 0.033 | ND     | Pass   | Oxamyl                                      | 0.021  | 0.097 | 0.5   | ND     | Pass   |
| Chlorantraniliprole   | 0.025 | 0.097 | 10    | ND     | Pass   | Paclobutrazol                               | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Chlorpyrifos          | 0.019 | 0.097 | 0.019 | ND     | Pass   | Permethrin (trans + cis)                    | 0.033  | 0.1   | 0.5   | ND     | Pass   |
| Clofentezine          | 0.035 | 0.097 | 0.1   | ND     | Pass   | Phosmet                                     | 0.051  | 0.097 | 0.1   | ND     | Pass   |
| Coumaphos             | 0.039 | 0.097 | 0.039 | ND     | Pass   | Piperonyl Butoxide                          | 0.037  | 0.097 | 3     | ND     | Pass   |
| Daminozide            | 0.019 | 0.097 | 0.019 | ND     | Pass   | Prallethrin                                 | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Diazinon              | 0.031 | 0.097 | 0.1   | ND     | Pass   | Propiconazole                               | 0.023  | 0.097 | 0.1   | ND     | Pass   |
| Dichlorvos            | 0.06  | 0.097 | 0.06  | ND     | Pass   | Propoxur                                    | 0.027  | 0.097 | 0.027 | ND     | Pass   |
| Dimethoate            | 0.027 | 0.097 | 0.027 | ND     | Pass   | Pyrethrins (Cinerin + Jasmolin + Pyrethrin) | 0.0133 | 0.04  | 0.5   | ND     | Pass   |
| Dimethomorph (I + II) | 0.033 | 0.1   | 2     | ND     | Pass   | Pyridaben                                   | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Ethoprophos           | 0.023 | 0.097 | 0.023 | ND     | Pass   | Spinetoram (J + L)                          | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etofenprox            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spinosyn (A + D)                            | 0.033  | 0.1   | 0.1   | ND     | Pass   |
| Etoxazole             | 0.027 | 0.097 | 0.1   | ND     | Pass   | Spiromesifen                                | 0.047  | 0.097 | 0.1   | ND     | Pass   |
| Fenhexamid            | 0.031 | 0.097 | 0.1   | ND     | Pass   | Spirotetramat                               | 0.019  | 0.097 | 0.1   | ND     | Pass   |
| Fenoxycarb            | 0.041 | 0.097 | 0.041 | ND     | Pass   | Spiroxamine                                 | 0.025  | 0.097 | 0.025 | ND     | Pass   |
| Fenpyroximate         | 0.023 | 0.097 | 0.1   | ND     | Pass   | Tebuconazole                                | 0.027  | 0.097 | 0.1   | ND     | Pass   |
| Fipronil              | 0.037 | 0.097 | 0.037 | ND     | Pass   | Thiacloprid                                 | 0.033  | 0.097 | 0.033 | ND     | Pass   |
| Flonicamid            | 0.039 | 0.097 | 0.1   | ND     | Pass   | Thiamethoxam                                | 0.027  | 0.097 | 5     | ND     | Pass   |
| Fludioxonil           | 0.029 | 0.097 | 0.1   | ND     | Pass   | Trifloxystrobin                             | 0.037  | 0.097 | 0.1   | ND     | Pass   |
| Hexythiazox           | 0.043 | 0.097 | 0.1   | ND     | Pass   |                                             |        |       |       |        |        |

LCMS Date Tested: 10/28/2025

Pesticides: LC-MS/MS. LCMS Method SOP-005



Accreditation #128081

ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
10/29/2025

Confident LIMS  
All Rights Reserved  
coa.support@confidentlims.com  
(866) 506-5866  
www.confidentlims.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 987-2095  
<http://excelbislabs.com>  
Lic# C8-0000059-LIC

Regulatory Compliance Testing

4 of 4

## Quiet Kings - Pre Roll - Gush Mintz - 5 pk 0.5g PR - Indica

METRC Sample: 1A40603000679D1000012869; METRC Batch: 1A4060300073BF5000000494

Sample ID: 2510EXL5810.24848

Produced:

Distributor

Producer

Strain: Gush Mintz

Collected: 10/22/2025

Green Vibe, Inc

Green Vibe Inc.

Matrix: Plant

Received: 10/23/2025

Lic. # C11-0001913-LIC

Lic. # DCC-10005050

Type: Preroll

Completed: 10/29/2025

3060 Hilltop Road

3060 Hilltop Road Moss Landing, CA

Sample Size: 20 units; Batch: 5,048 units

Batch#: 510QK10289GMZ-P5

Moss Landing, CA 95039

95039

### Residual Solvents

Pass

| Analyte                 | LOD     | LOQ     | Limit | Conc.  | Status |
|-------------------------|---------|---------|-------|--------|--------|
|                         | µg/g    | µg/g    | µg/g  | µg/g   |        |
| Acetone                 | 15.4688 | 46.875  | 5000  | ND     | Pass   |
| Acetonitrile            | 15.4688 | 46.875  | 410   | ND     | Pass   |
| Benzene                 | 0.1547  | 0.4688  | 1     | ND     | Pass   |
| Butane                  | 15.4688 | 46.875  | 5000  | ND     | Pass   |
| Chloroform              | 0.1547  | 0.4688  | 1     | ND     | Pass   |
| 1, 2-Dichloroethane     | 0.1547  | 0.4688  | 1     | ND     | Pass   |
| Ethanol                 | 15.4688 | 46.875  | 5000  | ND     | Pass   |
| Ethyl Acetate           | 15.4688 | 46.875  | 5000  | ND     | Pass   |
| Ethyl Ether             | 15.4688 | 46.875  | 5000  | ND     | Pass   |
| Ethylene Oxide          | 0.1547  | 0.4688  | 1     | ND     | Pass   |
| Heptane                 | 15.4688 | 46.875  | 5000  | ND     | Pass   |
| Hexane                  | 15.4688 | 46.875  | 290   | ND     | Pass   |
| Isopropyl Alcohol       | 15.4688 | 46.875  | 5000  | ND     | Pass   |
| Methanol                | 15.4688 | 46.875  | 3000  | 63.542 | Pass   |
| Methylene Chloride      | 0.1547  | 0.4688  | 1     | ND     | Pass   |
| Pentane                 | 15.4688 | 46.875  | 5000  | ND     | Pass   |
| Propane                 | 15.4688 | 46.875  | 5000  | ND     | Pass   |
| Toluene                 | 15.4688 | 46.875  | 890   | ND     | Pass   |
| Total Xylenes (o, m, p) | 46.4063 | 140.625 | 2170  | ND     | Pass   |
| Trichloroethylene       | 0.1547  | 0.4688  | 1     | ND     | Pass   |

EXCELBIS  
LABS

Date Tested: 10/28/2025

Residual Solvents: HS-GC-MS RS Method SOP-009



Accreditation #128081

ISO/IEC 17025:2017

*Scott A. Robertson*

Scott Robertson  
Lab Director  
10/29/2025

Confident LIMS  
All Rights Reserved  
[coa.support@confidentlims.com](mailto:coa.support@confidentlims.com)  
(866) 506-5866  
[www.confidentlims.com](http://www.confidentlims.com)



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC. This Certificate of Analysis is limited to the sample tested in a batch. This Certificate does not make any representation or warranty for all Products within the tested Batch.