

Certificate of Analysis

Produced: May 21, 2026

Sample: GMO Glue 1.0g Vape Cart (1g) (Distillate) • Client: Central Coast AG Distribution, LLC • Batch: Pass



**Manufacturer Info**  
**Manufacturer**  
 Central Coast Ag Products, LLC  
 1201 W Chestnut Ave  
 Lompoc, CA 93436  
**License**  
 DCC-10003156  
 Adult-Use - Manufacturing License

**Distributor Info**  
**Distributor**  
 CENTRAL COAST AG DISTRIBUTION, LLC  
 424 Commerce Ct  
 Lompoc, CA 93436  
**License**  
 C11-0001495-LIC  
 Adult-Use and Medicinal - Distributor License

**Batch No.:** 260000688  
**Test Pkg:** 1A4060300040B29000019259  
**Src Pkg:** 1A4060300002EE1000098125  
**Matrix:** Distillate  
**Submatrix:** Vape Cartridge  
**Sample ID:** ICC-260518-19-002  
**Collected on:** May 18, 2026  
**Received on:** May 19, 2026  
**Batch Size:** 4978 Units  
**Sample Size:** 20 Units  
**Package Size:** 1 g

**Batch Result:** Pass

<b>Potency</b>	Pass	<b>Microbial</b>	Pass
<b>Terpenes</b>	Tested	<b>Mycotoxins</b>	Pass
<b>Solvents</b>	Pass	<b>Pesticides</b>	Pass
<b>Metals</b>	Pass	<b>Foreign</b>	Pass

**Cannabinoid Overview**

<b>Total THC:</b>	<b>864 mg/pkg</b>
<b>Total CBD:</b>	<b>2.17 mg/pkg</b>
<b>Total Cannabinoids:</b>	<b>900 mg/pkg</b>
<b>Sum of Cannabinoids:</b>	<b>900 mg/pkg</b>
<b>Sum of Terpenes:</b>	<b>57.5 mg/pkg</b>

POT-INST-005, POT-PREP-001: POT-INST-005, POT-PREP-001: Potency • May 21, 2026

Analyte	Limit (mg)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail	Analyte	Limit (mg)	Amt (mg/pkg)	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Pass/Fail
CBC	1.92	0.192		1.92	0.272/0.814	N/A	CBT		7.35	0.735	7.35	0.118/0.411	N/A
CBD	2.17	0.217		2.17	0.0830/0.411	N/A	Δ <sup>8</sup> -THC		1.76	0.176	1.76	0.0665/0.411	N/A
CBDA		ND		ND	0.199/0.595	N/A	Δ <sup>9</sup> -THC	1100/pkg	862	86.2	862	0.110/0.411	Pass
CBDV		ND		ND	0.0658/0.411	N/A	THCA			ND	ND	0.151/0.453	N/A
CBG	21.6	2.16		21.6	0.0937/0.411	N/A	THCV			ND	ND	0.0508/0.411	N/A
CBGA		ND		ND	0.146/0.439	N/A	<b>Total THC**</b>		864	86.4	864		N/A
CBL		ND		ND	0.0648/0.411	N/A	<b>Total CBD**</b>		2.17	0.217	2.17		N/A
CBN	3.69	0.369		3.69	0.0937/0.411	N/A	<b>Total Cannabinoids**</b>		900	90.0	900		N/A

\*\* Total Cannabinoids = Neutral Cannabinoids + (Acidic Cannabinoids \* 0.877)  
 \*\* Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)  
 \*\* Total CBD = CBD + (CBDA x 0.877)  
 NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\*  
 \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 4 CCR section 15730, pursuant to 4 CCR section 15726(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC



TERP-INST-003, TERP-PREP-001: TERP-INST-003, TERP-PREP-001: Terpene Testing by GC-MS • May 21, 2026

Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)	Analyte	Amt (%)	Amt (mg/g)	LOD/LOQ (mg/g)
Total Terpenes	5.75	57.5		$\alpha$ -Terpinene	ND	ND	0.00456/0.0153
Limonene	3.11	31.1	0.00536/0.0310	$\beta$ -Eudesmol	ND	ND	0.00648/0.00648
$\beta$ -Myrcene	1.08	10.8	0.00169/0.0156	Camphor	ND	ND	0.0125/0.0376
$\beta$ -Caryophyllene	0.416	4.16	0.0231/0.0693	Caryophyllene Oxide	ND	ND	0.0131/0.0611
$\beta$ -Pinene	0.378	3.78	0.00206/0.0310	Cedrol	ND	ND	0.00395/0.0153
$\alpha$ -Pinene	0.174	1.74	0.00289/0.0153	cis-Nerolidol	ND	ND	0.00892/0.0268
Fenchol	0.154	1.54	0.00290/0.0154	$\Delta^3$ -Carene	ND	ND	0.00300/0.0310
Linalool	0.142	1.42	0.00306/0.0156	Eucalyptol	ND	ND	0.00747/0.0224
$\alpha$ -Humulene	0.105	1.05	0.00329/0.0153	$\gamma$ -Terpinene	ND	ND	0.00333/0.0154
$\alpha$ -Terpineol	0.0622	0.622	0.00497/0.0157	Geraniol	ND	ND	0.0140/0.0617
Camphene	0.0463	0.463	0.000892/0.0153	Geranyl Acetate	ND	ND	0.00205/0.0153
Terpinolene	0.0343	0.343	0.00142/0.0157	Guaiol	ND	ND	0.00330/0.0156
$\alpha$ -Bisabolol	0.0262	0.262	0.00548/0.0164	Isoborneol	ND	ND	0.00225/0.0153
Borneol	0.0176	0.176	0.00269/0.0157	Menthol	ND	ND	0.00576/0.0173
Fenchone	0.00672	0.0672	0.00104/0.0153	p-Cymene	ND	ND	0.0361/0.108
(-)- $\beta$ -Citronellol	ND	ND	0.0140/0.0606	Pulegone	ND	ND	0.00600/0.0180
$\alpha$ -Cedrene	ND	ND	0.00295/0.0153	trans-Nerolidol	ND	ND	0.00778/0.0234

RS-INST-003, RS-PREP-001: RS-INST-003, RS-PREP-001: Residual Solvents by GC-MS • May 20, 2026

Analyte	Limit ( $\mu$ g/g)	Amt ( $\mu$ g/g)	LOD/LOQ ( $\mu$ g/g)	Pass/Fail	Analyte	Limit ( $\mu$ g/g)	Amt ( $\mu$ g/g)	LOD/LOQ ( $\mu$ g/g)	Pass/Fail
1,2-Dichloroethane	1	ND	0.167/0.510	Pass	Hexane	290	ND	0.0661/0.281	Pass
Acetone	5000	< LOQ	17.1/51.3	Pass	Isopropyl alcohol	5000	ND	1.28/3.85	Pass
Acetonitrile	410	ND	0.120/0.360	Pass	Methanol	3000	ND	2.98/8.93	Pass
Benzene	1	ND	0.0210/0.0640	Pass	Methylene chloride	1	ND	0.127/0.730	Pass
Butane	5000	ND	0.973/4.86	Pass	Pentane	5000	ND	0.964/4.28	Pass
Chloroform	1	ND	0.0361/0.108	Pass	Propane	5000	ND	4.44/13.3	Pass
Ethanol	5000	65.3	2.62/7.86	Pass	Toluene	890	ND	0.0881/0.865	Pass
Ethyl acetate	5000	ND	0.314/2.29	Pass	Trichloroethylene	1	ND	0.0180/0.145	Pass
Ethylene oxide	1	ND	0.153/0.580	Pass	o-Xylene	ND	ND	0.101/0.858	N/A
Ethyl ether	5000	ND	1.18/3.55	Pass	p- and m-Xylene	ND	ND	0.116/1.72	N/A
Heptane	5000	ND	0.688/2.86	Pass	Total xylenes	2170	ND	0.101/0.859	Pass

HM-INST-003, HM-PREP-001: HM-INST-003, HM-PREP-001: Heavy Metals Testing by ICP-MS • May 21, 2026

Analyte	Limit ( $\mu$ g/g)	Amt ( $\mu$ g/g)	LOD/LOQ ( $\mu$ g/g)	Pass/Fail	Analyte	Limit ( $\mu$ g/g)	Amt ( $\mu$ g/g)	LOD/LOQ ( $\mu$ g/g)	Pass/Fail
Arsenic	0.2	ND	0.00300/0.00900	Pass	Lead	0.5	ND	0.00100/0.00400	Pass
Cadmium	0.2	ND	0.00100/0.00200	Pass	Mercury	0.1	ND	0.00500/0.0140	Pass

MICRO-INST-001, MICRO-PREP-001: MICRO-INST-001, MICRO-PREP-001: PCR-Microbial (inhalable) • May 20, 2026

Analyte	Limit	Amt	Pass/Fail	Analyte	Limit	Amt	Pass/Fail
Aspergillus flavus	Any amt in 1 gram	ND	Pass	Aspergillus terreus	Any amt in 1 gram	ND	Pass
Aspergillus fumigatus	Any amt in 1 gram	ND	Pass	Salmonella spp.	Any amt in 1 gram	ND	Pass
Aspergillus niger	Any amt in 1 gram	ND	Pass	Shiga toxin-producing E. coli	Any amt in 1 gram	ND	Pass

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Mycotoxin Analysis by LC-MS/MS • May 21, 2026

Analyte	Limit ( $\mu$ g/kg)	Amt ( $\mu$ g/kg)	LOD/LOQ ( $\mu$ g/kg)	Pass/Fail	Analyte	Limit ( $\mu$ g/kg)	Amt ( $\mu$ g/kg)	LOD/LOQ ( $\mu$ g/kg)	Pass/Fail
Aflatoxin B1		ND	1.10/3.30	N/A	Aflatoxin G2		ND	0.747/2.55	N/A
Aflatoxin B2		ND	0.955/2.86	N/A	Aflatoxins	20	ND		Pass
Aflatoxin G1		ND	2.41/7.24	N/A	Ochratoxin A	20	ND	4.41/13.4	Pass

PEST-GC-INST-003, PEST-GC-PREP-001: PEST-GC-INST-003, PEST-GC-PREP-001: Pesticide Analysis by GC-MS/MS • May 21, 2026

Analyte	Limit ( $\mu$ g/g)	Amt ( $\mu$ g/g)	LOD/LOQ ( $\mu$ g/g)	Pass/Fail	Analyte	Limit ( $\mu$ g/g)	Amt ( $\mu$ g/g)	LOD/LOQ ( $\mu$ g/g)	Pass/Fail
Captan	0.7	ND	0.120/0.358	Pass	Cypermethrin	1	ND	0.0602/0.181	Pass
Chlordane	Any amt	ND	0.0249/0.0747	Pass	Methyl parathion	Any amt	ND	0.00811/0.0243	Pass
Chlorfenapyr	Any amt	ND	0.0251/0.0753	Pass	Pentachloronitrobenzene	0.1	ND	0.0182/0.0545	Pass
Cyfluthrin	2	ND	0.0186/0.0558	Pass					



*DM*

*Erik Paulson*

PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: PESTMYCO-LC-INST-004, PESTMYCO-LC-PREP-001: Pesticide Analysis by LC-MS/MS • May 21, 2026

Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail	Analyte	Limit (µg/g)	Amt (µg/g)	LOD/LOQ (µg/g)	Pass/Fail
Abamectin	0.1	ND	0.0500/0.100	Pass	Imazalil	Any amt	ND	0.00898/0.0300	Pass
Acephate	0.1	ND	0.00743/0.0300	Pass	Imidacloprid	5	ND	0.0109/0.0331	Pass
Acetaminocyl	0.1	ND	0.0150/0.0456	Pass	Kresoxim-methyl	0.1	ND	0.00708/0.0300	Pass
Acetamiprid	0.1	ND	0.00496/0.0300	Pass	Malathion	0.5	ND	0.00313/0.0300	Pass
Aldicarb	Any amt	ND	0.00838/0.0300	Pass	Metalaxyl	2	ND	0.00467/0.0300	Pass
Azoxystrobin	0.1	ND	0.00530/0.0300	Pass	Methiocarb	Any amt	ND	0.00245/0.0300	Pass
Bifenazate	0.1	ND	0.00706/0.0300	Pass	Methomyl	1	ND	0.00879/0.0300	Pass
Bifenthrin	3	ND	0.00439/0.0300	Pass	Mevinphos	Any amt	ND	0.00772/0.0300	Pass
Boscalid	0.1	ND	0.00809/0.0300	Pass	Myclobutanil	0.1	ND	0.00707/0.0300	Pass
Carbaryl	0.5	ND	0.00604/0.0300	Pass	Naled	0.1	ND	0.00849/0.0300	Pass
Carbofuran	Any amt	ND	0.00538/0.0300	Pass	Oxamyl	0.5	ND	0.00746/0.0300	Pass
Chlorantraniliprole	10	ND	0.00883/0.0300	Pass	Paclobutrazol	Any amt	ND	0.00851/0.0300	Pass
Chlorpyrifos	Any amt	ND	0.0152/0.0460	Pass	Permethrin	0.5	ND	0.00190/0.0300	Pass
Clofentezine	0.1	ND	0.00206/0.0300	Pass	Phosmet	0.1	ND	0.00511/0.0300	Pass
Coumaphos	Any amt	ND	0.00393/0.0300	Pass	Piperonylbutoxide	3	ND	0.00267/0.0300	Pass
Daminozide	Any amt	ND	0.0176/0.0534	Pass	Prallethrin	0.1	ND	0.0235/0.0711	Pass
Diazinon	0.1	ND	0.00475/0.0300	Pass	Propiconazole	0.1	ND	0.00909/0.0300	Pass
Dichlorvos	Any amt	ND	0.0182/0.0550	Pass	Propoxur	Any amt	ND	0.00780/0.0300	Pass
Dimethoate	Any amt	ND	0.00592/0.0300	Pass	Pyrethrins	0.5	ND	0.00278/0.0300	Pass
Dimethomorph	2	ND	0.00454/0.0300	Pass	Pyridaben	0.1	ND	0.00231/0.0300	Pass
Ethoprophos	Any amt	ND	0.00610/0.0300	Pass	Spinetoram	0.1	ND	0.00119/0.0300	Pass
Etofenprox	Any amt	ND	0.00437/0.0300	Pass	Spinosad	0.1	ND	0.00830/0.0300	Pass
Etoxazole	0.1	ND	0.00365/0.0300	Pass	Spiromesifen	0.1	ND	0.00894/0.0300	Pass
Fenhexamid	0.1	ND	0.0113/0.0342	Pass	Spirotetramat	0.1	ND	0.00808/0.0300	Pass
Fenoxycarb	Any amt	ND	0.00415/0.0300	Pass	Spiroxamine	Any amt	ND	0.00555/0.0300	Pass
Fenpyroximate	0.1	ND	0.00396/0.0300	Pass	Tebuconazole	0.1	ND	0.00605/0.0300	Pass
Fipronil	Any amt	ND	0.0165/0.0500	Pass	Thiacloprid	Any amt	ND	0.00506/0.0300	Pass
Flonicamid	0.1	ND	0.0115/0.0350	Pass	Thiamethoxam	5	ND	0.00760/0.0300	Pass
Fludioxonil	0.1	ND	0.0119/0.0362	Pass	Trifloxystrobin	0.1	ND	0.00293/0.0300	Pass
Hexythiazox	0.1	ND	0.00124/0.0300	Pass					



*DM*

*Erik Paulson*