Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC

ACCREDITED
CERT #5236.01

Regulatory Compliance Testing Certificate of Analysis

Saida - Gummy Bar - Tropical Blue Razz (Distillate)

METRC Sample: 1A4060300031AED000021075; METRC Batch: 1A406030006E85D000001078

Sample ID: 2610LLI1953.6117
Strain: Tropical Blue Razz
Matrix: Ingestible
Type: Soft Chew
Sample Size: 32 units; Batch: 17,372 units

Produced: 10/15/2026
Collected: 10/22/2026
Received: 10/22/2026
Completed: 10/28/2026
Batch#: SDA-BAR-TBR-023

Distributor
SCISLC, LLC
Lic. # C11-0001355-LIC
7830 TRADE ST
San Diego, CA 92121

Producer
SAIDA, LLC
Lic. # DCC-10005034
7830 TRADE ST., SAN DIEGO, CA 92121



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	10/26/2026	Pass
Water Activity	10/22/2026	0.59 aw - Pass
Residual Solvents	10/24/2026	Pass
Microbials	10/23/2026	Pass
Mycotoxins	10/27/2026	Pass
Pesticides	10/27/2026	Pass
Heavy Metals	10/23/2026	Pass
Foreign Matter	10/22/2026	Pass

Cannabinoids

Pass

10.669 mg/serving	ND	10.669 mg/serving	10.669 mg/serving
Total THC	Total CBD	Total Cannabinoids (Neutral)	Sum of Cannabinoids

Analyte	LOQ	LOD	Results	Results	Results	Results
	mg/g	mg/g	mg/serving	mg/g	%	mg/container
THCa	0.0050000	0.0000013	ND	ND	ND	ND
Δ9-THC	0.0050000	0.0000013	10.669	8.207	0.821	106.691
Δ8-THC	0.0050000	0.0000014	ND	ND	ND	ND
THCV	0.0050000	0.0000028	ND	ND	ND	ND
CBDa	0.0050000	0.0000003	ND	ND	ND	ND
CBD	0.0050000	0.0000038	ND	ND	ND	ND
CBDV	0.0050000	0.0000017	ND	ND	ND	ND
CBN	0.0050000	0.0000012	ND	ND	ND	ND
CBGa	0.0050000	0.0000011	ND	ND	ND	ND
CBG	0.0050000	0.0000017	ND	ND	ND	ND
CBC	0.0050000	0.0000003	ND	ND	ND	ND
Total THC			**10.669**	**8.207**	**0.821**	**106.691**
Total CBD			**ND**	**ND**	**ND**	**ND**
Total			**10.669**	**8.207**	**0.821**	**106.691**

Date Tested: 10/26/2026
10 serving(s) per container.
Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids is Total Neutral Cannabinoids = Total THC + Total CBD + THCV + CBDV + CBN + CBG + CBC + Δ8-THC + (CBGa + CBDVa) * 0.877; LOQ = Limit of Quantitation; ND = Not Detected; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-001-1 & SOP-012. Instrument: HPLC-PDA.

Hripsime Aleksanyan - Quality Assurance Supervisor
10/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.

Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC

ACCREDITED
CERT #5236.01

Saida - Gummy Bar - Tropical Blue Razz (Distillate)

METRC Sample: 1A4060300031AED000021075; METRC Batch: 1A406030006E85D000001078

Sample ID: 2610LLI1953.6117
Strain: Tropical Blue Razz
Matrix: Ingestible
Type: Soft Chew
Sample Size: 32 units; Batch: 17,372 units

Produced: 10/15/2026
Collected: 10/22/2026
Received: 10/22/2026
Completed: 10/28/2026
Batch#: SDA-BAR-TBR-023

Distributor
SCISLC, LLC
Lic. # C11-0001355-LIC
7830 TRADE ST
San Diego, CA 92121

Producer
SAIDA, LLC
Lic. # DCC-10005034
7830 TRADE ST., SAN DIEGO, CA 92121

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0275	0.0835	0.3	ND	Pass	Fludioxonil	0.0124	0.0374	30	ND	Pass
Acephate	0.0054	0.0165	5	ND	Pass	Hexythiazox	0.0092	0.028	6	ND	Pass
Acequinocyl	0.0051	0.0154	4	ND	Pass	Imazalil	0.0116	0.0351	0.1	ND	Pass
Acetamiprid	0.0061	0.0185	6.5	ND	Pass	Imidacloprid	0.0149	0.045	3.9	ND	Pass
Aldicarb	0.0084	0.0255	0.1	ND	Pass	Kresoxim Methyl	0.0124	0.0377	1	ND	Pass
Azoxystrobin	0.009	0.0274	40	ND	Pass	Malathion	0.008	0.0242	8	ND	Pass
Bifenazate	0.0107	0.0326	6.5	ND	Pass	Metalaxyl	0.0061	0.0186	15	ND	Pass
Bifenthrin	0.0098	0.0297	2	ND	Pass	Methiocarb	0.0089	0.0271	0.1	ND	Pass
Boscalid	0.0129	0.039	14	ND	Pass	Methomyl	0.0086	0.0262	0.1	ND	Pass
Captan	0.2067	0.6264	6.5	ND	Pass	Mevinphos	0.0071	0.0216	0.1	ND	Pass
Carbaryl	0.009	0.0271	0.5	ND	Pass	Myclobutanil	0.0107	0.0323	9	ND	Pass
Carbofuran	0.0077	0.0235	0.1	ND	Pass	Naled	0.0075	0.0228	0.5	ND	Pass
Chlorantraniliprole	0.0084	0.0253	40	ND	Pass	Oxamyl	0.0034	0.0103	0.2	ND	Pass
Chlordane	0.0282	0.0856	0.1	ND	Pass	Paclobutrazol	0.0114	0.0344	0.1	ND	Pass
Chlorfenapyr	0.0171	0.0519	0.1	ND	Pass	Methyl Parathion	0.0122	0.037	0.1	ND	Pass
Chlorpyrifos	0.0178	0.054	0.1	ND	Pass	Pentachloronitrobenzene	0.0076	0.0231	1	ND	Pass
Clofentezine	0.0058	0.0176	0.85	ND	Pass	Permethrin	0.009	0.0274	20	ND	Pass
Coumaphos	0.0045	0.0137	0.1	ND	Pass	Phosmet	0.0106	0.032	0.2	ND	Pass
Cyfluthrin	0.1387	0.4204	1	ND	Pass	Piperonyl Butoxide	0.0063	0.0191	8	ND	Pass
Cypermethrin	0.0116	0.0352	1	ND	Pass	Prallethrin	0.0144	0.0437	1	ND	Pass
Daminozide	0.0141	0.0427	0.1	ND	Pass	Propiconazole	0.0049	0.0148	20	ND	Pass
Diazinon	0.0063	0.019	0.2	ND	Pass	Propoxur	0.0082	0.0247	0.1	ND	Pass
Dichlorvos	0.0093	0.0281	0.1	ND	Pass	Pyrethrins	0.0381	0.1156	1	ND	Pass
Dimethoate	0.0056	0.0169	0.1	ND	Pass	Pyridaben	0.0087	0.0263	3	ND	Pass
Dimethomorph	0.0071	0.0216	20	ND	Pass	Spinetoram	0.0074	0.0223	3.2	ND	Pass
Ethoprophos	0.0082	0.0249	0.1	ND	Pass	Spinosad	0.008	0.0243	3.2	ND	Pass
Etofenprox	0.007	0.0212	5	ND	Pass	Spiromesifen	0.0067	0.0203	12	ND	Pass
Etoxazole	0.0045	0.0137	1.5	ND	Pass	Spirotetramat	0.0101	0.0308	13	ND	Pass
Fenhexamid	0.0079	0.024	25	ND	Pass	Spiroxamine	0.004	0.0122	0.1	ND	Pass
Fenoxycarb	0.0062	0.0188	0.1	ND	Pass	Tebuconazole	0.012	0.0364	2	ND	Pass
Fenpyroximate	0.0056	0.017	4	ND	Pass	Thiacloprid	0.0059	0.0179	0.1	ND	Pass
Fipronil	0.0079	0.0239	0.1	ND	Pass	Thiamethoxam	0.0082	0.0248	4.5	ND	Pass
Flonicamid	0.0065	0.0198	7.9	ND	Pass	Trifloxystrobin	0.0074	0.0225	30	ND	Pass

Date Tested: 10/27/2026
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

Hripsime Aleksanyan - Quality Assurance Supervisor
10/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.

Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC

ACCREDITED
CERT #5236.01

Saida - Gummy Bar - Tropical Blue Razz (Distillate)

METRC Sample: 1A4060300031AED000021075; METRC Batch: 1A406030006E85D000001078

Sample ID: 2610LLI1953.6117
Strain: Tropical Blue Razz
Matrix: Ingestible
Type: Soft Chew
Sample Size: 32 units; Batch: 17,372 units

Produced: 10/15/2026
Collected: 10/22/2026
Received: 10/22/2026
Completed: 10/28/2026
Batch#: SDA-BAR-TBR-023

Distributor
SCISLC, LLC
Lic. # C11-0001355-LIC
7830 TRADE ST
San Diego, CA 92121

Producer
SAIDA, LLC
Lic. # DCC-10005034
7830 TRADE ST., SAN DIEGO, CA 92121

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.01	0.36	1	ND	Pass
Acetone	2.16	54.00	5000	ND	Pass
Acetonitrile	0.04	4.32	410	ND	Pass
Benzene	0.07	0.18	1	ND	Pass
Butane	2.30	11.52	5000	ND	Pass
Chloroform	0.06	0.36	1	ND	Pass
Ethanol	2.88	14.40	5000	355.61	Pass
Ethyl-Acetate	1.15	28.80	5000	ND	Pass
Ethyl-Ether	1.44	36.00	5000	ND	Pass
Ethylene Oxide	0.37	0.94	1	ND	Pass
Heptane	1.44	36.00	5000	ND	Pass
Isopropanol	0.18	36.00	5000	ND	Pass
Methanol	0.72	18.00	3000	<LOQ	Pass
Methylene-Chloride	0.02	0.36	1	ND	Pass
n-Hexane	0.14	3.60	290	ND	Pass
Pentane	2.22	10.80	5000	ND	Pass
Propane	12.50	25.00	5000	ND	Pass
Toluene	0.43	2.16	890	ND	Pass
Trichloroethylene	0.07	0.36	1	ND	Pass
m+p Xylene	0.86	4.32			
o-Xylene	0.43	2.16			
Total Xylenes			2170	ND	Pass

Date Tested: 10/24/2026
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-004
Instrument: HS-GC/MS

Hripsime Aleksanyan - Quality Assurance Supervisor
10/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.

Landau Laboratories, Inc.
68031 Ramon Rd
Cathedral City, CA 92234

(213) 275-1929
http://www.landaulabs.com
Lic# C8-0000016-LIC

ACCREDITED
CERT #5236.01

Saida - Gummy Bar - Tropical Blue Razz (Distillate)

METRC Sample: 1A4060300031AED000021075; METRC Batch: 1A406030006E85D000001078

Sample ID: 2610LLI1953.6117
Strain: Tropical Blue Razz
Matrix: Ingestible
Type: Soft Chew
Sample Size: 32 units; Batch: 17,372 units

Produced: 10/15/2026
Collected: 10/22/2026
Received: 10/22/2026
Completed: 10/28/2026
Batch#: SDA-BAR-TBR-023

Distributor
SCISLC, LLC
Lic. # C11-0001355-LIC
7830 TRADE ST
San Diego, CA 92121

Producer
SAIDA, LLC
Lic. # DCC-10005034
7830 TRADE ST., SAN DIEGO, CA 92121

Microbials

Pass

Analyte	Results	Status
Shiga toxin-producing E. Coli	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 10/23/2026
TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-006. Instrument: PCR.

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.4645	4.4378		ND	Tested
Aflatoxin B2	1.6864	5.1103		ND	Tested
Aflatoxin G1	1.6979	5.1453		ND	Tested
Aflatoxin G2	1.409	4.2697		ND	Tested
Total Aflatoxins			20	ND	Pass
Ochratoxin A	4.5809	13.8815	20	ND	Pass

Date Tested: 10/27/2026
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-002. Instrument: LC-MSMS.

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0161	0.05	1.5	ND	Pass
Cadmium	0.0155	0.05	0.5	ND	Pass
Lead	0.0144	0.05	0.5	ND	Pass
Mercury	0.0012	0.005	3	ND	Pass

Date Tested: 10/23/2026
LOQ = Limit of Quantitation; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Testing Method: SOP-005. Instrument: ICP-MS.

Hripsime Aleksanyan - Quality Assurance Supervisor
10/28/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

confident

All LQC ran in accordance with 4 CCR sec. 15730. MU values will be provided upon request. Moisture Content Method: SOP-007, FT-NIR. Water Activity Method: SOP-008, Water Activity Meter. Foreign Material Method: SOP-009, Visual Inspection. Sampling Method: SOP-010. Sample Preparation Method: SOP-011. This product has been tested by Landau Laboratories, Inc using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. Quantitative Pass/Fail Conformity results have the decision rule of 'Simple Acceptance' applied as per ISO/IEC 17025:2017. Landau Laboratories, Inc makes no claims as to the efficacy, safety, or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced, except in full, without the written approval of Landau Laboratories, Inc.