

## Certificate of Analysis

Produced: Feb 06, 2025

**Sample:** St Ides Raspberry Black Tea (Edible Liquid) • **Client:** LP District 11, INC • **Batch:** Pass



### Manufacturer Info

**Manufacturer**  
LP District 11, INC.  
15850 LITTLE MORONGO RD #B-5  
DSRT HOT SPGS, CA 92240

**License**  
CDPH-10003262  
Adult-Use - Manufacturing License

### Distributor Info

**Distributor**  
Lp District 11, Inc.  
15850 LITTLE MORONGO RD #B-5  
DSRT HOT SPGS, CA 92240

**License**  
C11-0000393-LIC  
Adult-Use and Medicinal - Distributor License

**Batch No.:** PL-RT065  
**Test Pkg:** 1A406030000A170000005277  
**Src Pkg:** 1A406030000A16F000000837  
**Matrix:** Edible Liquid  
**Density:** 1.02914 g/ml  
**Category:** Edible  
**Sample ID:** ICC-250204-06-001  
**Collected on:** Feb 04, 2025  
**Received on:** Feb 04, 2025  
**Batch Size:** 28476 Units  
**Sample Size:** 32 Units  
**Sampled By:** Christopher Osuna  
**Received By:** Olivia Trevino  
**Package Size:** 362.27 g  
**Serving Size:** 30.19 g

**Batch Result:** Pass

|                  |      |                   |      |
|------------------|------|-------------------|------|
| <b>Potency</b>   | Pass | <b>Mycotoxins</b> | Pass |
| <b>Foreign</b>   | Pass | <b>Pesticides</b> | Pass |
| <b>Metals</b>    | Pass | <b>Solvents</b>   | Pass |
| <b>Microbial</b> | Pass |                   |      |

### Cannabinoid Overview

|                             |                    |
|-----------------------------|--------------------|
| <b>Δ<sup>9</sup>-THC:</b>   | <b>8.76 mg/srv</b> |
| <b>CBD:</b>                 | <b>0.00 mg/srv</b> |
| <b>Total Cannabinoids:</b>  | <b>9.36 mg/srv</b> |
| <b>Sum of Cannabinoids:</b> | <b>9.36 mg/srv</b> |

### POT-INST-005: POT-INST-005: Potency • Feb 06, 2025

| Analyte | Amt (mg/srv) | Amt (mg/pkg) | Amt (%)  | Amt (mg/ml) | LOD/LOQ (mg/g)   | Analyte             | Amt (mg/srv) | Amt (mg/pkg) | Amt (%) | Amt (mg/ml) | LOD/LOQ (mg/g)   |
|---------|--------------|--------------|----------|-------------|------------------|---------------------|--------------|--------------|---------|-------------|------------------|
| CBC     |              |              | ND       | ND          | 0.00101/0.00302  | CBT                 |              |              | ND      | ND          | 0.000437/0.00153 |
| CBD     |              |              | ND       | ND          | 0.000308/0.00153 | Δ <sup>8</sup> -THC |              |              | ND      | ND          | 0.000247/0.00153 |
| CBDA    |              |              | ND       | ND          | 0.000737/0.00221 | Δ <sup>9</sup> -THC | 8.76         | 105          | 0.0290  | 0.298       | 0.000408/0.00153 |
| CBDV    |              |              | ND       | ND          | 0.000244/0.00153 | THCA                |              |              | ND      | ND          | 0.000561/0.00168 |
| CBG     | 0.447        | 5.36         | 0.00148  | 0.0152      | 0.000348/0.00153 | THCV                |              |              | ND      | ND          | 0.000189/0.00153 |
| CBGA    |              |              | ND       | ND          | 0.000543/0.00163 | <b>Total THC**</b>  | 8.76         | 105          | 0.0290  | 0.298       |                  |
| CBL     |              |              | ND       | ND          | 0.000240/0.00153 | <b>Total CBD**</b>  |              |              | ND      | ND          |                  |
| CBN     | 0.155        | 1.86         | 0.000514 | 0.00529     | 0.000348/0.00153 |                     |              |              |         |             |                  |

\*\* Total THC = Delta-8-THC + (Delta-8-THCA x 0.877) + Delta-9-THC + (THCA x 0.877)  
 \*\* Total CBD = CBD + (CBDA x 0.877)  
 NR= Not Reported, ND= Not Detected, \*Reported by Dry Mass\*; \*analytical instrumentation used Cannabinoids: UHPLC-DAD, Moisture: Mass by Drying, Water Activity: Water Activity Meter, Foreign: Microscope\* \*Density tested at a temperature range between 19-24 °C, \*Water Activity tested at a humidity range between 0-90% Relative Humidity. All OA samples are sampled by the client, All California State Compliant samples sampled using SAMPL-SOP-001.

This product has been tested by Infinite Chemical Analysis, LLC using testing methodologies and quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5725(e)(13). Values reported relate only to the product tested. Infinite Chemical Analysis, LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Infinite Chemical Analysis, LLC



**PEST-GC-PREP-001, PEST-GC-INST-003: PEST-GC-PREP-001, PEST-GC-INST-003: Pesticide Analysis by GC-MS/MS • Feb 06, 2025**

| Analyte      | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte                 | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|--------------|--------------|------------|----------------|-----------|-------------------------|--------------|------------|----------------|-----------|
| Captan       | 5            | ND         | 0.120/0.358    | Pass      | Cypermethrin            | 1            | ND         | 0.0145/0.0435  | Pass      |
| Chlordane    | Any amt      | ND         | 0.0249/0.0747  | Pass      | Methyl parathion        | Any amt      | ND         | 0.00811/0.0243 | Pass      |
| Chlorfenapyr | Any amt      | ND         | 0.0251/0.0753  | Pass      | Pentachloronitrobenzene | 0.2          | ND         | 0.0182/0.0545  | Pass      |
| Cyfluthrin   | 1            | ND         | 0.0186/0.0558  | Pass      |                         |              |            |                |           |

**PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Pesticide Analysis by LC-MS/MS • Feb 06, 2025**

| Analyte             | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail | Analyte           | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g) | Pass/Fail |
|---------------------|--------------|------------|----------------|-----------|-------------------|--------------|------------|----------------|-----------|
| Abamectin           | 0.3          | ND         | 0.0500/0.100   | Pass      | Imazalil          | Any amt      | ND         | 0.0156/0.0474  | Pass      |
| Acephate            | 5            | ND         | 0.0164/0.0497  | Pass      | Imidacloprid      | 3            | ND         | 0.0235/0.0711  | Pass      |
| Acequinocyl         | 4            | ND         | 0.0194/0.0587  | Pass      | Kresoxim-methyl   | 1            | ND         | 0.0125/0.0379  | Pass      |
| Acetamiprid         | 5            | ND         | 0.0146/0.0442  | Pass      | Malathion         | 5            | ND         | 0.0117/0.0354  | Pass      |
| Aldicarb            | Any amt      | ND         | 0.0216/0.0654  | Pass      | Metalaxyl         | 15           | ND         | 0.0101/0.0306  | Pass      |
| Azoxystrobin        | 40           | ND         | 0.00960/0.0291 | Pass      | Methiocarb        | Any amt      | ND         | 0.0156/0.0473  | Pass      |
| Bifenazate          | 5            | ND         | 0.0115/0.0349  | Pass      | Methomyl          | 0.1          | ND         | 0.0158/0.0479  | Pass      |
| Bifenthrin          | 0.5          | ND         | 0.0130/0.0395  | Pass      | Mevinphos         | Any amt      | ND         | 0.0139/0.0423  | Pass      |
| Boscalid            | 10           | ND         | 0.0197/0.0596  | Pass      | Myclobutanil      | 9            | ND         | 0.0180/0.0546  | Pass      |
| Carbaryl            | 0.5          | ND         | 0.0160/0.0486  | Pass      | Naled             | 0.5          | ND         | 0.0170/0.0514  | Pass      |
| Carbofuran          | Any amt      | ND         | 0.00902/0.0300 | Pass      | Oxamyl            | 0.2          | ND         | 0.0153/0.0465  | Pass      |
| Chlorantraniliprole | 40           | ND         | 0.0209/0.0632  | Pass      | Paclobutrazol     | Any amt      | ND         | 0.0132/0.0400  | Pass      |
| Chlorpyrifos        | Any amt      | ND         | 0.0176/0.0534  | Pass      | Permethrin        | 20           | ND         | 0.00831/0.0300 | Pass      |
| Clofentezine        | 0.5          | ND         | 0.0129/0.0389  | Pass      | Phosmet           | 0.2          | ND         | 0.0125/0.0377  | Pass      |
| Coumaphos           | Any amt      | ND         | 0.0185/0.0559  | Pass      | Piperonylbutoxide | 8            | ND         | 0.00759/0.0300 | Pass      |
| Daminozide          | Any amt      | ND         | 0.0261/0.0791  | Pass      | Prallethrin       | 0.4          | ND         | 0.0226/0.0685  | Pass      |
| Diazinon            | 0.2          | ND         | 0.00645/0.0300 | Pass      | Propiconazole     | 20           | ND         | 0.0195/0.0590  | Pass      |
| Dichlorvos          | Any amt      | ND         | 0.0223/0.0674  | Pass      | Propoxur          | Any amt      | ND         | 0.0155/0.0471  | Pass      |
| Dimethoate          | Any amt      | ND         | 0.0118/0.0356  | Pass      | Pyrethrins        | 1            | ND         | 0.00431/0.0300 | Pass      |
| Dimethomorph        | 20           | ND         | 0.0137/0.0416  | Pass      | Pyridaben         | 3            | ND         | 0.0115/0.0350  | Pass      |
| Ethoprophos         | Any amt      | ND         | 0.0174/0.0528  | Pass      | Spinetoram        | 3            | ND         | 0.00639/0.0300 | Pass      |
| Etofenprox          | Any amt      | ND         | 0.00849/0.0300 | Pass      | Spinosad          | 3            | ND         | 0.00410/0.0300 | Pass      |
| Etoxazole           | 1.5          | ND         | 0.00783/0.0300 | Pass      | Spiromesifen      | 12           | ND         | 0.0137/0.0416  | Pass      |
| Fenhexamid          | 10           | ND         | 0.0129/0.0392  | Pass      | Spirotetramat     | 13           | ND         | 0.0134/0.0407  | Pass      |
| Fenoxycarb          | Any amt      | ND         | 0.0144/0.0435  | Pass      | Spiroxamine       | Any amt      | ND         | 0.0106/0.0320  | Pass      |
| Fenpyroximate       | 2            | ND         | 0.00972/0.0300 | Pass      | Tebuconazole      | 2            | ND         | 0.0144/0.0437  | Pass      |
| Fipronil            | Any amt      | ND         | 0.0148/0.0447  | Pass      | Thiacloprid       | Any amt      | ND         | 0.0139/0.0421  | Pass      |
| Flonicamid          | 2            | ND         | 0.0268/0.0811  | Pass      | Thiamethoxam      | 4.5          | ND         | 0.0181/0.0549  | Pass      |
| Fludioxonil         | 30           | ND         | 0.0153/0.0464  | Pass      | Trifloxystrobin   | 30           | ND         | 0.0102/0.0310  | Pass      |
| Hexythiazox         | 2            | ND         | 0.0257/0.0778  | Pass      |                   |              |            |                |           |

**PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: PESTMYCO-LC-PREP-001, PESTMYCO-LC-INST-004: Mycotoxin Analysis by LC-MS/MS • Feb 06, 2025**

| Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail | Analyte      | Limit (µg/kg) | Amt (µg/kg) | LOD/LOQ (µg/kg) | Pass/Fail |
|--------------|---------------|-------------|-----------------|-----------|--------------|---------------|-------------|-----------------|-----------|
| Aflatoxin B1 |               | ND          | 2.60/7.88       | N/A       | Aflatoxin G2 |               | ND          | 1.89/5.72       | N/A       |
| Aflatoxin B2 |               | ND          | 2.04/6.18       | N/A       | Aflatoxins   | 20            | ND          |                 | Pass      |
| Aflatoxin G1 |               | ND          | 2.97/8.99       | N/A       | Ochratoxin A | 20            | ND          | 3.87/11.7       | Pass      |

**RS-PREP-001, RS-INST-003: RS-PREP-001, RS-INST-003: Residual Solvents by GC-MS • Feb 06, 2025**

| Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/ml) | Pass/Fail | Analyte            | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/ml) | Pass/Fail |
|--------------------|--------------|------------|-----------------|-----------|--------------------|--------------|------------|-----------------|-----------|
| 1,2-Dichloroethane | 1            | ND         | 0.168/0.512     | Pass      | Hexane             | 290          | ND         | 0.0663/0.282    | Pass      |
| Acetone            | 5000         | ND         | 17.2/51.5       | Pass      | Isopropyl alcohol  | 5000         | < LOQ      | 1.29/3.86       | Pass      |
| Acetonitrile       | 410          | 1.81       | 0.121/0.361     | Pass      | Methanol           | 3000         | 126        | 2.99/8.96       | Pass      |
| Benzene            | 1            | ND         | 0.0211/0.0642   | Pass      | Methylene chloride | 1            | ND         | 0.128/0.733     | Pass      |
| Butane             | 5000         | ND         | 0.976/4.87      | Pass      | Pentane            | 5000         | ND         | 0.967/4.29      | Pass      |
| Chloroform         | 1            | ND         | 0.0362/0.109    | Pass      | Propane            | 5000         | ND         | 4.46/13.4       | Pass      |
| Ethanol            | 5000         | 1150       | 2.63/7.88       | Pass      | Toluene            | 890          | ND         | 0.0885/0.868    | Pass      |
| Ethyl acetate      | 5000         | 6.16       | 0.315/2.30      | Pass      | Trichloroethylene  | 1            | ND         | 0.0181/0.146    | Pass      |
| Ethylene oxide     | 1            | ND         | 0.154/0.582     | Pass      | o-Xylene           |              | ND         | 0.101/0.861     | N/A       |
| Ethyl ether        | 5000         | ND         | 1.19/3.57       | Pass      | p- and m-Xylene    |              | ND         | 0.116/1.72      | N/A       |
| Heptane            | 5000         | ND         | 0.691/2.87      | Pass      | Total xylenes      | 2170         | ND         | 0.0168/0.143    | Pass      |



**MICRO-008, MICRO-PREP-001, MICRO-INST-001: MICRO-008, MICRO-PREP-001, MICRO-INST-001: PCR-Microbial (noninhalable) • Feb 06, 2025**

| Analyte         | Amt | Pass/Fail | Analyte                       | Amt | Pass/Fail |
|-----------------|-----|-----------|-------------------------------|-----|-----------|
| Salmonella spp. | ND  | Pass      | Shiga toxin-producing E. coli | ND  | Pass      |

**HM-PREP-001, HM-INST-003: HM-PREP-001, HM-INST-003: Heavy Metals Testing by ICP-MS • Feb 05, 2025**

| Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail | Analyte | Limit (µg/g) | Amt (µg/g) | LOD/LOQ (µg/g)  | Pass/Fail |
|---------|--------------|------------|-----------------|-----------|---------|--------------|------------|-----------------|-----------|
| Arsenic | 1.5          | ND         | 0.00300/0.00900 | Pass      | Lead    | 0.5          | ND         | 0.00100/0.00400 | Pass      |
| Cadmium | 0.5          | ND         | 0.00100/0.00200 | Pass      | Mercury | 3            | ND         | 0.00500/0.0140  | Pass      |



A handwritten signature in black ink, appearing to read 'DM', located at the bottom right of the page.