



038-1003-P3124-S

METRC Sample: 1A406030006E731000000846; METRC Batch: 1A406030006E731000000269

Sample ID: 2412DEC1901.5679

Strain: 038-1003-P3124-S

Matrix: Plant

Type: Flower - Cured

Sample Size: 21 g; Batch: 12.88 lb

Produced: 11/11/2024

Collected: 12/17/2024

Received: 12/17/2024

Completed: 12/18/2024

Batch#: 038-1003-P3124-S

Distributor

SGI Jackson LLC

Lic. # C11-0001947-LIC

2309 S Santa Fe Avenue
Los Angeles, CA 90058

Producer

Alternative Research Group

Lic. # C12-0000200-LIC

9450 N Topanga Canyon Blvd., Los
Angeles, CA 91311



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	12/18/2024	Pass
Moisture	12/17/2024	11.4% - Complete
Water Activity	12/17/2024	0.50 aw - Pass
Microbials	12/18/2024	Pass
Mycotoxins	12/18/2024	Pass
Pesticides	12/18/2024	Pass
Heavy Metals	12/18/2024	Pass
Foreign Matter	12/17/2024	Pass

Cannabinoids

Pass

12.830%

Total THC

0.022%

Total CBD

12.929%

Total (neutral) Cannabinoids

Analyte	LOD mg/g	LOQ mg/g	Results %	Results mg/g
THCa	0.0210	0.1000	13.4396	134.396
Δ9-THC	0.0140	0.1000	1.0334	10.334
Δ8-THC	0.0100	0.1000	0.0102	0.102
THCV	0.0060	0.1000	<LOQ	<LOQ
CBDa	0.0110	0.1000	0.0249	0.249
CBD	0.0090	0.1000	<LOQ	<LOQ
CBN	0.0050	0.1000	0.0102	0.102
CBG	0.0060	0.1000	0.0226	0.226
CBC	0.0120	0.1000	0.0446	0.446
Total THC			12.830	128.301
Total CBD			0.022	0.219
Total (neutral) Cannabinoids			12.929	129.293

Date Tested: 12/18/2024

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total (neutral) Cannabinoids = CBDV + THCV + CBD + (CBDa x 0.877) + CBG + (CBGA x 0.877) + CBN + Δ9-THC + (THCa x 0.877) + Δ8-THC + CBC; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NR = Not Reported; NT = Not Tested; The result is reported based on dry weight considering sample weight and the applicable moisture content for that sample for all plant matrix samples; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 section 15730. Cannabinoids Testing Method: SOP-TM001, SOP-TM003 (for plant and non-infused pre-roll categories/matrices only). Instrument: HPLC-PDA.



Levon Antonyan, PhD
Laboratory Director
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



038-1003-P3124-S

METRC Sample: 1A406030006E731000000846; METRC Batch: 1A406030006E731000000269

Sample ID: 2412DEC1901.5679

Produced: 11/11/2024

Distributor

Producer

Strain: 038-1003-P3124-S

Collected: 12/17/2024

SGI Jackson LLC

Alternative Research Group

Matrix: Plant

Received: 12/17/2024

Type: Flower - Cured

Completed: 12/18/2024

Lic. # C11-0001947-LIC

Lic. # C12-0000200-LIC

Sample Size: 21 g; Batch: 12.88 lb

Batch#: 038-1003-P3124-S

2309 S Santa Fe Avenue

9450 N Topanga Canyon Blvd., Los

Los Angeles, CA 90058

Angeles, CA 91311

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0208	0.0625	0.1	ND	Pass	Fludioxonil	0.0208	0.0625	0.1	ND	Pass
Acephate	0.0208	0.0625	0.1	ND	Pass	Hexythiazox	0.0208	0.0625	0.1	ND	Pass
Acequinocyl	0.0208	0.0625	0.1	ND	Pass	Imazalil	0.0208	0.0625	0.0208	ND	Pass
Acetamiprid	0.0208	0.0625	0.1	ND	Pass	Imidacloprid	0.0208	0.0625	5	ND	Pass
Aldicarb	0.0208	0.0625	0.0208	ND	Pass	Kresoxim Methyl	0.0208	0.0625	0.1	ND	Pass
Azoxystrobin	0.0208	0.0625	0.1	ND	Pass	Malathion	0.0208	0.0625	0.5	ND	Pass
Bifenazate	0.0208	0.0625	0.1	ND	Pass	Metalaxyl	0.0208	0.0625	2	ND	Pass
Bifenthrin	0.0208	0.0625	3	ND	Pass	Methiocarb	0.0208	0.0625	0.0208	ND	Pass
Boscalid	0.0208	0.0625	0.1	ND	Pass	Methomyl	0.0208	0.0625	1	ND	Pass
Captan	0.208	0.625	0.7	ND	Pass	Mevinphos	0.0208	0.0625	0.0208	ND	Pass
Carbaryl	0.0208	0.0625	0.5	ND	Pass	Myclobutanil	0.0208	0.0625	0.1	ND	Pass
Carbofuran	0.0208	0.0625	0.0208	ND	Pass	Naled	0.0208	0.0625	0.1	ND	Pass
Chlorantraniliprole	0.0208	0.0625	10	ND	Pass	Oxamyl	0.0208	0.0625	0.5	ND	Pass
Chlordane	0.0208	0.0625	0.0208	ND	Pass	Paclobutrazol	0.0208	0.0625	0.0208	ND	Pass
Chlorfenapyr	0.0208	0.0625	0.0208	ND	Pass	Parathion Methyl	0.0208	0.0625	0.0208	ND	Pass
Chlorpyrifos	0.0208	0.0625	0.0208	ND	Pass	Pentachloronitrobenzene	0.0208	0.0625	0.1	ND	Pass
Clofentezine	0.0208	0.0625	0.1	ND	Pass	Permethrin	0.0208	0.0625	0.5	ND	Pass
Coumaphos	0.0208	0.0625	0.0208	ND	Pass	Phosmet	0.0208	0.0625	0.1	ND	Pass
Cyfluthrin	0.0208	0.0625	2	ND	Pass	Piperonyl Butoxide	0.0208	0.0625	3	ND	Pass
Cypermethrin	0.0208	0.0625	1	ND	Pass	Prallethrin	0.0208	0.0625	0.1	ND	Pass
Daminozide	0.0208	0.0625	0.0208	ND	Pass	Propiconazole	0.0208	0.0625	0.1	ND	Pass
Diazinon	0.0208	0.0625	0.1	ND	Pass	Propoxur	0.0208	0.0625	0.0208	ND	Pass
Dichlorvos	0.0208	0.0625	0.0208	ND	Pass	Pyrethrins	0.0208	0.0625	0.5	ND	Pass
Dimethoate	0.0208	0.0625	0.0208	ND	Pass	Pyridaben	0.0208	0.0625	0.1	ND	Pass
Dimethomorph	0.0208	0.0625	2	ND	Pass	Spinetoram	0.0208	0.0625	0.1	ND	Pass
Ethoprophos	0.0208	0.0625	0.0208	ND	Pass	Spinosad	0.0208	0.0625	0.1	ND	Pass
Etofenprox	0.0208	0.0625	0.0208	ND	Pass	Spiromesifen	0.0208	0.0625	0.1	ND	Pass
Etoxazole	0.0208	0.0625	0.1	ND	Pass	Spirotetramat	0.0208	0.0625	0.1	ND	Pass
Fenhexamid	0.0208	0.0625	0.1	ND	Pass	Spiroxamine	0.0208	0.0625	0.0208	ND	Pass
Fenoxycarb	0.0208	0.0625	0.0208	ND	Pass	Tebuconazole	0.0208	0.0625	0.1	ND	Pass
Fenpyroximate	0.0208	0.0625	0.1	ND	Pass	Thiacloprid	0.0208	0.0625	0.0208	ND	Pass
Fipronil	0.0208	0.0625	0.0208	ND	Pass	Thiamethoxam	0.0208	0.0625	5	ND	Pass
Flonicamid	0.0208	0.0625	0.1	ND	Pass	Trifloxystrobin	0.0208	0.0625	0.1	ND	Pass

Date Tested: 12/18/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory per CCR 4 Division 19 §15730. Residual Pesticides Testing Method: SOP-020, SOP-022, SOP-040, SOP-044, SOP-045, SOP-046, SOP-050, SOP-055, SOP-058, SOP-068, SOP-072, SOP-131, SOP-132, SOP-135; Instrument: LCMSTQ & GCMSTQ. Captan, Chlordane, Chlorfenapyr, Methyl Parathion, Pentachloronitrobenzene (PCNB) are analyzed using GCMSTQ system.



Levon Antonyan, PhD
Laboratory Director
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040
(657) 999-8999
<http://decanolabs.org>
Lic# C8-0000138-LIC

Regulatory Compliance Testing

3 of 5

038-1003-P3124-S

METRC Sample: 1A406030006E731000000846; METRC Batch: 1A406030006E731000000269

Sample ID: 2412DEC1901.5679

Strain: 038-1003-P3124-S

Matrix: Plant

Type: Flower - Cured

Sample Size: 21 g; Batch: 12.88 lb

Produced: 11/11/2024

Collected: 12/17/2024

Received: 12/17/2024

Completed: 12/18/2024

Batch#: 038-1003-P3124-S

Distributor

SGI Jackson LLC

Lic. # C11-0001947-LIC

2309 S Santa Fe Avenue

Los Angeles, CA 90058

Producer

Alternative Research Group

Lic. # C12-0000200-LIC

9450 N Topanga Canyon Blvd., Los

Angeles, CA 91311

Microbials


Pass

Analyte	Limit	Results	Status
	CFU/g	CFU/g	
Aspergillus flavus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Not Detected in 1g	Pass
E. Coli	Not Detected in 1g	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Not Detected in 1g	Pass

Date Tested: 12/18/2024

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Microbial Impurities Testing Method: SOP-101, SOP-102, SOP-103, SOP-104, SOP-117, SOP-118, SOP-119, SOP-120, SOP-121; Instrument: PCR




Levon Antonyan, PhD
Laboratory Director
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040
(657) 999-8999
<http://decanolabs.org>
Lic# C8-0000138-LIC

Regulatory Compliance Testing

4 of 5

038-1003-P3124-S

METRC Sample: 1A406030006E731000000846; METRC Batch: 1A406030006E731000000269

Sample ID: 2412DEC1901.5679

Strain: 038-1003-P3124-S

Matrix: Plant

Type: Flower - Cured

Sample Size: 21 g; Batch: 12.88 lb

Produced: 11/11/2024

Collected: 12/17/2024

Received: 12/17/2024

Completed: 12/18/2024

Batch#: 038-1003-P3124-S

Distributor

SGI Jackson LLC

Lic. # C11-0001947-LIC

2309 S Santa Fe Avenue

Los Angeles, CA 90058

Producer

Alternative Research Group

Lic. # C12-0000200-LIC

9450 N Topanga Canyon Blvd., Los

Angeles, CA 91311

Mycotoxins


Pass

Analyte	LOD µg/kg	LOQ µg/kg	Limit µg/kg	Results µg/kg	Status
B1	0.83	2.5		ND	Tested
B2	0.83	2.5		ND	Tested
G1	0.83	2.5		ND	Tested
G2	0.83	2.5		ND	Tested
Ochratoxin A	0.83	2.5	20	ND	Pass
Total Aflatoxins	3.33	10	20	ND	Pass

Date Tested: 12/18/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Mycotoxins Testing Method: SOP-020, SOP-022, SOP-040, SOP-046, SOP-050, SOP-055, SOP-058, SOP-068, SOP-072, SOP-131, SOP-132, SOP-135; Instrument: LCMSTQ




Levon Antonyan, PhD
Laboratory Director
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040
(657) 999-8999
<http://decanolabs.org>
Lic# C8-0000138-LIC

Regulatory Compliance Testing

5 of 5

038-1003-P3124-S

METRC Sample: 1A406030006E731000000846; METRC Batch: 1A406030006E731000000269

Sample ID: 2412DEC1901.5679

Strain: 038-1003-P3124-S

Matrix: Plant

Type: Flower - Cured

Sample Size: 21 g; Batch: 12.88 lb

Produced: 11/11/2024

Collected: 12/17/2024

Received: 12/17/2024

Completed: 12/18/2024

Batch#: 038-1003-P3124-S

Distributor

SGI Jackson LLC

Lic. # C11-0001947-LIC

2309 S Santa Fe Avenue

Los Angeles, CA 90058

Producer

Alternative Research Group

Lic. # C12-0000200-LIC

9450 N Topanga Canyon Blvd., Los

Angeles, CA 91311

Heavy Metals


Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.03	0.075	0.2	ND	Pass
Cadmium	0.03	0.075	0.2	ND	Pass
Lead	0.03	0.075	0.5	ND	Pass
Mercury	0.003	0.0075	0.1	<LOQ	Pass

Date Tested: 12/18/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Residual Solvents Testing Method: SOP-020, SOP-022, SOP-037, SOP-058, SOP-065, SOP-134, SOP-135; Instrument: ICPMS




Levon Antonyan, PhD
Laboratory Director
12/18/2024

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.