



064-854-N0724

METRC Sample: 1A406030006E731000001381; METRC Batch: 1A406030006E731000001423

Sample ID: 2410DEC1652.4794	Produced: 10/08/2024	Distributor: SGI Jackson LLC	Producer: Undefeated Victory II LLC
Strain: 064-854-N0724	Collected: 10/30/2024		
Matrix: Plant	Received: 10/30/2024		
Type: Flower - Cured	Completed: 11/02/2024	Lic. # C11-0001947-LIC	Lic. # CCL22-0001674
Sample Size: 32 g; Batch: 19.82 lb	Batch#: 064-854-N0724	2309 S Santa Fe Avenue Los Angeles, CA 90058	100 Victory Drive., Needles, CA 92363




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	11/02/2024	Pass
Moisture	10/30/2024	14.0% - Complete
Water Activity	10/30/2024	0.48 aw - Pass
Microbials	10/31/2024	Pass
Mycotoxins	11/01/2024	Pass
Pesticides	11/01/2024	Pass
Heavy Metals	10/31/2024	Pass
Foreign Matter	10/30/2024	Pass

Cannabinoids

Pass



Analyte	LOD	LOQ	Results	Results
	mg/g	mg/g	%	mg/g
THCa	0.0210	0.1000	32.0128	320.128
Δ9-THC	0.0140	0.1000	1.2631	12.631
Δ8-THC	0.0100	0.1000	0.0252	0.252
THCV	0.0060	0.1000	<LOQ	<LOQ
CBDa	0.0110	0.1000	0.0555	0.555
CBD	0.0090	0.1000	<LOQ	<LOQ
CBN	0.0050	0.1000	0.0195	0.195
CBG	0.0060	0.1000	0.0928	0.928
CBC	0.0120	0.1000	0.0736	0.736
Total THC			29.364	293.636
Total CBD			0.049	0.487
Total (neutral) Cannabinoids			29.598	295.983

Date Tested: 11/02/2024

Total THC = THCa * 0.877 + Δ9-THC; Total CBD = CBDa * 0.877 + CBD; Total (neutral) Cannabinoids = CBDV + THCV + CBD + (CBDa x 0.877) + CBG + (CBGA x 0.877) + CBN + Δ9-THC + (THCa x 0.877) + Δ8-THC + CBC; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NR = Not Reported; NT = Not Tested; The result is reported based on dry weight considering sample weight and the applicable moisture content for that sample for all plant matrix samples; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 section 15730. Cannabinoids Testing Method: SOP-TM001, SOP-TM003 (for plant and non-infused pre-roll categories/matrices only). Instrument: HPLC-PDA.



Levon Antonyan
 Levon Antonyan, PhD
 Laboratory Director
 11/02/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection, Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



064-854-N0724

METRC Sample: 1A406030006E731000001381; METRC Batch: 1A406030006E731000001423

Sample ID: 2410DEC1652.4794	Produced: 10/08/2024	Distributor	Producer
Strain: 064-854-N0724	Collected: 10/30/2024	SGI Jackson LLC	Undefeated Victory II LLC
Matrix: Plant	Received: 10/30/2024		
Type: Flower - Cured	Completed: 11/02/2024	Lic. # C11-0001947-LIC	Lic. # CCL22-0001674
Sample Size: 32 g; Batch: 19.82 lb	Batch#: 064-854-N0724	2309 S Santa Fe Avenue Los Angeles, CA 90058	100 Victory Drive., Needles, CA 92363

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0208	0.0625	0.1	ND	Pass	Fludioxonil	0.0208	0.0625	0.1	ND	Pass
Acephate	0.0208	0.0625	0.1	ND	Pass	Hexythiazox	0.0208	0.0625	0.1	ND	Pass
Acequinocyl	0.0208	0.0625	0.1	ND	Pass	Imazalil	0.0208	0.0625	0.0208	ND	Pass
Acetamiprid	0.0208	0.0625	0.1	ND	Pass	Imidacloprid	0.0208	0.0625	5	ND	Pass
Aldicarb	0.0208	0.0625	0.0208	ND	Pass	Kresoxim Methyl	0.0208	0.0625	0.1	ND	Pass
Azoxystrobin	0.0208	0.0625	0.1	ND	Pass	Malathion	0.0208	0.0625	0.5	ND	Pass
Bifenazate	0.0208	0.0625	0.1	ND	Pass	Metalaxyl	0.0208	0.0625	2	ND	Pass
Bifenthrin	0.0208	0.0625	3	ND	Pass	Methiocarb	0.0208	0.0625	0.0208	ND	Pass
Boscalid	0.0208	0.0625	0.1	ND	Pass	Methomyl	0.0208	0.0625	1	ND	Pass
Captan	0.208	0.625	0.7	ND	Pass	Mevinphos	0.0208	0.0625	0.0208	ND	Pass
Carbaryl	0.0208	0.0625	0.5	ND	Pass	Myclobutanil	0.0208	0.0625	0.1	ND	Pass
Carbofuran	0.0208	0.0625	0.0208	ND	Pass	Naled	0.0208	0.0625	0.1	ND	Pass
Chlorantraniliprole	0.0208	0.0625	10	ND	Pass	Oxamyl	0.0208	0.0625	0.5	ND	Pass
Chlordane	0.0208	0.0625	0.0208	ND	Pass	Pacllobutrazol	0.0208	0.0625	0.0208	ND	Pass
Chlorfenapyr	0.0208	0.0625	0.0208	ND	Pass	Parathion Methyl	0.0208	0.0625	0.0208	ND	Pass
Chlorpyrifos	0.0208	0.0625	0.0208	ND	Pass	Pentachloronitrobenzene	0.0208	0.0625	0.1	ND	Pass
Clofentezine	0.0208	0.0625	0.1	ND	Pass	Permethrin	0.0208	0.0625	0.5	ND	Pass
Coumaphos	0.0208	0.0625	0.0208	ND	Pass	Phosmet	0.0208	0.0625	0.1	ND	Pass
Cyfluthrin	0.0208	0.0625	2	ND	Pass	Piperonyl Butoxide	0.0208	0.0625	3	ND	Pass
Cypermethrin	0.0208	0.0625	1	ND	Pass	Prallethrin	0.0208	0.0625	0.1	ND	Pass
Daminozide	0.0208	0.0625	0.0208	ND	Pass	Propiconazole	0.0208	0.0625	0.1	ND	Pass
Diazinon	0.0208	0.0625	0.1	ND	Pass	Propoxur	0.0208	0.0625	0.0208	ND	Pass
Dichlorvos	0.0208	0.0625	0.0208	ND	Pass	Pyrethrins	0.0208	0.0625	0.5	ND	Pass
Dimethoate	0.0208	0.0625	0.0208	ND	Pass	Pyridaben	0.0208	0.0625	0.1	ND	Pass
Dimethomorph	0.0208	0.0625	2	ND	Pass	Spinetoram	0.0208	0.0625	0.1	ND	Pass
Ethoprophos	0.0208	0.0625	0.0208	ND	Pass	Spinosad	0.0208	0.0625	0.1	ND	Pass
Etofenprox	0.0208	0.0625	0.0208	ND	Pass	Spiromesifen	0.0208	0.0625	0.1	ND	Pass
Etoxazole	0.0208	0.0625	0.1	ND	Pass	Spirotetramat	0.0208	0.0625	0.1	ND	Pass
Fenhexamid	0.0208	0.0625	0.1	ND	Pass	Spiroxamine	0.0208	0.0625	0.0208	ND	Pass
Fenoxycarb	0.0208	0.0625	0.0208	ND	Pass	Tebuconazole	0.0208	0.0625	0.1	ND	Pass
Fenpyroximate	0.0208	0.0625	0.1	ND	Pass	Thiacloprid	0.0208	0.0625	0.0208	ND	Pass
Fipronil	0.0208	0.0625	0.0208	ND	Pass	Thiamethoxam	0.0208	0.0625	5	ND	Pass
Fonicamid	0.0208	0.0625	0.1	ND	Pass	Trifloxystrobin	0.0208	0.0625	0.1	ND	Pass

Date Tested: 11/01/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory per CCR 4 Division 19 §15730. Residual Pesticides Testing Method: SOP-020, SOP-022, SOP-040, SOP-044, SOP-045, SOP-046, SOP-050, SOP-055, SOP-058, SOP-068, SOP-072, SOP-131, SOP-132, SOP-135; Instrument: LCMSTQ & GCMSTQ. Captan, Chlordane, Chlorfenapyr, Methyl Parathion, Pentachloronitrobenzene (PCNB) are analyzed using GCMSTQ system.



Levon Antonyan, PhD
 Laboratory Director
 11/02/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



064-854-N0724

METRC Sample: 1A406030006E731000001381; METRC Batch: 1A406030006E731000001423

Sample ID: 2410DEC1652.4794	Produced: 10/08/2024	Distributor: SGI Jackson LLC	Producer: Undefeated Victory II LLC
Strain: 064-854-N0724	Collected: 10/30/2024		
Matrix: Plant	Received: 10/30/2024		
Type: Flower - Cured	Completed: 11/02/2024	Lic. # C11-0001947-LIC	Lic. # CCL22-0001674
Sample Size: 32 g; Batch: 19.82 lb	Batch#: 064-854-N0724	2309 S Santa Fe Avenue Los Angeles, CA 90058	100 Victory Drive., Needles, CA 92363

Microbials

Pass

Analyte	Limit CFU/g	Results CFU/g	Status
Aspergillus flavus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Not Detected in 1g	Pass
E. Coli	Not Detected in 1g	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Not Detected in 1g	Pass



Date Tested: 10/31/2024

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Microbial Impurities Testing Method: SOP-101, SOP-102, SOP-103, SOP-104, SOP-117, SOP-118, SOP-119, SOP-120, SOP-121; Instrument: PCR



Levon Antonyan, PhD
 Laboratory Director
 11/02/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection, Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



064-854-N0724

METRC Sample: 1A406030006E731000001381; METRC Batch: 1A406030006E731000001423

Sample ID: 2410DEC1652.4794
 Strain: 064-854-N0724
 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 32 g; Batch: 19.82 lb

Produced: 10/08/2024
 Collected: 10/30/2024
 Received: 10/30/2024
 Completed: 11/02/2024
 Batch#: 064-854-N0724

Distributor
SGI Jackson LLC
 Lic. # C11-0001947-LIC
 2309 S Santa Fe Avenue
 Los Angeles, CA 90058

Producer
Undefeated Victory II LLC
 Lic. # CCL22-0001674
 100 Victory Drive., Needles, CA 92363

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.83	2.5		ND	Tested
B2	0.83	2.5		ND	Tested
G1	0.83	2.5		ND	Tested
G2	0.83	2.5		ND	Tested
Ochratoxin A	0.83	2.5	20	ND	Pass
Total Aflatoxins	3.33	10	20	ND	Pass



Date Tested: 11/01/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Mycotoxins Testing Method: SOP-020, SOP-022, SOP-040, SOP-046, SOP-050, SOP-055, SOP-058, SOP-068, SOP-072, SOP-131, SOP-132, SOP-135; Instrument: LCMSTQ



Levon Antonyan, PhD
 Laboratory Director
 11/02/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



064-854-N0724

METRC Sample: 1A406030006E731000001381; METRC Batch: 1A406030006E731000001423

Sample ID: 2410DEC1652.4794
 Strain: 064-854-N0724
 Matrix: Plant
 Type: Flower - Cured
 Sample Size: 32 g; Batch: 19.82 lb

Produced: 10/08/2024
 Collected: 10/30/2024
 Received: 10/30/2024
 Completed: 11/02/2024
 Batch#: 064-854-N0724

Distributor
SJI Jackson LLC
 Lic. # C11-0001947-LIC
 2309 S Santa Fe Avenue
 Los Angeles, CA 90058

Producer
Undefeated Victory II LLC
 Lic. # CCL22-0001674
 100 Victory Drive., Needles, CA 92363

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.03	0.075	0.2	ND	Pass
Cadmium	0.03	0.075	0.2	ND	Pass
Lead	0.03	0.075	0.5	ND	Pass
Mercury	0.003	0.0075	0.1	<LOQ	Pass



Date Tested: 10/31/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Residual Solvents Testing Method: SOP-020, SOP-022, SOP-037, SOP-058, SOP-065, SOP-134, SOP-135; Instrument: ICPMS



Levon Antonyan, PhD
 Laboratory Director
 11/02/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.