

Gelato

METRC Sample: 1A406030006E731001117480; METRC Batch: 1A406030006D6C9000002857

Sample ID: 2602DEC0249.0831

Strain: Gelato

Matrix: Plant

Type: Enhanced/Infused Flowers

Sample Size: 20 units; Batch: 4,257 units

Produced: 02/06/2026

Collected: 02/12/2026

Received: 02/12/2026

Completed: 02/16/2026

Batch#: ST-40MYLGEL-B0626

Distributor

SGI Jackson LLC

Lic. # C11-0001947-LIC

2311 S Santa Fe Avenue

Los Angeles, CA 90058

Producer

SGI Jackson LLC

Lic. # DCC-10005033

2311 S Santa Fe Avenue Los Angeles, CA

90058




Summary

| Test | Date Tested | Result |
|-------------------|-------------|------------------|
| Batch | | Pass |
| Cannabinoids | 02/13/2026 | Pass |
| Moisture | 02/12/2026 | 11.6% - Complete |
| Water Activity | 02/12/2026 | 0.45 aw - Pass |
| Residual Solvents | 02/16/2026 | Pass |
| Microbials | 02/16/2026 | Pass |
| Mycotoxins | 02/13/2026 | Pass |
| Pesticides | 02/13/2026 | Pass |
| Heavy Metals | 02/13/2026 | Pass |
| Foreign Matter | 02/12/2026 | Pass |

Cannabinoids

Pass



| Analyte | LOD | LOQ | Results | Results | Results | Results |
|-------------------------------------|--------|--------|---------------|----------------|----------------|-----------------|
| | mg/g | mg/g | % | mg/g | mg/serving | mg/container |
| THCa | 0.1000 | 0.2000 | 35.3348 | 353.348 | 353.348 | 2473.434 |
| Δ9-THC | 0.1000 | 0.2000 | 9.9153 | 99.153 | 99.153 | 694.074 |
| Δ8-THC | 0.1000 | 0.2000 | ND | ND | ND | ND |
| THCV | 0.1000 | 0.2000 | 0.1819 | 1.819 | 1.819 | 12.731 |
| CBDa | 0.1000 | 0.2000 | 0.0375 | 0.375 | 0.375 | 2.622 |
| CBD | 0.1000 | 0.2000 | ND | ND | ND | ND |
| CBDV | 0.1000 | 0.2000 | ND | ND | ND | ND |
| CBN | 0.1000 | 0.3000 | 0.0641 | 0.641 | 0.641 | 4.484 |
| CBGa | 0.1000 | 0.2000 | 0.1524 | 1.524 | 1.524 | 10.671 |
| CBG | 0.1000 | 0.2000 | 0.3748 | 3.748 | 3.748 | 26.238 |
| CBC | 0.1000 | 0.2000 | 0.1644 | 1.644 | 1.644 | 11.511 |
| Total THC | | | 40.904 | 409.039 | 409.039 | 2863.276 |
| Total CBD | | | 0.033 | 0.329 | 0.329 | 2.300 |
| Total (neutral) Cannabinoids | | | 41.856 | 418.557 | 418.557 | 2929.898 |

Date Tested: 02/13/2026

7 servings per container.

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total (neutral) Cannabinoids = CBDV + THCV + CBD + (CBDA x 0.877) + CBG + (CBGa x 0.877) + CBN + Δ9-THC + (THCa x 0.877) + Δ8-THC + CBC; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NR = Not Reported; NT = Not Tested; The result is reported based on dry weight considering sample weight and the applicable moisture content for that sample for all plant matrix samples; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 section 15730. Cannabinoids Testing Method: SOP-TM001, SOP-TM003 (for plant and non-infused pre-roll categories/matrices only). Instrument: HPLC-PDA.



Levon Antonyan, PhD
Laboratory Director
02/16/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com





Gelato

METRC Sample: 1A406030006E731001117480; METRC Batch: 1A406030006D6C9000002857

| | | | |
|--|----------------------------------|---|---|
| Sample ID: 2602DEC0249.0831 | Produced: 02/06/2026 | Distributor: SGI Jackson LLC | Producer: SGI Jackson LLC |
| Strain: Gelato | Collected: 02/12/2026 | | |
| Matrix: Plant | Received: 02/12/2026 | | |
| Type: Enhanced/Infused Flowers | Completed: 02/16/2026 | Lic. # C11-0001947-LIC | Lic. # DCC-10005033 |
| Sample Size: 20 units; Batch: 4,257 units | Batch#: ST-40MYLGEL-B0626 | 2311 S Santa Fe Avenue Los Angeles, CA 90058 | 2311 S Santa Fe Avenue Los Angeles, CA 90058 |

Pesticides

Pass

| Analyte | LOD | LOQ | Limit | Results | Status | Analyte | LOD | LOQ | Limit | Results | Status |
|---------------------|-------|-------|-------|---------|--------|-------------------------|-------|-------|-------|---------|--------|
| | µg/g | µg/g | µg/g | µg/g | | | µg/g | µg/g | µg/g | µg/g | |
| Abamectin | 0.015 | 0.065 | 0.1 | ND | Pass | Fludioxonil | 0.006 | 0.025 | 0.1 | ND | Pass |
| Acephate | 0.004 | 0.025 | 0.1 | ND | Pass | Hexythiazox | 0.008 | 0.025 | 0.1 | ND | Pass |
| Acequinocyl | 0.005 | 0.025 | 0.1 | ND | Pass | Imazalil | 0.004 | 0.025 | 0.004 | ND | Pass |
| Acetamiprid | 0.003 | 0.025 | 0.1 | ND | Pass | Imidacloprid | 0.004 | 0.025 | 5 | ND | Pass |
| Aldicarb | 0.007 | 0.025 | 0.007 | ND | Pass | Kresoxim Methyl | 0.005 | 0.025 | 0.1 | ND | Pass |
| Azoxystrobin | 0.002 | 0.025 | 0.1 | ND | Pass | Malathion | 0.007 | 0.025 | 0.5 | ND | Pass |
| Bifenazate | 0.004 | 0.025 | 0.1 | ND | Pass | Metalaxyl | 0.005 | 0.025 | 2 | ND | Pass |
| Bifenthrin | 0.005 | 0.025 | 3 | ND | Pass | Methiocarb | 0.006 | 0.025 | 0.006 | ND | Pass |
| Boscalid | 0.007 | 0.025 | 0.1 | ND | Pass | Methomyl | 0.002 | 0.025 | 1 | ND | Pass |
| Captan | 0.164 | 0.5 | 0.7 | ND | Pass | Mevinphos | 0.004 | 0.025 | 0.004 | ND | Pass |
| Carbaryl | 0.007 | 0.025 | 0.5 | ND | Pass | Myclobutanil | 0.005 | 0.025 | 0.1 | ND | Pass |
| Carbofuran | 0.002 | 0.025 | 0.002 | ND | Pass | Naled | 0.005 | 0.025 | 0.1 | ND | Pass |
| Chlorantraniliprole | 0.007 | 0.025 | 10 | ND | Pass | Oxamyl | 0.004 | 0.025 | 0.5 | ND | Pass |
| Chlordane | 0.025 | 0.1 | 0.025 | ND | Pass | Pacllobutrazol | 0.004 | 0.025 | 0.004 | ND | Pass |
| Chlorfenapyr | 0.027 | 0.1 | 0.027 | ND | Pass | Parathion Methyl | 0.008 | 0.025 | 0.008 | ND | Pass |
| Chlorpyrifos | 0.003 | 0.025 | 0.003 | ND | Pass | Pentachloronitrobenzene | 0.015 | 0.05 | 0.1 | ND | Pass |
| Clofentazine | 0.005 | 0.025 | 0.1 | ND | Pass | Permethrin | 0.018 | 0.1 | 0.5 | ND | Pass |
| Coumaphos | 0.006 | 0.025 | 0.006 | ND | Pass | Phosmet | 0.003 | 0.025 | 0.1 | ND | Pass |
| Cyfluthrin | 0.01 | 0.05 | 2 | ND | Pass | Piperonyl Butoxide | 0.003 | 0.025 | 3 | ND | Pass |
| Cypermethrin | 0.007 | 0.025 | 1 | ND | Pass | Prallethrin | 0.006 | 0.025 | 0.1 | ND | Pass |
| Daminozide | 0.015 | 0.05 | 0.015 | ND | Pass | Propiconazole | 0.006 | 0.025 | 0.1 | ND | Pass |
| Diazinon | 0.004 | 0.025 | 0.1 | ND | Pass | Propoxur | 0.004 | 0.025 | 0.004 | ND | Pass |
| Dichlorvos | 0.006 | 0.025 | 0.006 | ND | Pass | Pyrethrins | 0.01 | 0.042 | 0.5 | ND | Pass |
| Dimethoate | 0.003 | 0.025 | 0.003 | ND | Pass | Pyridaben | 0.004 | 0.025 | 0.1 | ND | Pass |
| Dimethomorph | 0.004 | 0.025 | 2 | ND | Pass | Spinetoram | 0.005 | 0.025 | 0.1 | ND | Pass |
| Ethoprophos | 0.003 | 0.025 | 0.003 | ND | Pass | Spinosad | 0.006 | 0.025 | 0.1 | ND | Pass |
| Etofenprox | 0.005 | 0.025 | 0.005 | ND | Pass | Spiromesifen | 0.005 | 0.025 | 0.1 | ND | Pass |
| Etoazole | 0.003 | 0.025 | 0.1 | ND | Pass | Spirotetramat | 0.01 | 0.05 | 0.1 | ND | Pass |
| Fenhexamid | 0.008 | 0.025 | 0.1 | ND | Pass | Spiroxamine | 0.005 | 0.025 | 0.005 | ND | Pass |
| Fenoxycarb | 0.004 | 0.025 | 0.004 | ND | Pass | Tebuconazole | 0.006 | 0.025 | 0.1 | ND | Pass |
| Fenpyroximate | 0.006 | 0.025 | 0.1 | ND | Pass | Thiacloprid | 0.004 | 0.025 | 0.004 | ND | Pass |
| Fipronil | 0.006 | 0.025 | 0.006 | ND | Pass | Thiamethoxam | 0.007 | 0.025 | 5 | ND | Pass |
| Fonicamid | 0.01 | 0.05 | 0.1 | ND | Pass | Trifloxystrobin | 0.004 | 0.025 | 0.1 | ND | Pass |

Date Tested: 02/13/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory per CCR 4 Division 19 §15730. Residual Pesticides Testing Method: SOP-TM010 & SOP-TM011; Instrument: LCMSTQ. Chlordane, Chlorfenapyr, Methyl Parathion, Pentachloronitrobenzene (PCNB) are analyzed using APCI mode on LCMSTQ system.



Levon Antonyan, PhD
 Laboratory Director
 02/16/2026

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com





Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Gelato

METRC Sample: 1A406030006E731001117480; METRC Batch: 1A406030006D6C9000002857

Sample ID: 2602DEC0249.0831

Strain: Gelato

Matrix: Plant

Type: Enhanced/Infused Flowers

Sample Size: 20 units; Batch: 4,257 units

Produced: 02/06/2026

Collected: 02/12/2026

Received: 02/12/2026

Completed: 02/16/2026

Batch#: ST-40MYLGEL-B0626

Distributor

SGI Jackson LLC

Lic. # C11-0001947-LIC

2311 S Santa Fe Avenue

Los Angeles, CA 90058

Producer

SGI Jackson LLC

Lic. # DCC-10005033

2311 S Santa Fe Avenue Los Angeles, CA

90058

Microbials

Pass

| Analyte | Limit | Results | Status |
|-----------------------|--------------------|--------------------|--------|
| | CFU/g | CFU/g | |
| Aspergillus flavus | Not Detected in 1g | Not Detected in 1g | Pass |
| Aspergillus fumigatus | Not Detected in 1g | Not Detected in 1g | Pass |
| Aspergillus niger | Not Detected in 1g | Not Detected in 1g | Pass |
| Aspergillus terreus | Not Detected in 1g | Not Detected in 1g | Pass |
| E. Coli | Not Detected in 1g | Not Detected in 1g | Pass |
| Salmonella SPP | Not Detected in 1g | Not Detected in 1g | Pass |



Date Tested: 02/16/2026

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Microbial Impurities Testing Method: SOP-TM006; Instrument: PCR



Levon Antonyan, PhD
Laboratory Director
02/16/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Gelato

METRC Sample: 1A406030006E731001117480; METRC Batch: 1A406030006D6C9000002857

Sample ID: 2602DEC0249.0831

Produced: 02/06/2026

Distributor

Producer

Strain: Gelato

Collected: 02/12/2026

SGI Jackson LLC

SGI Jackson LLC

Matrix: Plant

Received: 02/12/2026

Lic. # C11-0001947-LIC

Lic. # DCC-10005033

Type: Enhanced/Infused Flowers

Completed: 02/16/2026

2311 S Santa Fe Avenue

2311 S Santa Fe Avenue Los Angeles, CA

Sample Size: 20 units; Batch: 4,257 units

Batch#: ST-40MYLGEL-B0626

Los Angeles, CA 90058

90058

Mycotoxins

Pass

| Analyte | LOD | LOQ | Limit | Results | Status |
|------------------|-------|-------|-------|---------|--------|
| | µg/kg | µg/kg | µg/kg | µg/kg | |
| B1 | 1.45 | 5 | | ND | Tested |
| B2 | 1.173 | 5 | | ND | Tested |
| G1 | 1.543 | 5 | | ND | Tested |
| G2 | 1.573 | 5 | | ND | Tested |
| Ochratoxin A | 3.247 | 10 | 20 | ND | Pass |
| Total Aflatoxins | 5.739 | 20 | 20 | ND | Pass |



Date Tested: 02/13/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Mycotoxins Testing Method: SOP-TM010; Instrument: LCMSTQ.



Levon Antonyan, PhD
Laboratory Director
02/16/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Gelato

METRC Sample: 1A406030006E731001117480; METRC Batch: 1A406030006D6C9000002857

Sample ID: 2602DEC0249.0831

Produced: 02/06/2026

Distributor

Producer

Strain: Gelato

Collected: 02/12/2026

SGI Jackson LLC

SGI Jackson LLC

Matrix: Plant

Received: 02/12/2026

Lic. # C11-0001947-LIC

Lic. # DCC-10005033

Type: Enhanced/Infused Flowers

Completed: 02/16/2026

2311 S Santa Fe Avenue

2311 S Santa Fe Avenue Los Angeles, CA

Sample Size: 20 units; Batch: 4,257 units

Batch#: ST-40MYLGEL-B0626

Los Angeles, CA 90058

90058

Heavy Metals

Pass

| Analyte | LOD | LOQ | Limit | Results | Status |
|---------|-------|-------|-------|---------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| Arsenic | 0.011 | 0.030 | 0.2 | 0.0358 | Pass |
| Cadmium | 0.009 | 0.030 | 0.2 | ND | Pass |
| Lead | 0.005 | 0.030 | 0.5 | ND | Pass |
| Mercury | 0.002 | 0.003 | 0.1 | ND | Pass |



Date Tested: 02/13/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Heavy Metals Testing Method: SOP-TM008; Instrument: ICPMS



Levon Antonyan, PhD
Laboratory Director
02/16/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Decano Analytical Laboratories
5608 E. Washington Blvd.
Commerce, CA 90040

(657) 999-8999
http://decanolabs.org
Lic# C8-0000138-LIC

Gelato

METRC Sample: 1A406030006E731001117480; METRC Batch: 1A406030006D6C9000002857

Sample ID: 2602DEC0249.0831

Produced: 02/06/2026

Distributor

Producer

Strain: Gelato

Collected: 02/12/2026

SGI Jackson LLC

SGI Jackson LLC

Matrix: Plant

Received: 02/12/2026

Type: Enhanced/Infused Flowers

Completed: 02/16/2026

Lic. # C11-0001947-LIC

Lic. # DCC-10005033

Sample Size: 20 units; Batch: 4,257 units

Batch#: ST-40MYLGEL-B0626

2311 S Santa Fe Avenue

2311 S Santa Fe Avenue Los Angeles, CA

Los Angeles, CA 90058

90058

Residual Solvents

Pass

| Analyte | LOD | LOQ | Limit | Results | Status |
|---------------------|--------|--------|-------|---------|--------|
| | µg/g | µg/g | µg/g | µg/g | |
| 1,2-Dichloro-Ethane | 0.058 | 0.196 | 1 | ND | Pass |
| Acetone | 6.208 | 19.532 | 5000 | 51.690 | Pass |
| Acetonitrile | 11.685 | 39.062 | 410 | ND | Pass |
| Benzene | 0.080 | 0.390 | 1 | ND | Pass |
| Butane | 10.714 | 39.062 | 5000 | <LOQ | Pass |
| Chloroform | 0.135 | 0.782 | 1 | ND | Pass |
| Ethanol | 16.135 | 78.126 | 5000 | ND | Pass |
| Ethyl-Acetate | 8.137 | 39.062 | 5000 | ND | Pass |
| Ethyl-Ether | 19.243 | 78.126 | 5000 | ND | Pass |
| Ethylene Oxide | 0.248 | 0.782 | 1 | ND | Pass |
| Heptane | 3.225 | 9.772 | 5000 | ND | Pass |
| Isopropanol | 25.720 | 78.126 | 5000 | <LOQ | Pass |
| Methanol | 15.766 | 78.126 | 3000 | <LOQ | Pass |
| Methylene-Chloride | 0.128 | 0.390 | 1 | ND | Pass |
| n-Hexane | 2.985 | 9.766 | 290 | ND | Pass |
| Pentane | 9.621 | 39.062 | 5000 | ND | Pass |
| Propane | 9.917 | 39.062 | 5000 | ND | Pass |
| Toluene | 8.470 | 39.062 | 890 | ND | Pass |
| Trichloroethene | 0.060 | 0.196 | 1 | ND | Pass |
| Xylenes | 1.477 | 4.883 | 2170 | ND | Pass |

Date Tested: 02/16/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Residual Solvents Testing Method: SOP-TM007; Instrument: GCMSHS



Levon Antonyan, PhD
Laboratory Director
02/16/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.