

Magic Melon

METRC Sample: 1A406030006E731000833445; METRC Batch: 1A406030006D6C9000002780

Sample ID: 2601DEC0135.0409	Produced: 01/15/2026	Distributor: SGI Jackson LLC	Producer: SGI Jackson LLC
Strain: Magic Melon	Collected: 01/22/2026	Lic. # C11-0001947-LIC	Lic. # DCC-10005033
Matrix: Plant	Received: 01/22/2026	2311 S Santa Fe Avenue	2311 S Santa Fe Avenue Los Angeles, CA
Type: Enhanced/Infused Flowers	Completed: 01/27/2026	Los Angeles, CA 90058	90058
Sample Size: 20 units; Batch: 4,160 units	Batch#: ST-40MYLMGM-A1526		




Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	01/27/2026	Pass
Moisture	01/23/2026	11.2% - Complete
Water Activity	01/23/2026	0.45 aw - Pass
Residual Solvents	01/23/2026	Pass
Microbials	01/27/2026	Pass
Mycotoxins	01/26/2026	Pass
Pesticides	01/26/2026	Pass
Heavy Metals	01/23/2026	Pass
Foreign Matter	01/22/2026	Pass

Cannabinoids

Pass



Analyte	LOD mg/g	LOQ mg/g	Results %	Results mg/g	Results mg/serving	Results mg/container
THCa	0.1000	0.2000	34.4934	344.934	344.934	2414.535
Δ9-THC	0.1000	0.2000	11.0399	110.399	110.399	772.790
Δ8-THC	0.1000	0.2000	ND	ND	ND	ND
THCV	0.1000	0.2000	0.0574	0.574	0.574	4.019
CBDa	0.1000	0.2000	0.0375	0.375	0.375	2.624
CBD	0.1000	0.2000	ND	ND	ND	ND
CBDV	0.1000	0.2000	ND	ND	ND	ND
CBN	0.1000	0.3000	0.0641	0.641	0.641	4.484
CBGa	0.1000	0.2000	0.2264	2.264	2.264	15.849
CBG	0.1000	0.2000	0.1652	1.652	1.652	11.562
CBC	0.1000	0.2000	0.1286	1.286	1.286	9.000
Total THC			41.291	412.905	412.905	2890.337
Total CBD			0.033	0.329	0.329	2.302
Total (neutral) Cannabinoids			41.937	419.372	419.372	2935.604

Date Tested: 01/27/2026

7 servings per container.

Total THC = THCa * 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa * 0.877 + CBD; Total (neutral) Cannabinoids = CBDV + THCV + CBD + (CBDA x 0.877) + CBG + (CBGA x 0.877) + CBN + Δ9-THC + (THCA x 0.877) + Δ8-THC + CBC; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NR = Not Reported; NT = Not Tested; The result is reported based on dry weight considering sample weight and the applicable moisture content for that sample for all plant matrix samples; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 section 15730. Cannabinoids Testing Method: SOP-TM001, SOP-TM003 (for plant and non-infused pre-roll categories/matrices only). Instrument: HPLC-PDA.



Levon Antonyan, PhD
 Laboratory Director
 01/27/2026

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com





Magic Melon

METRC Sample: 1A406030006E731000833445; METRC Batch: 1A406030006D6C9000002780

Sample ID: 2601DEC0135.0409	Produced: 01/15/2026	Distributor: SGI Jackson LLC	Producer: SGI Jackson LLC
Strain: Magic Melon	Collected: 01/22/2026		
Matrix: Plant	Received: 01/22/2026		
Type: Enhanced/Infused Flowers	Completed: 01/27/2026	Lic. # C11-0001947-LIC	Lic. # DCC-10005033
Sample Size: 20 units; Batch: 4,160 units	Batch#: ST-40MYLMGM-A1526	2311 S Santa Fe Avenue Los Angeles, CA 90058	2311 S Santa Fe Avenue Los Angeles, CA 90058

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.015	0.065	0.1	ND	Pass	Fludioxonil	0.006	0.025	0.1	ND	Pass
Acephate	0.004	0.025	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl	0.005	0.025	0.1	ND	Pass	Imazalil	0.004	0.025	0.004	ND	Pass
Acetamiprid	0.003	0.025	0.1	ND	Pass	Imidacloprid	0.004	0.025	5	ND	Pass
Aldicarb	0.007	0.025	0.007	ND	Pass	Kresoxim Methyl	0.005	0.025	0.1	ND	Pass
Azoxystrobin	0.002	0.025	0.1	ND	Pass	Malathion	0.007	0.025	0.5	ND	Pass
Bifenazate	0.004	0.025	0.1	ND	Pass	Metalaxyl	0.005	0.025	2	ND	Pass
Bifenthrin	0.005	0.025	3	ND	Pass	Methiocarb	0.006	0.025	0.006	ND	Pass
Boscalid	0.007	0.025	0.1	ND	Pass	Methomyl	0.002	0.025	1	ND	Pass
Captan	0.164	0.5	0.7	ND	Pass	Mevinphos	0.004	0.025	0.004	ND	Pass
Carbaryl	0.007	0.025	0.5	ND	Pass	Myclobutanil	0.005	0.025	0.1	ND	Pass
Carbofuran	0.002	0.025	0.002	ND	Pass	Naled	0.005	0.025	0.1	ND	Pass
Chlorantraniliprole	0.007	0.025	10	ND	Pass	Oxamyl	0.004	0.025	0.5	ND	Pass
Chlordane	0.012	0.05	0.012	ND	Pass	Pacllobutrazol	0.004	0.025	0.004	ND	Pass
Chlorfenapyr	0.022	0.1	0.022	ND	Pass	Parathion Methyl	0.009	0.05	0.009	ND	Pass
Chlorpyrifos	0.003	0.025	0.003	ND	Pass	Pentachloronitrobenzene	0.019	0.1	0.1	ND	Pass
Clofentezine	0.005	0.025	0.1	ND	Pass	Permethrin	0.018	0.1	0.5	ND	Pass
Coumaphos	0.006	0.025	0.006	ND	Pass	Phosmet	0.003	0.025	0.1	ND	Pass
Cyfluthrin	0.01	0.05	2	ND	Pass	Piperonyl Butoxide	0.003	0.025	3	ND	Pass
Cypermethrin	0.007	0.025	1	ND	Pass	Prallethrin	0.006	0.025	0.1	ND	Pass
Daminozide	0.015	0.05	0.015	ND	Pass	Propiconazole	0.006	0.025	0.1	ND	Pass
Diazinon	0.004	0.025	0.1	ND	Pass	Propoxur	0.004	0.025	0.004	ND	Pass
Dichlorvos	0.006	0.025	0.006	ND	Pass	Pyrethrins	0.01	0.042	0.5	ND	Pass
Dimethoate	0.003	0.025	0.003	ND	Pass	Pyridaben	0.004	0.025	0.1	ND	Pass
Dimethomorph	0.004	0.025	2	ND	Pass	Spinetoram	0.005	0.025	0.1	ND	Pass
Ethoprophos	0.003	0.025	0.003	ND	Pass	Spinosad	0.006	0.025	0.1	ND	Pass
Etofenprox	0.005	0.025	0.005	ND	Pass	Spiromesifen	0.005	0.025	0.1	ND	Pass
Etoazole	0.003	0.025	0.1	ND	Pass	Spirotetramat	0.01	0.05	0.1	ND	Pass
Fenhexamid	0.008	0.025	0.1	ND	Pass	Spiroxamine	0.005	0.025	0.005	ND	Pass
Fenoxycarb	0.004	0.025	0.004	ND	Pass	Tebuconazole	0.006	0.025	0.1	ND	Pass
Fenpyroximate	0.006	0.025	0.1	ND	Pass	Thiacloprid	0.004	0.025	0.004	ND	Pass
Fipronil	0.006	0.025	0.006	ND	Pass	Thiamethoxam	0.007	0.025	5	ND	Pass
Fonicamid	0.01	0.05	0.1	ND	Pass	Trifloxystrobin	0.004	0.025	0.1	ND	Pass

Date Tested: 01/26/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory per CCR 4 Division 19 §15730. Residual Pesticides Testing Method: SOP-TM010 & SOP-TM009; Instrument: LCMSTQ & GCMSTQ. Chlordane, Chlorfenapyr, Methyl Parathion, Pentachloronitrobenzene (PCNB) are analyzed using GCMSTQ system.



Levon Antonyan, PhD
 Laboratory Director
 01/27/2026

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com





Magic Melon

METRC Sample: 1A406030006E731000833445; METRC Batch: 1A406030006D6C9000002780

Sample ID: 2601DEC0135.0409	Produced: 01/15/2026	Distributor: SGI Jackson LLC	Producer: SGI Jackson LLC
Strain: Magic Melon	Collected: 01/22/2026		
Matrix: Plant	Received: 01/22/2026		
Type: Enhanced/Infused Flowers	Completed: 01/27/2026	Lic. # C11-0001947-LIC	Lic. # DCC-10005033
Sample Size: 20 units; Batch: 4,160 units	Batch#: ST-40MYLMGM-A1526	2311 S Santa Fe Avenue Los Angeles, CA 90058	2311 S Santa Fe Avenue Los Angeles, CA 90058

Microbials

Pass

Analyte	Limit CFU/g	Results CFU/g	Status
Aspergillus flavus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Not Detected in 1g	Pass
E. Coli	Not Detected in 1g	Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Not Detected in 1g	Pass



Date Tested: 01/27/2026

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Microbial Impurities Testing Method: SOP-TM006; Instrument: PCR



Levon Antonyan, PhD
 Laboratory Director
 01/27/2026

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com





Decano Analytical Laboratories (657) 999-8999
 5608 E. Washington Blvd. http://decanolabs.org
 Commerce, CA 90040 Lic# C8-0000138-LIC

Magic Melon

METRC Sample: 1A406030006E731000833445; METRC Batch: 1A406030006D6C9000002780

Sample ID: 2601DEC0135.0409	Produced: 01/15/2026	Distributor: SGI Jackson LLC	Producer: SGI Jackson LLC
Strain: Magic Melon	Collected: 01/22/2026		
Matrix: Plant	Received: 01/22/2026		
Type: Enhanced/Infused Flowers	Completed: 01/27/2026	Lic. # C11-0001947-LIC	Lic. # DCC-10005033
Sample Size: 20 units; Batch: 4,160 units	Batch#: ST-40MYLMGM-A1526	2311 S Santa Fe Avenue Los Angeles, CA 90058	2311 S Santa Fe Avenue Los Angeles, CA 90058

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.45	5		ND	Tested
B2	1.173	5		ND	Tested
G1	1.543	5		ND	Tested
G2	1.573	5		ND	Tested
Ochratoxin A	3.247	10	20	ND	Pass
Total Aflatoxins	5.739	20	20	ND	Pass



Date Tested: 01/26/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Mycotoxins Testing Method: SOP-TM010; Instrument: LCMSTQ.



Levon Antonyan, PhD
 Laboratory Director
 01/27/2026

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. The Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-TM004; Instrument: Moisture Analyzer. Water Activity Testing: SOP-TM005; Instrument: Water Activity Meter. Foreign Material Testing: SOP-TM002; Visual Inspection. Sampling: QA-SOP-017. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Magic Melon

METRC Sample: 1A406030006E731000833445; METRC Batch: 1A406030006D6C9000002780

Sample ID: 2601DEC0135.0409	Produced: 01/15/2026	Distributor: SGI Jackson LLC	Producer: SGI Jackson LLC
Strain: Magic Melon	Collected: 01/22/2026		
Matrix: Plant	Received: 01/22/2026		
Type: Enhanced/Infused Flowers	Completed: 01/27/2026	Lic. # C11-0001947-LIC	Lic. # DCC-10005033
Sample Size: 20 units; Batch: 4,160 units	Batch#: ST-40MYLMGM-A1526	2311 S Santa Fe Avenue Los Angeles, CA 90058	2311 S Santa Fe Avenue Los Angeles, CA 90058

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.011	0.030	0.2	ND	Pass
Cadmium	0.009	0.030	0.2	ND	Pass
Lead	0.005	0.030	0.5	ND	Pass
Mercury	0.002	0.003	0.1	ND	Pass



Date Tested: 01/23/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Heavy Metals Testing Method: SOP-TM008; Instrument: ICPMS



Levon Antonyan, PhD
 Laboratory Director
 01/27/2026

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



Magic Melon

METRC Sample: 1A406030006E731000833445; METRC Batch: 1A406030006D6C9000002780

Sample ID: 2601DEC0135.0409	Produced: 01/15/2026	Distributor: SGI Jackson LLC	Producer: SGI Jackson LLC
Strain: Magic Melon	Collected: 01/22/2026		
Matrix: Plant	Received: 01/22/2026		
Type: Enhanced/Infused Flowers	Completed: 01/27/2026	Lic. # C11-0001947-LIC	Lic. # DCC-10005033
Sample Size: 20 units; Batch: 4,160 units	Batch#: ST-40MYLMGM-A1526	2311 S Santa Fe Avenue Los Angeles, CA 90058	2311 S Santa Fe Avenue Los Angeles, CA 90058

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.058	0.196	1	ND	Pass
Acetone	6.208	19.532	5000	88.840	Pass
Acetonitrile	11.685	39.062	410	<LOQ	Pass
Benzene	0.080	0.390	1	ND	Pass
Butane	10.714	39.062	5000	ND	Pass
Chloroform	0.135	0.782	1	ND	Pass
Ethanol	16.135	78.126	5000	115.700	Pass
Ethyl-Acetate	8.137	39.062	5000	ND	Pass
Ethyl-Ether	19.243	78.126	5000	ND	Pass
Ethylene Oxide	0.248	0.782	1	ND	Pass
Heptane	3.225	9.772	5000	ND	Pass
Isopropanol	25.720	78.126	5000	96.380	Pass
Methanol	15.766	78.126	3000	<LOQ	Pass
Methylene-Chloride	0.128	0.390	1	ND	Pass
n-Hexane	2.985	9.766	290	ND	Pass
Pentane	9.621	39.062	5000	ND	Pass
Propane	9.917	39.062	5000	ND	Pass
Toluene	8.470	39.062	890	ND	Pass
Trichloroethene	0.060	0.196	1	<LOQ	Pass
Xylenes	1.477	4.883	2170	ND	Pass

Date Tested: 01/23/2026

LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Residual Solvents Testing Method: SOP-TM007; Instrument: GCMSHS



Levon Antonyan, PhD
 Laboratory Director
 01/27/2026

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com

