

Encore Labs 120 W Bellevue Dr. Pasadena, CA 91105

(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

PINK ACAI

METRC Batch: 1A406030006D6C9000001629 METRC Sample: 1A406030006E731000003342 Sample ID: 2502ENC1636_5361 Strain: PINK ACAI Matrix: Plant Type: Enhanced/Infused Flowers Batch#: ST-40MYLPKA-A2425

Produced: 01/24/2025 Collected: 02/10/2025 Received: 02/10/2025 Completed: 02/14/2025 Sample Size: 13 units; Batch: 3,011 units

Distributor SGI Jackson LLC Producer SGI Jackson LLC

Lic. # C11-0001947-LIC 2309 S Santa Fe Avenue, Los Angeles, CA, 90058 Lic. # DCC-10005033 2309 S Santa Fe Avenue Los Angeles, CA 90058



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	02/11/2025	LC-DAD	Complete
Moisture	02/11/2025	Moisture Analyzer	11.81% - Complete
Water Activity	02/11/2025	Water Activity Meter	0.4309 aw - Pass
Pesticides	02/11/2025	LC-MS	Pass
Mycotoxins	02/11/2025	LC-MS	Pass
Residual Solvents	02/13/2025	HS-GC-MS	Pass
Microbial Impurities	02/12/2025	qPCR	Pass
Heavy Metals	02/12/2025	ICP-MS	Pass
Foreign Matter	02/11/2025	Visual Inspection	Pass

Cannabinoids

Method: SOP CA_M-CANNABINOIDS

43.901 %			ND		44.809 %
Total THC		Total CBD			Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	
	mg/g	mg/g	%	mg/g	
THCa	0.302	0.905	33.454	334.54	
Δ9-THC	0.336	1.026	14.562	145.62	
Δ8-THC	0.319	0.957	ND	ND	
THCVa	0.302	0.923	0.168	1.68	
THCV	0.310	0.940	ND	ND	
CBDa	0.328	0.983	ND	ND	
CBD	0.336	1.026	ND	ND	
CBN	0.328	1.000	<loq< td=""><td><loq< td=""><td></td></loq<></td></loq<>	<loq< td=""><td></td></loq<>	
CBGa	0.336	1.026	0.178	1.78	
CBG	0.319	0.974	0.398	3.98	
CBCa	0.293	0.888	0.234	2.34	
CBC	0.328	0.983	ND	ND	
Total THC			43.901	439.01	
Total CBD			ND	ND	
Total Cannabinoids			44.809	448.09	
Sum of Cannabinoids			48.995	489.95	

1 Unit = 7g;

Total THC = THCa * $0.877 + \Delta 9$ -THC + $\Delta 8$ -THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA_M-FOREIGN; Moisture and Water Activity Method: SOP CA_M-WATER



Dath Ma Mary Beth Smith Compliance Manager | 02/14/2025



Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



Encore Labs 120 W Bellevue Dr. Pasadena, CA 91105

(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

PINK ACAI

METRC Batch: 1A406030006D6C9000001629 METRC Sample: 1A406030006E731000003342 Sample ID: 2502ENC1636_5361 Strain: PINK ACAI Matrix: Plant Type: Enhanced/Infused Flowers Batch#: ST-40MYLPKA-A2425

Produced: 01/24/2025 Collected: 02/10/2025 Received: 02/10/2025 Completed: 02/14/2025 Sample Size: 13 units; Batch: 3,011 units 2309 S Santa Fe Avenue,

Distributor SGI Jackson LLC

Producer SGI Jackson LLC

Lic. # C11-0001947-LIC Los Angeles, CA, 90058

Lic. # DCC-10005033 2309 S Santa Fe Avenue Los Angeles, CA 90058

Pesticides

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.019	0.056	0.1	ND	Pass	Fludioxonil	0.011	0.034	0.1	ND	Pass
Acephate	0.006	0.02	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl	0.0089	0.0268	0.1	ND	Pass	Imazalil	0.021	0.064	0.021	ND	Pass
Acetamiprid	0.006	0.018	0.1	ND	Pass	Imidacloprid	0.009	0.026	5	ND	Pass
Aldicarb	0.031	0.095	0.031	ND	Pass	Kresoxim Methyl	0.015	0.044	0.1	ND	Pass
Azoxystrobin	0.006	0.017	0.1	ND	Pass	Malathion	0.008	0.023	0.5	ND	Pass
Bifenazate	0.01	0.03	0.1	ND	Pass	Metalaxyl	0.007	0.021	2	ND	Pass
Bifenthrin	0.049	0.15	3	ND	Pass	Methiocarb	0.015	0.044	0.015	ND	Pass
Boscalid	0.01	0.031	0.1	ND	Pass	Methomyl	0.017	0.051	1	ND	Pass
Captan	0.05	0.1516	0.7	ND	Pass	Parathion Methyl	0.0157	0.0477	0.0157	ND	Pass
Carbaryl	0.022	0.065	0.5	ND	Pass	Mevinphos	0.024	0.072	0.024	ND	Pass
Carbofuran	0.017	0.051	0.017	ND	Pass	Myclobutanil	0.011	0.033	0.1	ND	Pass
Chlorantraniliprole	0.011	0.034	10	ND	Pass	Naled	0.026	0.078	0.1	ND	Pass
Chlordane	0.0099	0.03	0.0099	ND	Pass	Oxamyl	0.014	0.044	0.5	ND	Pass
Chlorfenapyr	0.0316	0.0957	0.0316	ND	Pass	Paclobutrazol	0.033	0.099	0.033	ND	Pass
Chlorpyrifos	0.024	0.073	0.024	ND	Pass	PCNB	0.0133	0.0403	0.1	ND	Pass
Clofentezine	0.011	0.034	0.1	ND	Pass	Permethrin	0.013	0.039	0.5	ND	Pass
Coumaphos	0.028	0.084	0.028	ND	Pass	Phosmet	0.006	0.018	0.1	ND	Pass
Cyfluthrin	0.0243	0.0736	2	ND	Pass	Piperonyl Butoxide	0.008	0.025	3	ND	Pass
Cypermethrin	0.0409	0.124	1	ND	Pass	Prallethrin	0.01	0.03	0.1	ND	Pass
Daminozide	0.023	0.069	0.023	ND	Pass	Propiconazole	0.009	0.028	0.1	ND	Pass
Diazinon	0.008	0.024	0.1	ND	Pass	Propoxur	0.02	0.061	0.02	ND	Pass
Dichlorvos	0.017	0.051	0.017	ND	Pass	Pyrethrins	0.02	0.059	0.5	ND	Pass
Dimethoate	0.02	0.059	0.02	ND	Pass	Pyridaben	0.01	0.03	0.1	ND	Pass
Dimethomorph	0.01	0.03	2	ND	Pass	Spinetoram	0.012	0.037	0.1	ND	Pass
Ethoprophos	0.016	0.048	0.016	ND	Pass	Spinosad	0.01	0.032	0.1	ND	Pass
Etofenprox	0.027	0.082	0.027	ND	Pass	Spiromesifen	0.011	0.033	0.1	ND	Pass
Etoxazole	0.006	0.017	0.1	ND	Pass	Spirotetramat	0.018	0.054	0.1	ND	Pass
Fenhexamid	0.013	0.04	0.1	ND	Pass	Spiroxamine	0.01	0.03	0.01	ND	Pass
Fenoxycarb	0.012	0.037	0.012	ND	Pass	Tebuconazole	0.014	0.042	0.1	ND	Pass
Fenpyroximate	0.003	0.01	0.1	ND	Pass	Thiacloprid	0.01	0.031	0.01	ND	Pass
Fipronil	0.021	0.063	0.021	ND	Pass	Thiamethoxam	0.013	0.039	5	ND	Pass
Flonicamid	0.017	0.051	0.1	ND	Pass	Trifloxystrobin	0.004	0.011	0.1	ND	Pass

Date Tested: 02/11/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Ma Mary Beth Smith Compliance Manager | 02/14/2025



Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

PINK ACAI

METRC Batch: 1A406030006D6C9000001629 METRC Sample: 1A406030006E731000003342 Sample ID: 2502ENC1636_5361 Strain: PINK ACAI Matrix: Plant Type: Enhanced/Infused Flowers Batch#: ST-40MYLPKA-A2425

Produced: 01/24/2025 Collected: 02/10/2025 Received: 02/10/2025 Completed: 02/14/2025 Sample Size: 13 units; Batch: 3,011 units 2309 S Santa Fe Avenue,

Distributor SGI Jackson LLC

Producer SGI Jackson LLC

Lic. # C11-0001947-LIC Los Angeles, CA, 90058

Lic. # DCC-10005033 2309 S Santa Fe Avenue Los Angeles, CA 90058

Mycotoxins Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.60	4.84		ND	Tested
Aflatoxin B2	2.17	6.57		ND	Tested
Aflatoxin G1	1.35	4.09		ND	Tested
Aflatoxin G2	1.33	4.04		ND	Tested
Ochratoxin A	2.70	8.10	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 02/11/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: SOP CA M-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	3.37	10.20	5000	ND	Pass
Acetonitrile	1.80	5.45	410	ND	Pass
Benzene	0.11	0.33	1	ND	Pass
Butane	2.31	7.01	5000	ND	Pass
Chloroform	0.21	0.65	1	ND	Pass
Ethanol	2.82	8.54	5000	114.12	Pass
Ethyl acetate	2.10	6.36	5000	53.79	Pass
Ethyl ether	1.93	5.86	5000	ND	Pass
Ethylene Oxide	0.31	0.94	1	ND	Pass
Heptane	2.18	6.61	5000	ND	Pass
Hexane	2.22	6.74	290	ND	Pass
Isopropyl alcohol	2.19	6.64	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Methanol	2.28	6.90	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.30	1	ND	Pass
Pentane	2.39	7.25	5000	ND	Pass
Propane	2.33	7.05	5000	ND	Pass
Toluene	0.59	1.79	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	13.51	40.94	2170	ND	Pass
Trichloroethylene	0.18	0.54	1	ND	Pass

Date Tested: 02/13/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mary Beth Smith Compliance Manager | 02/14/2025



Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

PINK ACAI

METRC Batch: 1A406030006D6C9000001629 METRC Sample: 1A406030006E731000003342 Sample ID: 2502ENC1636_5361 Strain: PINK ACAI Matrix: Plant Type: Enhanced/Infused Flowers Batch#: ST-40MYLPKA-A2425

Produced: 01/24/2025 Collected: 02/10/2025 Received: 02/10/2025 Completed: 02/14/2025 Sample Size: 13 units; Batch: 3,011 units 2309 S Santa Fe Avenue,

Distributor SGI Jackson LLC

Producer SGI Jackson LLC

Lic. # C11-0001947-LIC Los Angeles, CA, 90058

Lic. # DCC-10005033 2309 S Santa Fe Avenue Los Angeles, CA 90058

Microbial Impurities Mothod SOD CA MMICDODIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 02/12/2025

Heavy Metals

Method:	SOP CA	M-HEAVYMETALS	

	ALO				
Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.033	0.099	0.200	ND	Pass
Cadmium	0.028	0.085	0.200	ND	Pass
Lead	0.049	0.147	0.500	ND	Pass
Mercury	0.015	0.045	0.100	ND	Pass

Date Tested: 02/12/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.