



Sour Strawberry

METRC Sample: 1A40603000070EA000485427; METRC Batch: 1A406030006D6C9000000139

Sample ID: 2408DEC1133.3025

Produced: 08/15/2024

Distributor

Producer

Strain: Sour Strawberry

Collected: 08/19/2024

Ironworks Collective, Inc

SGI Jackson LLC

Matrix: Ingestible

Received: 08/19/2024

Lic. # C11-0000620-LIC

Lic. # DCC-10005033

Type: Soft Chew

Completed: 08/22/2024

718 E. Commercial St.

2309 S Santa Fe Ave. Los Angeles, CA

Sample Size: 32 units; Batch: 10,500 units

Batch#: ST-EDB-SSB-H1424-D

Los Angeles, CA 90012

90058



Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	08/20/2024	Pass
Water Activity	08/19/2024	0.72 aw - Pass
Residual Solvents	08/20/2024	Pass
Microbials	08/20/2024	Pass
Mycotoxins	08/22/2024	Pass
Pesticides	08/22/2024	Pass
Heavy Metals	08/20/2024	Pass
Foreign Matter	08/19/2024	Pass

Cannabinoids

Pass

10.053 mg/serving	<LOQ	10.445 mg/serving
Total THC	Total CBD	Total (neutral) Cannabinoids

Analyte	LOD	LOQ	Results	Results	Results	Results
	mg/g	mg/g	%	mg/g	mg/serving	mg/container
THCa	0.0050	0.0100	ND	ND	ND	ND
Δ^9 -THC	0.0050	0.0100	0.402	4.021	10.053	100.525
Δ^8 -THC	0.0050	0.0100	ND	ND	ND	ND
THCV	0.0050	0.0100	0.002	0.022	0.055	0.550
CBDa	0.0050	0.0100	ND	ND	ND	ND
CBD	0.0050	0.0100	<LOQ	<LOQ	<LOQ	<LOQ
CBDV	0.0050	0.0100	ND	ND	ND	ND
CBN	0.0050	0.0100	0.002	0.018	0.045	0.450
CBGa	0.0050	0.0100	ND	ND	ND	ND
CBG	0.0050	0.0100	0.010	0.100	0.250	2.500
CBC	0.0050	0.0100	0.002	0.017	0.043	0.425
Total THC			0.402	4.021	10.053	100.525
Total CBD			<LOQ	<LOQ	<LOQ	<LOQ
Total (neutral) Cannabinoids			0.418	4.178	10.445	104.450

Date Tested: 08/20/2024

10 servings per container.

Total THC = THCa * 0.877 + Δ^9 -THC; Total CBD = CBDa * 0.877 + CBD; Total (neutral) Cannabinoids = CBDV + THCV + CBD + (CBDa x 0.877) + CBG + (CBGa x 0.877) + CBN + Δ^9 -THC + (THCa x 0.877) + Δ^8 -THC + CBC; LOD = Limit of Detection; LOQ = Limit of Quantitation; ND = Not Detected; NR = Not Reported; NT = Not Tested; The result is reported based on dry weight considering sample weight and the applicable moisture content for that sample for all plant matrix samples; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 section 15730. Cannabinoids Testing Method: SOP-TM001, SOP-TM003 (for plant and non-infused pre-roll categories/matrices only). Instrument: HPLC-PDA.



Levon Antonyan, PhD
 Laboratory Director
 08/22/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com





Sour Strawberry

METRC Sample: 1A40603000070EA000485427; METRC Batch: 1A406030006D6C9000000139

Sample ID: 2408DEC1133.3025	Produced: 08/15/2024	Distributor: Ironworks Collective, Inc	Producer: SGI Jackson LLC
Strain: Sour Strawberry	Collected: 08/19/2024	Lic. # C11-0000620-LIC	Lic. # DCC-10005033
Matrix: Ingestible	Received: 08/19/2024	718 E. Commercial St.	2309 S Santa Fe Ave. Los Angeles, CA
Type: Soft Chew	Completed: 08/22/2024	Los Angeles, CA 90012	90058
Sample Size: 32 units; Batch: 10,500 units	Batch#: ST-EDB-SSB-H1424-D		

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.0208	0.0625	0.1	ND	Pass	Fludioxonil	0.0208	0.0625	0.1	ND	Pass
Acephate	0.0208	0.0625	0.1	ND	Pass	Hexythiazox	0.0208	0.0625	0.1	ND	Pass
Acequinocyl	0.0208	0.0625	0.1	ND	Pass	Imazalil	0.0208	0.0625	0.0208	ND	Pass
Acetamiprid	0.0208	0.0625	0.1	ND	Pass	Imidacloprid	0.0208	0.0625	5	ND	Pass
Aldicarb	0.0208	0.0625	0.0208	ND	Pass	Kresoxim Methyl	0.0208	0.0625	0.1	ND	Pass
Azoxystrobin	0.0208	0.0625	0.1	ND	Pass	Malathion	0.0208	0.0625	0.5	ND	Pass
Bifenazate	0.0208	0.0625	0.1	ND	Pass	Metalaxyl	0.0208	0.0625	2	ND	Pass
Bifenthrin	0.0208	0.0625	3	ND	Pass	Methiocarb	0.0208	0.0625	0.0208	ND	Pass
Boscalid	0.0208	0.0625	0.1	ND	Pass	Methomyl	0.0208	0.0625	1	ND	Pass
Captan	0.208	0.625	0.7	ND	Pass	Mevinphos	0.0208	0.0625	0.0208	ND	Pass
Carbaryl	0.0208	0.0625	0.5	ND	Pass	Myclobutanil	0.0208	0.0625	0.1	ND	Pass
Carbofuran	0.0208	0.0625	0.0208	ND	Pass	Naled	0.0208	0.0625	0.1	ND	Pass
Chlorantraniliprole	0.0208	0.0625	10	ND	Pass	Oxamyl	0.0208	0.0625	0.5	ND	Pass
Chlordane	0.0208	0.0625	0.0208	ND	Pass	Pacllobutrazol	0.0208	0.0625	0.0208	ND	Pass
Chlorfenapyr	0.0208	0.0625	0.0208	ND	Pass	Parathion Methyl	0.0208	0.0625	0.0208	ND	Pass
Chlorpyrifos	0.0208	0.0625	0.0208	ND	Pass	Pentachloronitrobenzene	0.0208	0.0625	0.1	ND	Pass
Clofentezine	0.0208	0.0625	0.1	ND	Pass	Permethrin	0.0208	0.0625	0.5	ND	Pass
Coumaphos	0.0208	0.0625	0.0208	ND	Pass	Phosmet	0.0208	0.0625	0.1	ND	Pass
Cyfluthrin	0.0208	0.0625	2	ND	Pass	Piperonyl Butoxide	0.0208	0.0625	3	ND	Pass
Cypermethrin	0.0208	0.0625	1	ND	Pass	Prallethrin	0.0208	0.0625	0.1	ND	Pass
Daminozide	0.0208	0.0625	0.0208	ND	Pass	Propiconazole	0.0208	0.0625	0.1	ND	Pass
Diazinon	0.0208	0.0625	0.1	ND	Pass	Propoxur	0.0208	0.0625	0.0208	ND	Pass
Dichlorvos	0.0208	0.0625	0.0208	ND	Pass	Pyrethrins	0.0208	0.0625	0.5	ND	Pass
Dimethoate	0.0208	0.0625	0.0208	ND	Pass	Pyridaben	0.0208	0.0625	0.1	ND	Pass
Dimethomorph	0.0208	0.0625	2	ND	Pass	Spinetoram	0.0208	0.0625	0.1	ND	Pass
Ethoprophos	0.0208	0.0625	0.0208	ND	Pass	Spinosad	0.0208	0.0625	0.1	ND	Pass
Etofenprox	0.0208	0.0625	0.0208	ND	Pass	Spiromesifen	0.0208	0.0625	0.1	ND	Pass
Etoxazole	0.0208	0.0625	0.1	ND	Pass	Spirotetramat	0.0208	0.0625	0.1	ND	Pass
Fenhexamid	0.0208	0.0625	0.1	ND	Pass	Spiroxamine	0.0208	0.0625	0.0208	ND	Pass
Fenoxycarb	0.0208	0.0625	0.0208	ND	Pass	Tebuconazole	0.0208	0.0625	0.1	ND	Pass
Fenpyroximate	0.0208	0.0625	0.1	ND	Pass	Thiacloprid	0.0208	0.0625	0.0208	ND	Pass
Fipronil	0.0208	0.0625	0.0208	ND	Pass	Thiamethoxam	0.0208	0.0625	5	ND	Pass
Fonicamid	0.0208	0.0625	0.1	ND	Pass	Trifloxystrobin	0.0208	0.0625	0.1	ND	Pass

Date Tested: 08/22/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory per CCR 4 Division 19 §15730. Residual Pesticides Testing Method: SOP-020, SOP-022, SOP-040, SOP-044, SOP-045, SOP-046, SOP-050, SOP-055, SOP-058, SOP-068, SOP-072, SOP-131, SOP-132, SOP-135; Instrument: LCMSTQ & GCMSTQ. Captan, Chlordane, Chlorfenapyr, Methyl Parathion, Pentachloronitrobenzene (PCNB) are analyzed using GCMSTQ system.



Levon Antonyan, PhD
 Laboratory Director
 08/22/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com





Sour Strawberry

METRC Sample: 1A40603000070EA000485427; METRC Batch: 1A406030006D6C9000000139

Sample ID: 2408DEC1133.3025	Produced: 08/15/2024	Distributor: Ironworks Collective, Inc	Producer: SGI Jackson LLC
Strain: Sour Strawberry	Collected: 08/19/2024	Lic. # C11-0000620-LIC	Lic. # DCC-10005033
Matrix: Ingestible	Received: 08/19/2024	718 E. Commercial St.	2309 S Santa Fe Ave. Los Angeles, CA
Type: Soft Chew	Completed: 08/22/2024	Los Angeles, CA 90012	90058
Sample Size: 32 units; Batch: 10,500 units	Batch#: ST-EDB-SSB-H1424-D		

Microbials

Pass

Analyte	Limit	Results	Status
E. Coli	CFU/g Not Detected in 1g	CFU/g Not Detected in 1g	Pass
Salmonella SPP	Not Detected in 1g	Not Detected in 1g	Pass



Date Tested: 08/20/2024

TNTC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Microbial Impurities Testing Method: SOP-101, SOP-102, SOP-103, SOP-104, SOP-117, SOP-118, SOP-119, SOP-120, SOP-121; Instrument: PCR



Levon Antonyan, PhD
 Laboratory Director
 08/22/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Sour Strawberry

METRC Sample: 1A40603000070EA000485427; METRC Batch: 1A406030006D6C9000000139

Sample ID: 2408DEC1133.3025	Produced: 08/15/2024	Distributor	Producer
Strain: Sour Strawberry	Collected: 08/19/2024	Ironworks Collective, Inc	SGI Jackson LLC
Matrix: Ingestible	Received: 08/19/2024		
Type: Soft Chew	Completed: 08/22/2024	Lic. # C11-0000620-LIC	Lic. # DCC-10005033
Sample Size: 32 units; Batch: 10,500 units	Batch#: ST-EDB-SSB-H1424-D	718 E. Commercial St. Los Angeles, CA 90012	2309 S Santa Fe Ave. Los Angeles, CA 90058

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	0.83	2.5		ND	Tested
B2	0.83	2.5		ND	Tested
G1	0.83	2.5		ND	Tested
G2	0.83	2.5		ND	Tested
Ochratoxin A	0.83	2.5	20	ND	Pass
Total Aflatoxins	3.33	10	20	ND	Pass



Date Tested: 08/22/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Mycotoxins Testing Method: SOP-020, SOP-022, SOP-040, SOP-046, SOP-050, SOP-055, SOP-058, SOP-068, SOP-072, SOP-131, SOP-132, SOP-135; Instrument: LCMSTQ



Levon Antonyan, PhD
 Laboratory Director
 08/22/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Sour Strawberry

METRC Sample: 1A40603000070EA000485427; METRC Batch: 1A406030006D6C9000000139

Sample ID: 2408DEC1133.3025	Produced: 08/15/2024	Distributor: Ironworks Collective, Inc	Producer: SGI Jackson LLC
Strain: Sour Strawberry	Collected: 08/19/2024	Lic. # C11-0000620-LIC	Lic. # DCC-10005033
Matrix: Ingestible	Received: 08/19/2024	718 E. Commercial St.	2309 S Santa Fe Ave. Los Angeles, CA
Type: Soft Chew	Completed: 08/22/2024	Los Angeles, CA 90012	90058
Sample Size: 32 units; Batch: 10,500 units	Batch#: ST-EDB-SSB-H1424-D		

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
Arsenic	0.01	0.025	1.5	0.0392	Pass
Cadmium	0.01	0.025	0.5	ND	Pass
Lead	0.5	0.025	0.5	ND	Pass
Mercury	0.001	0.0025	3	<LOQ	Pass



Date Tested: 08/20/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Residual Solvents Testing Method: SOP-020, SOP-022, SOP-037, SOP-058, SOP-065, SOP-134, SOP-135; Instrument: ICPMS



Levon Antonyan, PhD
 Laboratory Director
 08/22/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.



Sour Strawberry

METRC Sample: 1A40603000070EA000485427; METRC Batch: 1A406030006D6C9000000139

Sample ID: 2408DEC1133.3025	Produced: 08/15/2024	Distributor: Ironworks Collective, Inc	Producer: SGI Jackson LLC
Strain: Sour Strawberry	Collected: 08/19/2024		
Matrix: Ingestible	Received: 08/19/2024		
Type: Soft Chew	Completed: 08/22/2024	Lic. # C11-0000620-LIC	Lic. # DCC-10005033
Sample Size: 32 units; Batch: 10,500 units	Batch#: ST-EDB-SSB-H1424-D	718 E. Commercial St. Los Angeles, CA 90012	2309 S Santa Fe Ave. Los Angeles, CA 90058

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.39	0.782	1	ND	Pass
Acetone	4.882	9.766	5000	<LOQ	Pass
Acetonitrile	19.532	78.126	410	ND	Pass
Benzene	0.39	0.782	1	ND	Pass
Butane	4.882	9.766	5000	ND	Pass
Chloroform	0.39	0.782	1	ND	Pass
Ethanol	19.532	78.126	5000	128.400	Pass
Ethyl-Acetate	9.766	39.062	5000	230.860	Pass
Ethyl-Ether	4.882	9.766	5000	ND	Pass
Ethylene Oxide	0.39	0.782	1	ND	Pass
Heptane	4.882	9.766	5000	ND	Pass
Isopropanol	19.532	78.126	5000	ND	Pass
Methanol	19.532	78.126	3000	ND	Pass
Methylene-Chloride	0.39	0.782	1	ND	Pass
n-Hexane	4.882	9.766	290	ND	Pass
Pentane	4.882	9.766	5000	ND	Pass
Propane	9.766	39.062	5000	ND	Pass
Toluene	4.882	9.766	890	ND	Pass
Trichloroethene	0.39	0.782	1	ND	Pass
Xylenes	9.766	19.532	2170	ND	Pass



Date Tested: 08/20/2024

LOQ = Limit of Quantitation; ND = Not Detected; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory in accordance with CCR 4 Division 19 §15730. Residual Solvents Testing Method: SOP-020, SOP-022, SOP-058, SOP-070, SOP-078, SOP-079, SOP-133, SOP-135; Instrument: GCMSHS



Levon Antonyan, PhD
 Laboratory Director
 08/22/2024

Confident LIMS
 All Rights Reserved
 coa.support@confidentlims.com
 (866) 506-5866
 www.confidentlims.com



VK Labs LLC dba Decano Analytical Laboratories. All LQC ran in accordance with CCR 4 Division 19 §15730. Laboratory Decision Rule for Measurement Uncertainty is Simple Acceptance. Moisture Content Testing: SOP-020, SOP-074; Instrument: Moisture Analyzer. Water Activity Testing: SOP-020, SOP-058, SOP-075, SOP-076, SOP-135, SOP-137, SOP-138; Instrument: Water Activity Meter. Foreign Material Testing: SOP-066; Visual Inspection. Sampling: SOP-018, SOP-051. This product has been tested by VK Labs LLC dba Decano Analytical Laboratories, using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. VK Labs LLC dba Decano Analytical Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of VK Labs LLC dba Decano Analytical Laboratories.