

(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

Apple Fritter

METRC Batch: 1A406030000678A000030739 METRC Sample: 1A40603000070EA000483206

Sample ID: 2503ENC3555_1150

Strain: Apple Fritter Matrix: Concentrates & Extracts Type: Distillate Batch#: ST-ORG-APF-C2125 Produced: 03/21/2025

Collected: 03/26/2025 Received: 03/26/2025 Completed: 03/28/2025 Sample Size: 32 units; Batch: 22,887 units Distributor Ironworks Collective, Inc

Producer Ironworks Collective, Inc

Lic. # C11-0000620-LIC 718 E. Commercial St., Los Angeles, CA, 90012 Lic. # CDPH-10003246 718 E. Commercial St. Los Angeles, CA 90012



Summary

Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	03/26/2025	LC-DAD	Pass
Pesticides	03/26/2025	LC-MS	Pass
Mycotoxins	03/26/2025	LC-MS	Pass
Residual Solvents	03/26/2025	HS-GC-MS	Pass
Microbial Impurities	03/27/2025	qPCR	Pass
Heavy Metals	03/27/2025	ICP-MS	Pass
Foreign Matter	03/26/2025	Visual Inspection	Pass

Cannabinoids

Method: SOP CA_M-CANNABINOIDS

89.015 %			0.257 %			93.528 %
Total THC			Total (CBD		Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	
THCa	0.277	0.832	ND	ND	ND	
Δ9-THC	0.309	0.943	89.015	890.15	890.15	
Δ8-THC	0.293	0.879	ND	ND	ND	
THCVa	0.277	0.848	ND	ND	ND	
THCV	0.285	0.863	0.570	5.70	5.70	
CBDa	0.301	0.903	ND	ND	ND	
CBD	0.309	0.943	0.257	2.57	2.57	
CBN	0.301	0.919	0.474	4.74	4.74	
CBGa	0.309	0.943	ND	ND	ND	
CBG	0.293	0.895	2.455	24.55	24.55	
CBCa	0.269	0.816	ND	ND	ND	
СВС	0.301	0.903	0.758	7.58	7.58	
Total THC			89.015	890.15	890.15	
Total CBD			0.257	2.57	2.57	
Total Cannabinoids			93.528	935.28	935.28	
Sum of Cannabinoids			93.528	935.28	935.28	

1 Unit = 1g;

Total THC = THCa * $0.877 + \Delta 9$ -THC + $\Delta 8$ -THC; Total CBD = CBDa * 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms * 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA_M-FOREIGN; Moisture and Water Activity Method: SOP CA_M-WATER



Darth Ma Mary Beth Smith Compliance Manager | 03/28/2025



Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

Apple Fritter

METRC Batch: 1A406030000678A000030739 METRC Sample: 1A40603000070EA000483206

Sample ID: 2503ENC3555_1150 Strain: Apple Fritter Matrix: Concentrates & Extracts

Type: Distillate Batch#: ST-ORG-APF-C2125

Pesticides

Method: SOP CA_M-PESTMYCOLCMS

Method: SOP CA_M-P Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
<u> </u>	µg/g	µg/g	µg/g	µg/g		,	µg/g	µg/g	µg/g	µg/g	
Abamectin	0.019	0.056	0.1	ND	Pass	Fludioxonil	0.011	0.034	0.1	ND	Pass
Acephate	0.006	0.02	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl	0.0089	0.0268	0.1	ND		Imazalil	0.021	0.064	0.021	ND	Pass
Acetamiprid	0.006	0.018	0.1	ND	Pass	Imidacloprid	0.009	0.026	5	ND	Pass
Aldicarb	0.031	0.095	0.031	ND	Pass	Kresoxim Methyl	0.015	0.044	0.1	ND	Pass
Azoxystrobin	0.006	0.017	0.1	ND	Pass	Malathion	0.008	0.023	0.5	ND	Pass
Bifenazate	0.01	0.03	0.1	<loq< td=""><td>Pass</td><td>Metalaxyl</td><td>0.007</td><td>0.021</td><td>2</td><td>ND</td><td>Pass</td></loq<>	Pass	Metalaxyl	0.007	0.021	2	ND	Pass
Bifenthrin	0.049	0.15	3	ND	Pass	Methiocarb	0.015	0.044	0.015	ND	Pass
Boscalid	0.01	0.031	0.1	ND	Pass	Methomyl	0.017	0.051	1	ND	Pass
Captan	0.05	0.1516	0.7	ND	Pass	Parathion Methyl	0.0157	0.0477	0.0157	ND	Pass
Carbaryl	0.022	0.065	0.5	ND	Pass	Mevinphos	0.024	0.072	0.024	ND	Pass
Carbofuran	0.017	0.051	0.017	ND	Pass	Myclobutanil	0.011	0.033	0.1	ND	Pass
Chlorantraniliprole	0.011	0.034	10	ND	Pass	Naled	0.026	0.078	0.1	ND	Pass
Chlordane	0.0099	0.03	0.0099	ND	Pass	Oxamyl	0.014	0.044	0.5	ND	Pass
Chlorfenapyr	0.0316	0.0957	0.0316	ND	Pass	Paclobutrazol	0.033	0.099	0.033	ND	Pass
Chlorpyrifos	0.024	0.073	0.024	ND	Pass	PCNB	0.0133	0.0403	0.1	ND	Pass
Clofentezine	0.011	0.034	0.1	ND	Pass	Permethrin	0.013	0.039	0.5	ND	Pass
Coumaphos	0.028	0.084	0.028	ND	Pass	Phosmet	0.006	0.018	0.1	ND	Pass
Cyfluthrin	0.0243	0.0736	2	ND	Pass	Piperonyl Butoxide	0.008	0.025	3	ND	Pass
Cypermethrin	0.0409	0.124	1	ND	Pass	Prallethrin	0.01	0.03	0.1	ND	Pass
Daminozide	0.023	0.069	0.023	ND	Pass	Propiconazole	0.009	0.028	0.1	ND	Pass
Diazinon	0.008	0.024	0.1	ND		Propoxur	0.02	0.061	0.02	ND	Pass
Dichlorvos	0.017	0.051	0.017	ND	Pass	Pyrethrins	0.02	0.059	0.5	ND	Pass
Dimethoate	0.02	0.059	0.02	ND	Pass	Pyridaben	0.01	0.03	0.1	ND	Pass
Dimethomorph	0.01	0.03	2	ND		Spinetoram	0.012	0.037	0.1	ND	Pass
Ethoprophos	0.016	0.048	0.016	ND	Pass	Spinosad	0.01	0.032	0.1	ND	Pass
Etofenprox	0.027	0.082	0.027	ND	Pass	Spiromesifen	0.011	0.033	0.1	ND	Pass
Etoxazole	0.006	0.017	0.1	ND	Pass	Spirotetramat	0.018	0.054	0.1	ND	Pass
Fenhexamid	0.013	0.04	0.1	ND	Pass	Spiroxamine	0.01	0.03	0.01	ND	Pass
Fenoxycarb	0.012	0.037	0.012	ND	Pass	Tebuconazole	0.014	0.042	0.1	ND	Pass
Fenpyroximate	0.003	0.01	0.1	ND	Pass	Thiacloprid	0.01	0.031	0.01	ND	Pass
Fipronil	0.021	0.063	0.021	ND		Thiamethoxam	0.013	0.039	5	ND	Pass
Flonicamid	0.017	0.051	0.1	ND	Pass	Trifloxystrobin	0.004	0.011	0.1	ND	Pass

Date Tested: 03/26/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Dath Ma Mary Beth Smith Compliance Manager | 03/28/2025



Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.

Produced: 03/21/2025

Collected: 03/26/2025 Received: 03/26/2025 Completed: 03/28/2025 Sample Size: 32 units; Batch: 22,887 units

 Distributor
 Producer

 Ironworks Collective,
 Ironworks Collective,

 Lic. # C11-0000620-LIC
 Lic. # CDPH-10003246

718 E. Commercial St., Los Angeles, CA, 90012 Lic. # CDPH-10003246 718 E. Commercial St. Los Angeles, CA 90012



(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

Produced: 03/21/2025

Collected: 03/26/2025

Received: 03/26/2025

Completed: 03/28/2025

Sample Size: 32 units; Batch: 22,887 units

Producer

Ironworks Collective,

Lic. # CDPH-10003246

718 E. Commercial St.

Los Angeles, CA 90012

Distributor

Ironworks Collective,

Lic. # C11-0000620-LIC

718 E. Commercial St.,

Los Angeles, CA, 90012

Apple Fritter

METRC Batch: 1A406030000678A000030739 METRC Sample: 1A40603000070EA000483206

Sample ID: 2503ENC3555_1150

Strain: Apple Fritter Matrix: Concentrates & Extracts Type: Distillate Batch#: ST-ORG-APF-C2125

Mycotoxins

Method: SOP CA_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/kg	µg/kg	µg/kg	µg/kg	
Aflatoxin B1	1.60	4.84		ND	Tested
Aflatoxin B2	2.17	6.57		ND	Tested
Aflatoxin G1	1.35	4.09		ND	Tested
Aflatoxin G2	1.33	4.04		ND	Tested
Ochratoxin A	2.70	8.10	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 03/26/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

Residual Solvents

Method: SOP CA M-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	3.37	10.20	5000	ND	Pass
Acetonitrile	1.80	5.45	410	ND	Pass
Benzene	0.11	0.33	1	ND	Pass
Butane	2.31	7.01	5000	ND	Pass
Chloroform	0.21	0.65	1	ND	Pass
Ethanol	2.82	8.54	5000	14.84	Pass
Ethyl acetate	2.10	6.36	5000	105.26	Pass
Ethyl ether	1.93	5.86	5000	ND	Pass
Ethylene Oxide	0.31	0.94	1	ND	Pass
Heptane	2.18	6.61	5000	ND	Pass
Hexane	2.22	6.74	290	ND	Pass
Isopropyl alcohol	2.19	6.64	5000	ND	Pass
Methanol	2.28	6.90	3000	<loq< td=""><td>Pass</td></loq<>	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.30	1	ND	Pass
Pentane	2.39	7.25	5000	ND	Pass
Propane	2.33	7.05	5000	ND	Pass
Toluene	0.59	1.79	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	13.51	40.94	2170	ND	Pass
Trichloroethylene	0.18	0.54	1	ND	Pass

Date Tested: 03/26/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Ma Mary Beth Smith Compliance Manager | 03/28/2025



Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.



(626) 696-3086 https://encorelabs.com Lic# C8-0000179-LIC

Produced: 03/21/2025

Collected: 03/26/2025

Received: 03/26/2025

Completed: 03/28/2025

Sample Size: 32 units; Batch: 22,887 units

Producer

Ironworks Collective,

Lic. # CDPH-10003246

718 E. Commercial St.

Los Angeles, CA 90012

Distributor

Ironworks Collective,

Lic. # C11-0000620-LIC

718 E. Commercial St.,

Los Angeles, CA, 90012

Apple Fritter

METRC Batch: 1A406030000678A000030739 METRC Sample: 1A40603000070EA000483206

Sample ID: 2503ENC3555_1150

Strain: Apple Fritter Matrix: Concentrates & Extracts Type: Distillate

Batch#: ST-ORG-APF-C2125

Microbial Impurities

Method: SOP CA_M-MICROBIALS		
Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass
Date Tested: 03/27/2025		

Heavy Metals

Method: SOP CA_M-HEAVYME IALS					
Analytes	LOD	LOQ	Limit	Result	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.033	0.099	0.200	ND	Pass
Cadmium	0.028	0.085	0.200	ND	Pass
Lead	0.049	0.147	0.500	ND	Pass
Mercury	0.015	0.045	0.100	ND	Pass

Date Tested: 03/27/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Mn Mary Beth Smith Compliance Manager | 03/28/2025



Samples obtained per method: SOP CA_SUP-SAMPLING. All Laboratory Quality Control samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730. Values reported relate only to the product tested. Encore Labs makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Encore Labs.