

**ANALYZED BY:**

 Anresco Laboratories  
 1375 Van Dyke Avenue,  
 San Francisco, CA 94124  
 C8-0000052-LIC

**DISTRIBUTOR:**

 EPIC PROS ENTERPRISES INC.  
 1250 HARTER AVE SUITE C  
 WOODLAND 95776  
 C11-0001185-LIC

**MANUFACTURER:**

 EPIC PROS ENTERPRISES INC.  
 1230 Harter Ave.  
 Woodland 95776  
 DCC-10003710

**SAMPLE INFORMATION**

**Sample No.:** 1385215  
**Product Name:** FLY:Uncle Arnie's Iced Tea Lemonade - 12oz Can  
**Matrix:** Edible (Beverage)  
**Lot #:** UA1TL-01  
**Product-Batch Size (Units):** 9,818  
**Source UID:** 1A4060300005BCF000004974

**Sample Increments:** 20  
**Sample Weight / Increment (g):** 355  
**Total Sample Weight (g):** 7100  
**Date Collected:** 02/18/2026  
**Date Received:** 02/18/2026  
**Date Reported:** 02/20/2026

**TEST SUMMARY**

|                                  |        |                                 |        |
|----------------------------------|--------|---------------------------------|--------|
| <b>Cannabinoid Profile:</b>      | ✔ Pass | <b>Microbiological Screen:</b>  | ✔ Pass |
| <b>Pesticide Residue Screen:</b> | ✔ Pass | <b>Residual Solvent Screen:</b> | ✔ Pass |
| <b>Heavy Metal Screen:</b>       | ✔ Pass | <b>Foreign Material:</b>        | ✔ Pass |
| <b>Mycotoxin Screen:</b>         | ✔ Pass | <b>Overall:</b>                 | ✔ Pass |

**Cannabinoid Profile** ✔ Pass

02/20/2026

**Method:** MF-CHEM-15  
**Instrument:** Liquid Chromatography Diode Array Detector (LC-DAD)  
**Limit of Detection** 0.0033 mg/g  
**Limit of Quantitation** 0.0100 mg/g

| Cannabinoid                   | mg/g    | %      | mg/ml | mg/serving | mg/package | Labeled mg/serving | % Difference | Status |
|-------------------------------|---------|--------|-------|------------|------------|--------------------|--------------|--------|
| Δ8-THC                        | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| Δ9-THC                        | 0.269   | 0.0269 | 0.280 | 9.80       | 97.95      | 10                 | 2.05         | Pass   |
| Δ9-THCA                       | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| THCV                          | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| THCVA                         | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBD                           | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBDA                          | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBC                           | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBCA                          | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBDV                          | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBG                           | <LOQ    | <LOQ   | <LOQ  | <LOQ       | <LOQ       | -                  | -            | -      |
| CBGA                          | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| CBN                           | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| Total THC                     | 0.269   | 0.0269 | 0.280 | 9.80       | 97.95      | -                  | -            | -      |
| Total CBD                     | ND      | ND     | ND    | ND         | ND         | -                  | -            | -      |
| Total Cannabinoids            | 0.269   | 0.0269 | 0.280 | 9.80       | 97.95      | -                  | -            | -      |
| Sum of Cannabinoids           | 0.269   | 0.0269 | 0.280 | 9.80       | 97.95      | -                  | -            | -      |
| <b>Serving Weight (g)</b>     | 36.3860 |        |       |            |            |                    |              |        |
| <b>Package Weight (g)</b>     | 363.86  |        |       |            |            |                    |              |        |
| <b>g/ml Conversion Factor</b> | 1.0396  |        |       |            |            |                    |              |        |

Total THC = Δ8-THC + Δ9-THC + (0.877 \* THCA)  
 Total CBD = CBD + (0.877 \* CBDA)  
 Total Cannabinoids = Σ (neutral cannabinoids) + [0.877 \* Σ (acidic cannabinoids)]

**Microbiological Screen** ✔ Pass

02/20/2026

| Analyte    | Method      | Instrument                | Findings     | Units | Status |
|------------|-------------|---------------------------|--------------|-------|--------|
| Salmonella | MF-MICRO-11 | Molecular Detection Assay | Not Detected | /1g   | Pass   |
| STEC       | MF-MICRO-18 | Molecular Detection Assay | Not Detected | /1g   | Pass   |

**Pesticide Residue Screen** ✔ Pass

02/20/2026

**Method:** MF-CHEM-13

**Instrument:** Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) & Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte                 | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-------------------------|----------------|-----------------|--------------|--------|
| Abamectin               | 0.04/0.10      | ND              | 0.3          | Pass   |
| Acephate                | 0.02/0.06      | ND              | 5.0          | Pass   |
| Acequinocyl             | 0.04/0.10      | ND              | 4.0          | Pass   |
| Acetamiprid             | 0.017/0.05     | ND              | 5.0          | Pass   |
| Aldicarb                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Azoxystrobin            | 0.02/0.06      | ND              | 40.0         | Pass   |
| Bifenazate              | 0.02/0.06      | ND              | 5.0          | Pass   |
| Bifenthrin              | 0.04/0.10      | ND              | 0.5          | Pass   |
| Boscalid                | 0.02/0.06      | ND              | 10.0         | Pass   |
| Captan                  | 0.2/0.6        | ND              | 5.0          | Pass   |
| Carbaryl                | 0.02/0.06      | ND              | 0.5          | Pass   |
| Carbofuran              | 0.017/0.05     | ND              | 0.017        | Pass   |
| Chlorantraniliprole     | 0.02/0.06      | ND              | 40.0         | Pass   |
| Chlordane               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Chlorfenapyr            | 0.02/0.06      | ND              | 0.02         | Pass   |
| Chlorpyrifos            | 0.02/0.06      | ND              | 0.02         | Pass   |
| Clofentezine            | 0.02/0.06      | ND              | 0.5          | Pass   |
| Coumaphos               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Cyfluthrin              | 0.10/0.30      | ND              | 1.0          | Pass   |
| Cypermethrin            | 0.10/0.30      | ND              | 1.0          | Pass   |
| Daminozide              | 0.017/0.05     | ND              | 0.017        | Pass   |
| DDVP (Dichlorvos)       | 0.013/0.04     | ND              | 0.013        | Pass   |
| Diazinon                | 0.017/0.05     | ND              | 0.2          | Pass   |
| Dimethoate              | 0.017/0.05     | ND              | 0.017        | Pass   |
| Dimethomorph            | 0.017/0.05     | ND              | 20.0         | Pass   |
| Ethoprop(hos)           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etofenprox              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Etoxazole               | 0.02/0.06      | ND              | 1.5          | Pass   |
| Fenhexamid              | 0.017/0.05     | ND              | 10.0         | Pass   |
| Fenoxycarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Fenpyroximate           | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fipronil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Flonicamid              | 0.02/0.06      | ND              | 2.0          | Pass   |
| Fludioxonil             | 0.02/0.06      | ND              | 30.0         | Pass   |
| Hexythiazox             | 0.02/0.06      | ND              | 2.0          | Pass   |
| Imazalil                | 0.02/0.06      | ND              | 0.02         | Pass   |
| Imidacloprid            | 0.02/0.06      | ND              | 3.0          | Pass   |
| Kresoxim Methyl         | 0.02/0.06      | ND              | 1.0          | Pass   |
| Malathion               | 0.017/0.05     | ND              | 5.0          | Pass   |
| Metalaxyl               | 0.017/0.05     | ND              | 15.0         | Pass   |
| Methiocarb              | 0.02/0.06      | ND              | 0.02         | Pass   |
| Methomyl                | 0.013/0.04     | ND              | 0.1          | Pass   |
| Methyl parathion        | 0.02/0.06      | ND              | 0.02         | Pass   |
| Mevinphos               | 0.02/0.06      | ND              | 0.02         | Pass   |
| Myclobutanil            | 0.02/0.06      | ND              | 9.0          | Pass   |
| Naled                   | 0.017/0.05     | ND              | 0.5          | Pass   |
| Oxamyl                  | 0.013/0.04     | ND              | 0.2          | Pass   |
| Paclobutrazol           | 0.02/0.06      | ND              | 0.02         | Pass   |
| Pentachloronitrobenzene | 0.017/0.05     | ND              | 0.2          | Pass   |
| Permethrins             | 0.10/0.30      | ND              | 20.0         | Pass   |
| Phosmet                 | 0.02/0.06      | ND              | 0.2          | Pass   |
| Piperonyl Butoxide      | 0.02/0.06      | ND              | 8.0          | Pass   |
| Prallethrin             | 0.04/0.10      | ND              | 0.4          | Pass   |
| Propiconazole           | 0.02/0.06      | ND              | 20.0         | Pass   |
| Propoxur                | 0.013/0.04     | ND              | 0.013        | Pass   |
| Pyrethrins              | 0.15/0.50      | ND              | 1.0          | Pass   |
| Pyridaben               | 0.017/0.05     | ND              | 3.0          | Pass   |
| Spinetoram              | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spinosad                | 0.02/0.06      | ND              | 3.0          | Pass   |
| Spiromesifen            | 0.04/0.10      | ND              | 12.0         | Pass   |
| Spirotetramat           | 0.02/0.06      | ND              | 13.0         | Pass   |
| Spiroxamine             | 0.017/0.05     | ND              | 0.017        | Pass   |
| Tebuconazole            | 0.02/0.06      | ND              | 2.0          | Pass   |
| Thiacloprid             | 0.013/0.04     | ND              | 0.013        | Pass   |
| Thiamethoxam            | 0.02/0.06      | ND              | 4.5          | Pass   |

| Analyte         | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|-----------------|----------------|-----------------|--------------|--------|
| Trifloxystrobin | 0.02/0.06      | ND              | 30.0         | Pass   |

## Residual Solvent Screen ✔ Pass

02/20/2026

Method: MF-CHEM-32

Instrument: Gas Chromatography Mass Spectrometry (GC/MS)

| Analyte                              | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|--------------------------------------|----------------|-----------------|--------------|--------|
| 1,2-Dichloroethane                   | 0.5/0.5        | ND              | 1            | Pass   |
| Acetone                              | 57/200         | ND              | 5000         | Pass   |
| Acetonitrile                         | 56/200         | ND              | 410          | Pass   |
| Benzene                              | 0.5/0.5        | ND              | 1            | Pass   |
| n-Butane                             | 45/200         | ND              | 5000         | Pass   |
| Chloroform                           | 0.5/0.5        | ND              | 1            | Pass   |
| Ethanol                              | 37/200         | 1030.00         | 5000         | Pass   |
| Ethyl acetate                        | 38/200         | ND              | 5000         | Pass   |
| Ethyl ether                          | 37/200         | ND              | 5000         | Pass   |
| Ethylene oxide                       | 0.1/0.5        | ND              | 1            | Pass   |
| n-Heptane                            | 135/200        | ND              | 5000         | Pass   |
| n-Hexane                             | 49/200         | ND              | 290          | Pass   |
| Isopropyl alcohol                    | 57/200         | ND              | 5000         | Pass   |
| Methanol                             | 37/200         | <LOQ            | 3000         | Pass   |
| Methylene chloride                   | 0.1/0.5        | ND              | 1            | Pass   |
| n-Pentane                            | 37/200         | ND              | 5000         | Pass   |
| Propane                              | 72/200         | ND              | 5000         | Pass   |
| Toluene                              | 49/200         | ND              | 890          | Pass   |
| Total xylenes (ortho-, meta-, para-) | 58/200         | ND              | 2170         | Pass   |
| Trichloroethylene                    | 0.5/0.5        | ND              | 1            | Pass   |

## Heavy Metal Screen ✔ Pass

02/20/2026

Method: MF-CHEM-16

Instrument: Inductively Coupled Plasma Mass Spectrometry (ICP-MS)

| Analyte | LOD/LOQ (µg/g) | Findings (µg/g) | Limit (µg/g) | Status |
|---------|----------------|-----------------|--------------|--------|
| Arsenic | 0.033/0.101    | ND              | 1.5          | Pass   |
| Cadmium | 0.047/0.141    | ND              | 0.5          | Pass   |
| Mercury | 0.014/0.05     | ND              | 3            | Pass   |
| Lead    | 0.107/0.324    | ND              | 0.5          | Pass   |

## Foreign Material ✔ Pass

02/20/2026

Method: MF-CHEM-7

| Analyte                        | Findings | Limit    | Status |
|--------------------------------|----------|----------|--------|
| Sand, Soils, Cinders, and Dirt | ND       | 25%      | Pass   |
| Mold                           | ND       | 25%      | Pass   |
| Imbedded Foreign Material      | ND       | 25%      | Pass   |
| Insect Fragment                | ND       | 1 per 3g | Pass   |
| Hair                           | ND       | 1 per 3g | Pass   |
| Mammalian Excreta              | ND       | 1 per 3g | Pass   |

## Mycotoxin Screen ✔ Pass

02/20/2026

Method: MF-CHEM-13

Instrument: Liquid Chromatography Tandem Mass Spectrometry (LC-MS/MS) &amp; Gas Chromatography Tandem Mass Spectrometry (GC-MS/MS)

| Analyte          | LOD/LOQ (µg/kg) | Findings (µg/kg) | Limit (µg/kg) | Status |
|------------------|-----------------|------------------|---------------|--------|
| Aflatoxin B1     | 2/5             | ND               | -             | -      |
| Aflatoxin B2     | 2/5             | ND               | -             | -      |
| Aflatoxin G1     | 2/5             | ND               | -             | -      |
| Aflatoxin G2     | 2/5             | ND               | -             | -      |
| Total Aflatoxins | 8/20            | ND               | 20            | Pass   |
| Ochratoxin A     | 6/18            | ND               | 20            | Pass   |

ND = None Detected  
LOD = Limit of Detection  
LOQ = Limit of Quantitation

All LQC samples were performed and met the acceptance criteria in CCR Title 4 Division 19, Chapter 6, Article 7, §15730, pursuant to §15726.(e)(13).

Reported by

  


Vu Lam  
Lab Co Director  
February 20, 2026



Scan to verify