### Lemon Burst - WCC 1g CUREpen

METRC Batch: 1A4060300009222000017221 METRC Sample: 1A4060300009223000347476

Sample ID: 2508ENC9409\_8390

ENCORE

Strain: Lemon Burst

Matrix: Concentrates & Extracts

Type: Vape

Batch#: VPPL235221

Collected: 08/04/2025

Received: 08/04/2025 Completed: 08/07/2025 Sample Size: 20 units; Batch: 4,966 units

Distributor

Shield Management Group,

Producer Shield Management Group,

Lic. # C11-0000171-LIC 2210 W Gaylord St, Long Beach, CA, 90813 Lic. # DCC-10003818 2210 W Gaylord St Long Beach, CA 90813



### Summarv

<u> </u>			
Test	Date Tested	Instr. Method	Result
Batch			Pass
Cannabinoids	08/05/2025	LC-DAD	Pass
Pesticides	08/05/2025	LC-MS	Pass
Mycotoxins	08/05/2025	LC-MS	Pass
Residual Solvents	08/05/2025	HS-GC-MS	Pass
Microbial Impurities	08/06/2025	qPCR	Pass
Heavy Metals	08/05/2025	ICP-MS	Pass
Foreign Matter	08/05/2025	Visual Inspection	Pass

#### Cannabinoids

Method: SOP CA\_M-CANNABINOIDS

85.512 %	
Total THC	

### 0.224 %

#### Total CRD

92.002 %

Total Cannahinoids

10tal Inc	•		าบเลา	CBD		Total Cannabinoids
Analytes	LOD	LOQ	Result	Result	Result	
	mg/g	mg/g	%	mg/g	mg/unit	
THCa	0.270	0.809	ND	ND	ND	
Δ9-ΤΗС	0.301	0.917	85.512	855.12	855.12	
Δ8-ΤΗС	0.285	0.855	ND	ND	ND	
THCVa	0.270	0.825	ND	ND	ND	
THCV	0.277	0.840	0.550	5.50	5.50 ■	
CBDa	0.293	0.879	ND	ND	ND	
CBD	0.301	0.917	0.224	2.24	2.24 ■	
CBN	0.293	0.894	0.767	7.67	7.67 ■	
CBGa	0.301	0.917	ND	ND	ND	
CBG	0.285	0.871	3.925	39.25	39.25	
CBCa	0.262	0.794	ND	ND	ND	
CBC	0.293	0.879	1.024	10.24	10.24 ■	
Total THC			85.512	855.12	855.12	
Total CBD			0.224	2.24	2.24	
Total Cannabinoids			92.002	920.02	920.02	
Sum of Cannabinoids			92.002	920.02	920.02	

Total THC = THCa \* 0.877 + Δ9-THC + Δ8-THC; Total CBD = CBDa \* 0.877 + CBD; Total Cannabinoids = (cannabinoid acid forms \* 0.877) + cannabinoids; Sum of Cannabinoids = cannabinoid acid forms + cannabinoids; LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample. Foreign Material Method: SOP CA\_M-FOREIGN; Moisture and Water Activity Method: SOP CA\_M-WATER



Jessica Burnham QA Supervisor | 08/07/2025



# Lemon Burst - WCC 1g CUREpen

METRC Batch: 1A4060300009222000017221 METRC Sample: 1A4060300009223000347476

Sample ID: 2508ENC9409\_8390

ENCORE

Strain: Lemon Burst

Matrix: Concentrates & Extracts

Type: Vape

Batch#: VPPL235221

Collected: 08/04/2025

Received: 08/04/2025 Completed: 08/07/2025

Sample Size: 20 units; Batch: 4,966 units

Distributor

Shield Management Group, LLC

Producer Shield Management Group, LLC

Lic. # C11-0000171-LIC 2210 W Gaylord St, Long Beach, CA, 90813 Lic. # DCC-10003818 2210 W Gaylord St Long Beach, CA 90813

Pesticides

Method: SOP CA\_M-PESTMYCOLCMS

Analytes	LOD	LOQ	Limit	Result	Status	Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g			μg/g	μg/g	μg/g	μg/g	_
Abamectin	0.019	0.056	0.1	ND	Pass	Fludioxonil	0.011	0.034	0.1	ND	Pass
Acephate	0.006	0.02	0.1	ND	Pass	Hexythiazox	0.008	0.025	0.1	ND	Pass
Acequinocyl	0.0089	0.0268	0.1	ND	Pass	Imazalil	0.021	0.064	0.021	ND	Pass
Acetamiprid	0.006	0.018	0.1	ND	Pass	Imidacloprid	0.009	0.026	5	ND	Pass
Aldicarb	0.031	0.095	0.031	ND	Pass	Kresoxim Methyl	0.015	0.044	0.1	ND	Pass
Azoxystrobin	0.006	0.017	0.1	ND	Pass	Malathion	0.008	0.023	0.5	ND	Pass
Bifenazate	0.01	0.03	0.1	<loq< td=""><td>Pass</td><td>Metalaxyl</td><td>0.007</td><td>0.021</td><td>2</td><td>ND</td><td>Pass</td></loq<>	Pass	Metalaxyl	0.007	0.021	2	ND	Pass
Bifenthrin	0.049	0.15	3	<loq< td=""><td>Pass</td><td>Methiocarb</td><td>0.015</td><td>0.044</td><td>0.015</td><td>ND</td><td>Pass</td></loq<>	Pass	Methiocarb	0.015	0.044	0.015	ND	Pass
Boscalid	0.01	0.031	0.1	0.047	Pass	Methomyl	0.017	0.051	1	ND	Pass
Captan	0.05	0.1516	0.7	ND	Pass	Parathion Methyl	0.0157	0.0477	0.0157	ND	Pass
Carbaryl	0.022	0.065	0.5	ND	Pass	Mevinphos	0.024	0.072	0.024	ND	Pass
Carbofuran	0.017	0.051	0.017	ND	Pass	Myclobutanil	0.011	0.033	0.1	<loq< td=""><td>Pass</td></loq<>	Pass
Chlorantraniliprole	0.011	0.034	10	ND	Pass	Naled	0.026	0.078	0.1	ND	Pass
Chlordane	0.0099	0.03	0.0099	ND	Pass	Oxamyl	0.014	0.044	0.5	ND	Pass
Chlorfenapyr	0.0316	0.0957	0.0316	ND	Pass	Paclobutrazol	0.033	0.099	0.033	ND	Pass
Chlorpyrifos	0.024	0.073	0.024	ND	Pass	PCNB	0.0133	0.0403	0.1	ND	Pass
Clofentezine	0.011	0.034	0.1	ND	Pass	Permethrin	0.013	0.039	0.5	ND	Pass
Coumaphos	0.028	0.084	0.028	ND	Pass	Phosmet	0.006	0.018	0.1	ND	Pass
Cyfluthrin	0.0243	0.0736	2	ND	Pass	Piperonyl Butoxide	0.008	0.025	3	0.055	Pass
Cypermethrin	0.0409	0.124	1	ND	Pass	Prallethrin	0.01	0.03	0.1	ND	Pass
Daminozide	0.023	0.069	0.023	ND	Pass	Propiconazole	0.009	0.028	0.1	ND	Pass
Diazinon	0.008	0.024	0.1	ND	Pass	Propoxur	0.02	0.061	0.02	ND	Pass
Dichlorvos	0.017	0.051	0.017	ND	Pass	Pyrethrins	0.02	0.059	0.5	ND	Pass
Dimethoate	0.02	0.059	0.02	ND	Pass	Pyridaben	0.01	0.03	0.1	ND	Pass
Dimethomorph	0.01	0.03	2	ND	Pass	Spinetoram	0.012	0.037	0.1	ND	Pass
Ethoprophos	0.016	0.048	0.016	ND	Pass	Spinosad	0.01	0.032	0.1	ND	Pass
Etofenprox	0.027	0.082	0.027	ND	Pass	Spiromesifen	0.011	0.033	0.1	ND	Pass
Etoxazole	0.006	0.017	0.1	ND	Pass	Spirotetramat	0.018	0.054	0.1	ND	Pass
Fenhexamid	0.013	0.04	0.1	ND	Pass	Spiroxamine	0.01	0.03	0.01	ND	Pass
Fenoxycarb	0.012	0.037	0.012	ND	Pass	Tebuconazole	0.014	0.042	0.1	ND	Pass
Fenpyroximate	0.003	0.01	0.1	ND	Pass	Thiacloprid	0.01	0.031	0.01	ND	Pass
Fipronil	0.021	0.063	0.021	ND	Pass	Thiamethoxam	0.013	0.039	5	ND	Pass
Flonicamid	0.017	0.051	0.1	ND	Pass	Trifloxystrobin	0.004	0.011	0.1	0.053	Pass

Date Tested: 08/05/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.







Collected: 08/04/2025

Received: 08/04/2025

Completed: 08/07/2025

Sample Size: 20 units; Batch: 4,966 units

## Lemon Burst - WCC 1g CUREpen

METRC Batch: 1A4060300009222000017221 METRC Sample: 1A4060300009223000347476

Sample ID: 2508ENC9409\_8390

ENCORE

Strain: Lemon Burst

Matrix: Concentrates & Extracts

Type: Vape

Batch#: VPPL235221

Distributor Shield Management Group, LLC Producer

Shield Management Group, LLC

Lic. # C11-0000171-LIC

2210 W Gaylord St, Long Beach, CA, 90813 Lic. # DCC-10003818 2210 W Gaylord St Long Beach, CA 90813

Mycotoxins

Method: SOP CA M-PESTMYCOLCMS

WELTIOU. SOT CA_WELLSTWITCOLOWS					
Analytes	LOD	LOQ	Limit	Result	Status
	μg/kg	μg/kg	μg/kg	μg/kg	
Aflatoxin B1	1.60	4.84		ND	Tested
Aflatoxin B2	2.17	6.57		ND	Tested
Aflatoxin G1	1.35	4.09		ND	Tested
Aflatoxin G2	1.33	4.04		ND	Tested
Ochratoxin A	2.70	8.10	20.00	ND	Pass
Total Aflatoxins			20.00	ND	Pass

Date Tested: 08/05/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.

**Residual Solvents** 

Method: SOP CA M-RES SOLVENTS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g	
Acetone	3.37	10.20	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Acetonitrile	1.80	5.45	410	ND	Pass
Benzene	0.11	0.33	1	ND	Pass
Butane	2.31	7.01	5000	ND	Pass
Chloroform	0.21	0.65	1	ND	Pass
Ethanol	2.82	8.54	5000	<loq< td=""><td>Pass</td></loq<>	Pass
Ethyl acetate	2.10	6.36	5000	ND	Pass
Ethyl ether	1.93	5.86	5000	ND	Pass
Ethylene Oxide	0.31	0.94	1	ND	Pass
Heptane	2.18	6.61	5000	ND	Pass
Hexane	2.22	6.74	290	ND	Pass
Isopropyl alcohol	2.19	6.64	5000	7.62	Pass
Methanol	2.28	6.90	3000	ND	Pass
Methylene chloride	0.10	0.31	1	ND	Pass
1,2-Dichloroethane	0.10	0.30	1	ND	Pass
Pentane	2.39	7.25	5000	ND	Pass
Propane	2.33	7.05	5000	ND	Pass
Toluene	0.59	1.79	890	ND	Pass
Total xylenes (ortho-, meta-, para-)	13.51	40.94	2170	ND	Pass
Trichloroethylene	0.18	0.54	1	ND	Pass

Date Tested: 08/05/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



Jessica Burnham QA Supervisor | 08/07/2025



# Lemon Burst - WCC 1g CUREpen

METRC Batch: 1A4060300009222000017221

ENCORE

METRC Sample: 1A4060300009223000347476

Sample ID: 2508ENC9409\_8390 Strain: Lemon Burst

Matrix: Concentrates & Extracts

Type: Vape

Batch#: VPPL235221

Collected: 08/04/2025

Received: 08/04/2025

Completed: 08/07/2025 Sample Size: 20 units; Batch: 4,966 units

Distributor

Producer Shield Management Group, LLC

Shield Management Group, LLC

Lic. # C11-0000171-LIC 2210 W Gaylord St, Long Beach, CA, 90813 Lic. # DCC-10003818 2210 W Gaylord St Long Beach, CA 90813

Microbial Impurities

Method: SOP CA\_M-MICROBIALS

Analytes	Result	Status
Aspergillus flavus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass
Aspergillus terreus	Not Detected in 1g	Pass
Shiga toxin–producing Escherichia coli	Not Detected in 1g	Pass
Salmonella spp	Not Detected in 1g	Pass

Date Tested: 08/06/2025

**Heavy Metals** 

Method: SOP CA\_M-HEAVYMETALS

Analytes	LOD	LOQ	Limit	Result	Status
	μg/g	μg/g	μg/g	μg/g	
Arsenic	0.033	0.099	0.200	ND	Pass
Cadmium	0.028	0.085	0.200	ND	Pass
Lead	0.049	0.147	0.500	ND	Pass
Mercury	0.015	0.045	0.100	ND	Pass

Date Tested: 08/05/2025

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.





