



CERTIFICATE OF ANALYSIS

PRODUCED: MAY 26, 2023

SAMPLE: FLPR231280 - APPLE TARTS WCC PREMIUM FLOWER (FLOWER) // CLIENT: WEST COAST CURE // BATCH: PASS



BATCH NO.: FLPR231280
SRC PKG: 1A4060300009223000040497
MATRIX: FLOWER
CATEGORY: INHALABLE
SAMPLE ID: VAL-230523-091
COLLECTED ON: MAY 24, 2023
RECEIVED ON: MAY 24, 2023
BATCH/SAMPLE SIZE: 9116.76 G / 32 G
SAMPLED BY: SHANE NYSTROM
RECEIVED BY: PARI ROSTAMZADEH

CANNABINOID OVERVIEW

TOTAL THC:	26.3471 %
TOTAL CBD:	0.0493 %
TOTAL CANNABINOIDS:	26.8459 %
SUM OF CANNABINOIDS:	30.4584 %

CULTIVATOR INFO

CULTIVATOR
 RIVERVIEW FARMS INC.
 23940 POTTER RD
 SALINAS, CA 93908
LICENSE
 CCL19-0005567
 ADULT-USE - CULTIVATOR LICENSE

DISTRIBUTOR INFO

DISTRIBUTOR
 SHIELD MANAGEMENT GROUP, LLC
 2210 WEST GAYLORD ST.
 LONG BEACH, CA 90813
LICENSE
 C11-0000171-LIC
 ADULT-USE AND MEDICINAL -
 DISTRIBUTOR LICENSE

BATCH RESULT: PASS

POTENCY	TESTED	MOISTURE	TESTED
FOREIGN	PASS	MYCOTOXINS	PASS
METALS	PASS	PESTICIDES	PASS
MICROBIAL	PASS	WATER	PASS

VA/SOP-500.01: POTENCY TESTING WITH HPLC-UV // MAY 25, 2023

ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT	AMT	LOD/LOQ (mg/g)	PASS/FAIL
CBC		ND	ND	0.0186/0.0618	N/A	CBN		ND	ND	0.0159/0.0618	N/A
CBD		ND	ND	0.0182/0.0618	N/A	Δ ⁸ -THC		ND	ND	0.0182/0.0618	N/A
CBDA	0.0562 %	0.562 mg/g	0.562 mg/g	0.0143/0.0618	N/A	Δ ⁹ -THC	0.9705 %	9.705 mg/g	9.705 mg/g	0.0186/0.0618	N/A
CBDV		ND	ND	0.0159/0.0618	N/A	THCA	28.9357 %	289.357 mg/g	289.357 mg/g	0.0838/0.3089	N/A
CBG	0.1178 %	1.178 mg/g	1.178 mg/g	0.0173/0.0618	N/A	TOTAL THC**	26.3471 %	263.471 mg/g	263.471 mg/g		N/A
CBGA	0.3782 %	3.782 mg/g	3.782 mg/g	0.0195/0.0618	N/A	TOTAL CBD**	0.0493 %	0.493 mg/g	0.493 mg/g		N/A

** TOTAL THC = DELTA-8-THC + (DELTA-8-THCA X 0.877) + DELTA-9-THC + (THCA X 0.877)

** TOTAL CBD = CBD + (CBDA X 0.877)

DRY-WEIGHT AMOUNTS SHOWN



ALL LQC SAMPLES REQUIRED BY SECTION 15730 OF CALIFORNIA CODE OF REGULATIONS TITLE 4 DIVISION 19 DEPARTMENT OF CANNABIS CONTROL WERE PERFORMED AND MET THE ACCEPTANCE CRITERIA. THE RESULTS REPORTED ON THIS CERTIFICATE OF ANALYSIS RELATE ONLY TO THE SAMPLE ANALYZED.

RESULTS CERTIFIED BY: PAUL HAMRAH, MS,
 PHARM D
 LAB DIRECTOR, VERITY ANALYTICS
 MAY 26, 2023

VA/SOP-600.02: RESIDUAL PESTICIDES TESTING WITH LC-MS // MAY 25, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND	0.0178/0.0539	PASS	IMAZALIL	Any amt	ND	0.0116/0.0350	PASS
ACEPHATE	0.1 µg/g	ND	0.0174/0.0528	PASS	IMIDACLOPRID	5 µg/g	ND	0.0158/0.0477	PASS
ACEQUINOCYL	0.1 µg/g	ND	0.0254/0.0768	PASS	KRESOXIM-METHYL	0.1 µg/g	ND	0.0174/0.0528	PASS
ACETAMIPRID	0.1 µg/g	ND	0.0058/0.0174	PASS	MALATHION	0.5 µg/g	ND	0.0087/0.0263	PASS
ALDICARB	Any amt	ND	0.0245/0.0743	PASS	METALAXYL	2 µg/g	ND	0.0081/0.0244	PASS
α-CYFLUTHRIN		ND	0.0500/0.1515	N/A	METHIOCARB	Any amt	ND	0.0077/0.0234	PASS
α-CYPERMETHRIN		ND	0.0145/0.0440	N/A	METHOMYL	1 µg/g	ND	0.0062/0.0187	PASS
AZOXYSTROBIN	0.1 µg/g	ND	0.0070/0.0213	PASS	METHYL PARATHION	Any amt	ND	0.0066/0.0199	PASS
β-CYFLUTHRIN		ND	0.0684/0.2073	N/A	MEVINPHOS	Any amt	ND	0.0071/0.0216	PASS
β-CYPERMETHRIN		ND	0.0302/0.0914	N/A	MYCLOBUTANIL	0.1 µg/g	ND	0.0103/0.0313	PASS
BIFENAZATE	0.1 µg/g	ND	0.0073/0.0222	PASS	NALED	0.1 µg/g	ND	0.0104/0.0317	PASS
BIFENTHRIN	3 µg/g	ND	0.0135/0.0410	PASS	OXAMYL	0.5 µg/g	ND	0.0108/0.0327	PASS
BOSCALID	0.1 µg/g	ND	0.0092/0.0279	PASS	PACLOBUTRAZOL	Any amt	ND	0.0092/0.0278	PASS
CAPTAN	0.7 µg/g	ND	0.0019/0.0057	PASS	PERMETHRIN	0.5 µg/g	ND	0.0135/0.0408	PASS
CARBARYL	0.5 µg/g	ND	0.0064/0.0195	PASS	PHOSMET	0.1 µg/g	ND	0.0089/0.0271	PASS
CARBOFURAN	Any amt	ND	0.0058/0.0175	PASS	PIPERONYLBUTOXIDE	3 µg/g	ND	0.0110/0.0332	PASS
CHLORANTRANILIPROLE	10 µg/g	ND	0.0099/0.0300	PASS	PRALLETHRIN	0.1 µg/g	ND	0.0226/0.0684	PASS
CHLORPYRIFOS	Any amt	ND	0.0144/0.0435	PASS	PROPICONAZOLE	0.1 µg/g	ND	0.0141/0.0428	PASS
CLOFENTEZINE	0.1 µg/g	ND	0.0134/0.0406	PASS	PROPOXUR	Any amt	ND	0.0057/0.0173	PASS
COUMAPHOS	Any amt	ND	0.0177/0.0537	PASS	PYRETHRINS	0.5 µg/g	ND		PASS
CYFLUTHRIN	2 µg/g	ND		PASS	PYRETHRINS PYRETHRIN I		ND	0.0317/0.0960	N/A
CYPERMETHRIN	1 µg/g	ND		PASS	PYRETHRINS PYRETHRIN II		ND	0.0433/0.1313	N/A
DAMINOZIDE	Any amt	ND	0.0204/0.0616	PASS	PYRIDABEN	0.1 µg/g	ND	0.0069/0.0210	PASS
DIAZINON	0.1 µg/g	ND	0.0093/0.0283	PASS	SPINETORAM	0.1 µg/g	ND		PASS
DICHLORVOS	Any amt	ND	0.0114/0.0346	PASS	SPINETORAM J		ND	0.0163/0.0492	N/A
DIMETHOATE	Any amt	ND	0.0083/0.0251	PASS	SPINETORAM L		ND	0.0180/0.0547	N/A
DIMETHOMORPH	2 µg/g	ND	0.0156/0.0473	PASS	SPINOSAD	0.1 µg/g	ND		PASS
ETHOPROPHOS	Any amt	ND	0.0094/0.0286	PASS	SPINOSAD A		ND	0.0109/0.0330	N/A
ETOFENPROX	Any amt	ND	0.0080/0.0242	PASS	SPINOSAD D		ND	0.0237/0.0718	N/A
ETOXAZOLE	0.1 µg/g	ND	0.0073/0.0222	PASS	SPIROMESIFEN	0.1 µg/g	ND	0.0124/0.0377	PASS
FENHEXAMID	0.1 µg/g	ND	0.0216/0.0654	PASS	SPIROTETRAMAT	0.1 µg/g	ND	0.0078/0.0235	PASS
FENOXYCARB	Any amt	ND	0.0099/0.0299	PASS	SPIROXAMINE	Any amt	ND	0.0064/0.0195	PASS
FENPYROXIMATE	0.1 µg/g	ND	0.0111/0.0337	PASS	TEBUCONAZOLE	0.1 µg/g	ND	0.0132/0.0400	PASS
FIPRONIL	Any amt	ND	0.0113/0.0342	PASS	THIACLOPRID	Any amt	ND	0.0088/0.0265	PASS
FLONICAMID	0.1 µg/g	ND	0.0092/0.0279	PASS	THIAMETHOXAM	5 µg/g	ND	0.0104/0.0316	PASS
FLUDIOXONIL	0.1 µg/g	ND	0.0298/0.0902	PASS	TRIFLOXYSTROBIN	0.1 µg/g	ND	0.0206/0.0623	PASS
HEXYTHIAZOX	0.1 µg/g	ND	0.0076/0.0230	PASS					

VA/SOP-610.01: RESIDUAL PESTICIDES TESTING WITH GC-MS // MAY 26, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ABAMECTIN	0.1 µg/g	ND		PASS	CHLORDANE CIS		ND	0.0010/0.0800	N/A
ABAMECTIN BA		ND		N/A	CHLORDANE TRANS		ND	0.0010/0.0800	N/A
ABAMECTIN BB		ND		N/A	CHLORFENAPYR	Any amt	ND	0.0023/0.0820	PASS
CHLORDANE	Any amt	ND		PASS	PENTACHLORONI-TROBENZENE	0.1 µg/g	ND	0.0016/0.0800	PASS



VA/SOP-400.01: MOISTURE CONTENT ANALYSIS WITH HALOGEN MOISTURE ANALYZER // MAY 24, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL
MOISTURE		12.5000	N/A

VA/SOP-1000.01: MICROBIAL TESTING WITH PATHOGENDX // MAY 24, 2023

ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL	ANALYTE	LIMIT	AMT (CFU)	PASS/FAIL
ASPERGILLUS FLAVUS	Any amt in 1 gram	ND	PASS	ASPERGILLUS TERREUS	Any amt in 1 gram	ND	PASS
ASPERGILLUS FUMIGATUS	Any amt in 1 gram	ND	PASS	SALMONELLA SPP.	Any amt in 1 gram	ND	PASS
ASPERGILLUS NIGER	Any amt in 1 gram	ND	PASS	SHIGA TOXIN-PRODUCING E. COLI	Any amt in 1 gram	ND	PASS

VA/SOP-600.02: MYCOTOXINS TESTING WITH LC-MS // MAY 25, 2023

ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/kg)	LOD/LOQ (µg/kg)	PASS/FAIL
AFLATOXIN B1		ND	1.5566/4.7264	N/A	AFLATOXIN G2		ND	1.9811/5.9717	N/A
AFLATOXIN B2		ND	2.0094/6.0566	N/A	AFLATOXINS	20 µg/kg	ND		PASS
AFLATOXIN G1		ND	2.6604/8.0660	N/A	OCHRATOXIN A	20 µg/kg	ND	5.6887/17.2359	PASS

VA/SOP-700.01: HEAVY METALS TESTING WITH ICP-MS // MAY 24, 2023

ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL	ANALYTE	LIMIT	AMT (µg/g)	LOD/LOQ (µg/g)	PASS/FAIL
ARSENIC	0.2 µg/g	ND	0.42177/1.28231	PASS	LEAD	0.5 µg/g	ND	0.26871/0.80952	PASS
CADMIUM	0.2 µg/g	ND	0.14626/0.44218	PASS	MERCURY	0.1 µg/g	ND	0.18367/0.55102	PASS

VA/SOP-300.01: WATER ACTIVITY ANALYSIS WITH HUMIDITY TEMPERATURE PROBE // MAY 24, 2023

ANALYTE	LIMIT	AMT (Aw)	PASS/FAIL
WATER ACTIVITY	0.65 Aw	0.5359	PASS

VA/SOP-190.01: FOREIGN MATERIAL INSPECTION WITH MICROSCOPE // MAY 24, 2023

ANALYTE	LIMIT	AMT (%)	PASS/FAIL	ANALYTE	LIMIT	AMT (%)	PASS/FAIL
IMBEDDED FOREIGN MATERIAL	25 %	ND	PASS	MOLD	25 %	ND	PASS
INSECT FRAGMENTS, HAIR, MAMMAL EXCREMENT	1 Unit	ND	PASS	SAND, SOIL, CINDERS, DIRT	25 %	ND	PASS

