

Trainwreck - WCC .65g Jefferey Infused 5 Pack

Lab ID: 260225-842-SMG-(2)-1

METRC Batch: 1A4060300009222000019255; METRC Sample: 1A4060300009223000463448

Sample ID: 2602PHS0333.1457

Produced: 02/25/2026

Distributor

Producer

Strain: Trainwreck

Collected: 02/25/2026

Shield Management Group, LLC

Shield Management Group, LLC

Matrix: Plant

Received: 02/25/2026

Lic. # C11-0000171-LIC

Lic. # DCC-10003818

Type: Enhanced/Infused Preroll

Completed: 03/04/2026


2210 W Gaylord St

2210 W Gaylord St Long Beach, CA 90813

Sample Size: 13 units; Batch: 2,826 units

Batch#: MFLIJ260209-JF

Long Beach, CA 90813



Summary

Test	Date Tested	Result
Cannabinoids	02/27/2026	Pass
Moisture	02/27/2026	9.0% - Pass
Water Activity	02/26/2026	0.43 aw - Pass
Residual Solvents	03/03/2026	Pass
Microbials	03/03/2026	Pass
Mycotoxins	02/27/2026	Pass
Pesticides	02/27/2026	Pass
Heavy Metals	02/27/2026	Pass
Foreign Matter	02/26/2026	Pass

Cannabinoids

Pass

45.963%	ND	46.667%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Results	Results	Results
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.001	0.003	49.698	496.98	1615.19
Δ9-THC	0.003	0.009	2.378	23.78	77.29
Δ8-THC	0.004	0.012	ND	ND	ND
THCVa	0.001	0.003	0.156	1.56	5.07
THCV	0.001	0.003	ND	ND	ND
CBDa	0.001	0.003	ND	ND	ND
CBD	0.002	0.006	ND	ND	ND
CBN	0.001	0.003	ND	ND	ND
CBGa	0.001	0.003	0.647	6.47	21.03
CBG	0.002	0.007	ND	ND	ND
CBC	0.001	0.003	ND	ND	ND
Total THC			45.963	459.630	1493.800
Total CBD			ND	ND	ND
Total			52.879	528.79	1718.57

Notes:

Total THC = (THCa * 0.877) + Δ9-THC; Total CBD = (CBDa * 0.877) + CBD
 LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA, SOP 6.0, 16 CCR §5724 Microbial: qPCR, SOP 6.05, 16 CCR §5720 Foreign Material: SOP 2.02 16 CCR §5722, %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 §5717

9.0% Pass Moisture Content

0.43 aw Pass Water Activity
--



Rkeledj
Raquel Keledjian
Lab Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Trainwreck - WCC .65g Jefferey Infused 5 Pack

Lab ID: 260225-842-SMG-(2)-1

METRC Batch: 1A4060300009222000019255; METRC Sample: 1A4060300009223000463448

Sample ID: 2602PHS0333.1457

Produced: 02/25/2026

Distributor

Producer

Strain: Trainwreck

Collected: 02/25/2026

Shield Management Group, LLC

Shield Management Group, LLC

Matrix: Plant

Received: 02/25/2026

Lic. # C11-0000171-LIC

Lic. # DCC-10003818

Type: Enhanced/Infused Preroll

Completed: 03/04/2026

2210 W Gaylord St

2210 W Gaylord St Long Beach, CA 90813

Sample Size: 13 units; Batch: 2,826 units

Batch#: MFLIJ260209-JF

Long Beach, CA 90813

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	PPM	PPM	PPM	µg/g			PPM	PPM	PPM	µg/g	
Abamectin	0.027	0.080	0.100	ND	Pass	Fludioxonil	0.027	0.080	0.100	ND	Pass
Acephate	0.027	0.080	0.100	ND	Pass	Hexythiazox	0.027	0.080	0.100	ND	Pass
Acequinocyl	0.027	0.080	0.100	ND	Pass	Imazalil	0.027	0.080	0.027	ND	Pass
Acetamiprid	0.027	0.080	0.100	ND	Pass	Imidacloprid	0.027	0.080	5.000	ND	Pass
Aldicarb	0.027	0.080	0.027	ND	Pass	Kresoxim Methyl	0.027	0.080	0.100	ND	Pass
Azoxystrobin	0.027	0.080	0.100	ND	Pass	Malathion	0.027	0.080	0.500	ND	Pass
Bifenazate	0.027	0.080	0.100	ND	Pass	Metalaxyl	0.027	0.080	2.000	ND	Pass
Bifenthrin	0.027	0.080	3.000	ND	Pass	Methiocarb	0.027	0.080	0.027	ND	Pass
Boscalid	0.027	0.080	0.100	ND	Pass	Methomyl	0.027	0.080	1.000	ND	Pass
Captan	0.233	0.700	0.700	ND	Pass	Mevinphos	0.027	0.080	0.027	ND	Pass
Carbaryl	0.270	0.080	0.500	ND	Pass	Myclobutanil	0.027	0.080	0.100	ND	Pass
Carbofuran	0.027	0.080	0.027	ND	Pass	Naled	0.027	0.080	0.100	ND	Pass
Chlorantraniliprole	0.027	0.080	10.000	ND	Pass	Oxamyl	0.027	0.080	0.500	ND	Pass
Chlordane	0.027	0.080	0.027	ND	Pass	Pacllobutrazol	0.036	0.100	0.036	ND	Pass
Chlorfenapyr	0.027	0.040	0.027	ND	Pass	Parathion Methyl	0.027	0.040	0.027	ND	Pass
Chlorpyrifos	0.027	0.080	0.027	ND	Pass	Pentachloronitrobenzene	0.027	0.080	0.100	ND	Pass
Clofentezine	0.027	0.080	0.100	ND	Pass	Permethrin	0.027	0.080	0.500	ND	Pass
Coumaphos	0.027	0.080	0.027	ND	Pass	Phosmet	0.027	0.080	0.100	ND	Pass
Cyfluthrin	0.303	0.909	2.000	ND	Pass	Piperonyl Butoxide	0.027	0.080	3.000	ND	Pass
Cypermethrin	0.027	0.080	1.000	ND	Pass	Prallethrin	0.027	0.080	0.100	ND	Pass
Daminozide	0.027	0.080	0.027	ND	Pass	Propiconazole	0.027	0.080	0.100	ND	Pass
Diazinon	0.027	0.080	0.100	ND	Pass	Propoxur	0.027	0.080	0.027	ND	Pass
Dichlorvos	0.027	0.080	0.027	ND	Pass	Pyrethrins	0.027	0.080	0.500	ND	Pass
Dimethoate	0.027	0.080	0.027	ND	Pass	Pyridaben	0.027	0.080	0.100	ND	Pass
Dimethomorph	0.027	0.080	2.000	ND	Pass	Spinetoram	0.027	0.080	0.100	ND	Pass
Ethoprophos	0.027	0.080	0.027	ND	Pass	Spinosad	0.027	0.080	0.100	ND	Pass
Etofenprox	0.027	0.080	0.027	ND	Pass	Spiromesifen	0.027	0.080	0.100	ND	Pass
Etoxazole	0.027	0.080	0.100	ND	Pass	Spirotetramat	0.027	0.080	0.100	ND	Pass
Fenhexamid	0.027	0.080	0.100	ND	Pass	Spiroxamine	0.027	0.080	0.027	ND	Pass
Fenoxycarb	0.027	0.080	0.027	ND	Pass	Tebuconazole	0.027	0.080	0.100	ND	Pass
Fenpyroximate	0.027	0.080	0.100	ND	Pass	Thiacloprid	0.027	0.080	0.027	ND	Pass
Fipronil	0.027	0.080	0.027	ND	Pass	Thiamethoxam	0.027	0.080	5.000	ND	Pass
Fonicamid	0.027	0.080	0.100	ND	Pass	Trifloxystrobin	0.027	0.080	0.100	ND	Pass

Date Tested: 02/27/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticide detection is determined by LCMS & GCMS, SOP 6.03 & 6.04, 16 CCR § 5719.



Rkeledj

Raquel Keledjian
Lab Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Trainwreck - WCC .65g Jefferey Infused 5 Pack

Lab ID: 260225-842-SMG-(2)-1

METRC Batch: 1A4060300009222000019255; METRC Sample: 1A4060300009223000463448

Sample ID: 2602PHS0333.1457

Produced: 02/25/2026

Distributor

Producer

Strain: Trainwreck

Collected: 02/25/2026

Shield Management Group, LLC

Shield Management Group, LLC

Matrix: Plant

Received: 02/25/2026

Lic. # C11-0000171-LIC

Lic. # DCC-10003818

Type: Enhanced/Infused Preroll

Completed: 03/04/2026

2210 W Gaylord St

2210 W Gaylord St Long Beach, CA 90813

Sample Size: 13 units; Batch: 2,826 units

Batch#: MFLIJ260209-JF

Long Beach, CA 90813

Microbials

Pass

Analyte	Results	Status	Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass	Aspergillus terreus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass	E. Coli	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass	Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 03/03/2026

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by qPCR, SOP 6.05, 16 CCR 5720

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.33	4.0	4	ND	Pass
B2	1.33	4.1	4	ND	Pass
G1	1.33	4.0	4	ND	Pass
G2	1.33	4.3	4	ND	Pass
Total Aflatoxins	5.33	16.4	20	ND	Pass
Ochratoxin A	6.66	20	20	ND	Pass

Date Tested: 02/27/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by LCMS, SOP 6.03 & 6.04, 16 CCR 5721

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0167	0.05	0.2	< LOQ	Pass
Cadmium	0.0167	0.05	0.2	ND	Pass
Lead	0.0167	0.05	0.5	0.09	Pass
Mercury	0.0167	0.05	0.1	ND	Pass

Date Tested: 02/27/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by ICPMS SOP 6.06, 16 CCR § 5723



Rkeledj

Raquel Keledjian
Lab Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Trainwreck - WCC .65g Jefferey Infused 5 Pack

Lab ID: 260225-842-SMG-(2)-1

METRC Batch: 1A4060300009222000019255; METRC Sample: 1A4060300009223000463448

Sample ID: 2602PHS0333.1457

Produced: 02/25/2026

Distributor

Producer

Strain: Trainwreck

Collected: 02/25/2026

Shield Management Group, LLC

Shield Management Group, LLC

Matrix: Plant

Received: 02/25/2026

Lic. # C11-0000171-LIC

Lic. # DCC-10003818

Type: Enhanced/Infused Preroll

Completed: 03/04/2026

2210 W Gaylord St

2210 W Gaylord St Long Beach, CA 90813

Sample Size: 13 units; Batch: 2,826 units

Batch#: MFLIJ260209-JF

Long Beach, CA 90813

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.33	1	1	ND	Pass
Acetone	0.33	1	5000	141.59	Pass
Acetonitrile	0.33	1	410	5.92	Pass
Benzene	0.33	1	1	ND	Pass
Butane	0.33	1	5000	4.36	Pass
Chloroform	0.33	1	1	ND	Pass
Ethanol	0.33	1	5000	ND	Pass
Ethyl-Acetate	0.33	1	5000	ND	Pass
Ethyl-Ether	0.33	1	5000	ND	Pass
Ethylene Oxide	0.33	1	1	ND	Pass
Heptane	0.33	1	5000	ND	Pass
Isopropanol	0.33	1	5000	12.92	Pass
Methanol	0.33	1	3000	ND	Pass
Methylene-Chloride	0.33	1	1	ND	Pass
n-Hexane	0.33	1	290	<LOQ	Pass
Pentane	0.33	1	5000	ND	Pass
Propane	0.33	1	5000	ND	Pass
Toluene	0.33	1	890	ND	Pass
Trichloroethene	0.33	1	1	ND	Pass
Xylenes	0.33	1	2170	ND	Pass

pH SOLUTIONS

Date Tested: 03/03/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by GCMS, SOP 6.01 CCR §5718



Rkeledj

Raquel Keledjian
Lab Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 16 CCR sec. 5730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Trainwreck - WCC .65g Jefferey Infused 5 Pack

METRC Sample: 1A4060300009223000463448; METRC Batch: 1A4060300009222000019255

Sample ID: 2602PHS0333.1457	Produced: 02/25/2026	Distributor	Producer
Strain: Trainwreck	Collected: 02/25/2026	Shield Management Group, LLC	Shield Management Group, LLC
Matrix: Plant	Received: 02/25/2026	Lic. # C11-0000171-LIC	Lic. # DCC-10003818
Type: Enhanced/Infused Preroll	Completed: 03/04/2026	2210 W Gaylord St	2210 W Gaylord St Long Beach, CA 90813
Sample Size: 13 units; Batch: 2,826 units	Batch#: MFLIJ260209-JF	Long Beach, CA 90813	

Additional Package Sizes

Cannabinoids Unit 1	Total THC	Total CBD	Total Cannabinoids	
unit = .65 g	298.76 mg/unit	ND	303.34 mg/unit	Completed
1 unit(s) per serving	298.76 mg/serving	ND	303.34 mg/serving	
5 serving(s) per package	1,493.80 mg/package	ND	1,516.69 mg/package	

unit(s) per serving
package

unit(s) per serving
package

unit(s) per serving
package



Rkeledj

Raquel Keledjian
Lab Director
03/04/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

