

Watermelon Agua Fresca - WCC .65g Jefferey Infused 5 Pack

Lab ID: 260414-842-SMG-1

METRC Batch: 1A4060300009222000019287; METRC Sample: 1A4060300009223000463792

Sample ID: 2604PHS0656.2803

Produced: 04/13/2026

Distributor

Producer

Strain: Watermelon Agua Fresca

Collected: 04/14/2026

Shield Management Group, LLC

Shield Management Group, LLC

Matrix: Plant

Received: 04/14/2026

Lic. # C11-0000171-LIC

Lic. # DCC-10003818

Type: Enhanced/Infused Preroll

Completed: 04/17/2026

2210 W Gaylord St

2210 W Gaylord St Long Beach, CA 90813

Sample Size: 13 units; Batch: 2,722 units

Batch#: MFLIJ260241-JF

Long Beach, CA 90813



Summary

Test	Date Tested	Result
Cannabinoids	04/16/2026	Pass
Moisture	04/15/2026	10.5% - Pass
Water Activity	04/15/2026	0.52 aw - Pass
Residual Solvents	04/17/2026	Pass
Microbials	04/17/2026	Pass
Mycotoxins	04/17/2026	Pass
Pesticides	04/17/2026	Pass
Heavy Metals	04/15/2026	Pass
Foreign Matter	04/16/2026	Pass

Cannabinoids

Pass

45.093%	ND	45.789%
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Results	Results	Results
	mg/g	mg/g	%	mg/g	mg/unit
THCa	0.001	0.003	47.186	471.86	1533.55
Δ9-THC	0.003	0.009	3.711	37.11	120.61
Δ8-THC	0.004	0.012	ND	ND	ND
THCVa	0.001	0.003	0.207	2.07	6.73
THCV	0.001	0.003	ND	ND	ND
CBDa	0.001	0.003	ND	ND	ND
CBD	0.002	0.006	ND	ND	ND
CBN	0.001	0.003	ND	ND	ND
CBGa	0.001	0.003	0.586	5.86	19.05
CBG	0.002	0.007	ND	ND	ND
CBC	0.001	0.003	ND	ND	ND
Total THC			45.093	450.930	1465.530
Total CBD			ND	ND	ND
Total			51.690	516.90	1679.93

Notes:

Total THC=(THCa*0.877)+D9THC+D8THC Total CBD=(CBDA*0.877) + CBD Total Cannabinoids=Total THC+ Total CBD+(CBGa*0.877)+CBG+(THCVa*0.877)+THCV+CBN+CBC
LOQ=Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Cannabinoids: UHPLC, PDA SOP 6.0 4 CCR 15724, SOP 6.12 for flower and pre-rolls. Microbial qPCR SOP 6.05 4 CCR 15720 Foreign Material: SOP 2.02 4 CCR 15722 %H2O and WA: Moisture Balance, Rotronic, SOP 6.07 4 CCR 15717.

10.5%
Pass
Moisture Content

0.52 aw
Pass
Water Activity



Rkeledj
Raquel Keledjian
Lab Director
04/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Watermelon Agua Fresca - WCC .65g Jefferey Infused 5 Pack

Lab ID: 260414-842-SMG-1

METRC Batch: 1A4060300009222000019287; METRC Sample: 1A4060300009223000463792

Sample ID: 2604PHS0656.2803

Produced: 04/13/2026

Distributor

Producer

Strain: Watermelon Agua Fresca

Collected: 04/14/2026

Shield Management Group, LLC

Shield Management Group, LLC

Matrix: Plant

Received: 04/14/2026

Lic. # C11-0000171-LIC

Lic. # DCC-10003818

Type: Enhanced/Infused Preroll

Completed: 04/17/2026

2210 W Gaylord St

2210 W Gaylord St Long Beach, CA 90813

Sample Size: 13 units; Batch: 2,722 units

Batch#: MFLIJ260241-JF

Long Beach, CA 90813

Pesticides

Pass

Analyte	LOD	LOQ	Limit	Results	Status	Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.027	0.080	0.100	ND	Pass	Fludioxonil	0.027	0.080	0.100	ND	Pass
Acephate	0.027	0.080	0.100	ND	Pass	Hexythiazox	0.027	0.080	0.100	ND	Pass
Acequinocyl	0.027	0.080	0.100	ND	Pass	Imazalil	0.027	0.080	0.027	ND	Pass
Acetamiprid	0.027	0.080	0.100	ND	Pass	Imidacloprid	0.027	0.080	5.000	ND	Pass
Aldicarb	0.027	0.080	0.027	ND	Pass	Kresoxim Methyl	0.027	0.080	0.100	ND	Pass
Azoxystrobin	0.027	0.080	0.100	ND	Pass	Malathion	0.027	0.080	0.500	ND	Pass
Bifenazate	0.027	0.080	0.100	ND	Pass	Metalaxyl	0.027	0.080	2.000	ND	Pass
Bifenthrin	0.027	0.080	3.000	ND	Pass	Methiocarb	0.027	0.080	0.027	ND	Pass
Boscalid	0.027	0.080	0.100	ND	Pass	Methomyl	0.027	0.080	1.000	ND	Pass
Captan	0.233	0.700	0.700	ND	Pass	Mevinphos	0.027	0.080	0.027	ND	Pass
Carbaryl	0.270	0.080	0.500	ND	Pass	Myclobutanil	0.027	0.080	0.100	ND	Pass
Carbofuran	0.027	0.080	0.027	ND	Pass	Naled	0.027	0.080	0.100	ND	Pass
Chlorantraniliprole	0.027	0.080	10.000	ND	Pass	Oxamyl	0.027	0.080	0.500	ND	Pass
Chlordane	0.027	0.080	0.027	ND	Pass	Pacllobutrazol	0.036	0.100	0.036	ND	Pass
Chlorfenapyr	0.027	0.040	0.027	ND	Pass	Parathion Methyl	0.027	0.040	0.027	ND	Pass
Chlorpyrifos	0.027	0.080	0.027	ND	Pass	Pentachloronitrobenzene	0.027	0.080	0.100	ND	Pass
Clofentezine	0.027	0.080	0.100	ND	Pass	Permethrin	0.027	0.080	0.500	ND	Pass
Coumaphos	0.027	0.080	0.027	ND	Pass	Phosmet	0.027	0.080	0.100	ND	Pass
Cyfluthrin	0.303	0.909	2.000	ND	Pass	Piperonyl Butoxide	0.027	0.080	3.000	ND	Pass
Cypermethrin	0.027	0.080	1.000	ND	Pass	Prallethrin	0.027	0.080	0.100	ND	Pass
Daminozide	0.027	0.080	0.027	ND	Pass	Propiconazole	0.027	0.080	0.100	ND	Pass
Diazinon	0.027	0.080	0.100	ND	Pass	Propoxur	0.027	0.080	0.027	ND	Pass
Dichlorvos	0.027	0.080	0.027	ND	Pass	Pyrethrins	0.027	0.080	0.500	ND	Pass
Dimethoate	0.027	0.080	0.027	ND	Pass	Pyridaben	0.027	0.080	0.100	ND	Pass
Dimethomorph	0.027	0.080	2.000	ND	Pass	Spinetoram	0.027	0.080	0.100	ND	Pass
Ethoprophos	0.027	0.080	0.027	ND	Pass	Spinosad	0.027	0.080	0.100	ND	Pass
Etofenprox	0.027	0.080	0.027	ND	Pass	Spiromesifen	0.027	0.080	0.100	ND	Pass
Etoxazole	0.027	0.080	0.100	ND	Pass	Spirotetramat	0.027	0.080	0.100	ND	Pass
Fenhexamid	0.027	0.080	0.100	ND	Pass	Spiroxamine	0.027	0.080	0.027	ND	Pass
Fenoxycarb	0.027	0.080	0.027	ND	Pass	Tebuconazole	0.027	0.080	0.100	ND	Pass
Fenpyroximate	0.027	0.080	0.100	ND	Pass	Thiacloprid	0.027	0.080	0.027	ND	Pass
Fipronil	0.027	0.080	0.027	ND	Pass	Thiamethoxam	0.027	0.080	5.000	ND	Pass
Fonicamid	0.027	0.080	0.100	ND	Pass	Trifloxystrobin	0.027	0.080	0.100	ND	Pass

Date Tested: 04/17/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Pesticide detection is determined by LCMS & GCMS, SOP 6.03 & 6.04, 4 CCR § 15719.



Rkeledjian

Raquel Keledjian
Lab Director
04/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Watermelon Agua Fresca - WCC .65g Jefferey Infused 5 Pack

Lab ID: 260414-842-SMG-1

METRC Batch: 1A4060300009222000019287; METRC Sample: 1A4060300009223000463792

Sample ID: 2604PHS0656.2803

Produced: 04/13/2026

Distributor

Producer

Strain: Watermelon Agua Fresca

Collected: 04/14/2026

Shield Management Group, LLC

Shield Management Group, LLC

Matrix: Plant

Received: 04/14/2026

Lic. # C11-0000171-LIC

Lic. # DCC-10003818

Type: Enhanced/Infused Preroll

Completed: 04/17/2026

2210 W Gaylord St

2210 W Gaylord St Long Beach, CA 90813

Sample Size: 13 units; Batch: 2,722 units

Batch#: MFLIJ260241-JF

Long Beach, CA 90813

Microbials

Pass

Analyte	Results	Status	Analyte	Results	Status
Aspergillus flavus	Not Detected in 1g	Pass	Aspergillus terreus	Not Detected in 1g	Pass
Aspergillus fumigatus	Not Detected in 1g	Pass	E. Coli	Not Detected in 1g	Pass
Aspergillus niger	Not Detected in 1g	Pass	Salmonella SPP	Not Detected in 1g	Pass

Date Tested: 04/17/2026

LOQ = Limit of Quantitation; TNC = Too Numerous to Count; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by qPCR, SOP 6.05, 4 CCR §15720

Mycotoxins

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/kg	µg/kg	µg/kg	µg/kg	
B1	1.33	4.0	4	ND	Pass
B2	1.33	4.1	4	ND	Pass
G1	1.33	4.0	4	ND	Pass
G2	1.33	4.3	4	ND	Pass
Total Aflatoxins	5.33	16.4	20	ND	Pass
Ochratoxin A	6.66	20	20	ND	Pass

Date Tested: 04/17/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by LCMS, SOP 6.03 & 6.04, 4 CCR §15721

Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
Arsenic	0.0167	0.05	0.2	ND	Pass
Cadmium	0.0167	0.05	0.2	<LOQ	Pass
Lead	0.0167	0.05	0.5	<LOQ	Pass
Mercury	0.0167	0.05	0.1	ND	Pass

Date Tested: 04/15/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by ICPMS SOP 6.06, 4 CCR § 15723



Rkeledj
Raquel Keledjian
Lab Director
04/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Watermelon Agua Fresca - WCC .65g Jefferey Infused 5 Pack

Lab ID: 260414-842-SMG-1

METRC Batch: 1A4060300009222000019287; METRC Sample: 1A4060300009223000463792

Sample ID: 2604PHS0656.2803

Produced: 04/13/2026

Distributor

Producer

Strain: Watermelon Agua Fresca

Collected: 04/14/2026

Shield Management Group, LLC

Shield Management Group, LLC

Matrix: Plant

Received: 04/14/2026

Lic. # C11-0000171-LIC

Lic. # DCC-10003818

Type: Enhanced/Infused Preroll

Completed: 04/17/2026

2210 W Gaylord St

2210 W Gaylord St Long Beach, CA 90813

Sample Size: 13 units; Batch: 2,722 units

Batch#: MFLIJ260241-JF

Long Beach, CA 90813

Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Results	Status
	µg/g	µg/g	µg/g	µg/g	
1,2-Dichloro-Ethane	0.33	1	1	ND	Pass
Acetone	0.33	1	5000	1.10	Pass
Acetonitrile	0.33	1	410	6.40	Pass
Benzene	0.33	1	1	ND	Pass
Butane	0.33	1	5000	ND	Pass
Chloroform	0.33	1	1	ND	Pass
Ethanol	0.33	1	5000	ND	Pass
Ethyl-Acetate	0.33	1	5000	2.32	Pass
Ethyl-Ether	0.33	1	5000	ND	Pass
Ethylene Oxide	0.33	1	1	ND	Pass
Heptane	0.33	1	5000	ND	Pass
Isopropanol	0.33	1	5000	15.65	Pass
Methanol	0.33	1	3000	ND	Pass
Methylene-Chloride	0.33	1	1	ND	Pass
n-Hexane	0.33	1	290	<LOQ	Pass
Pentane	0.33	1	5000	9.71	Pass
Propane	0.33	1	5000	<LOQ	Pass
Toluene	0.33	1	890	ND	Pass
Trichloroethene	0.33	1	1	ND	Pass
Xylenes	0.33	1	2170	ND	Pass

pH SOLUTIONS

Date Tested: 04/17/2026

LOQ = Limit of Quantitation; The reported result is based on a sample weight with the applicable moisture content for that sample; Unless otherwise stated all quality control samples performed within specifications established by the Laboratory. Analyzed by GCMS, SOP 6.02, 4 CCR §15718



Rkeledj

Raquel Keledjian
Lab Director
04/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com



Attest all LQC samples performed and met in accordance with 4 CCR 15730. This product has been tested by PH Solutions using valid testing methodologies and a quality system as required by state law. Values reported relate only to the product tested. PH Solutions makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of PH Solutions. Certified by Lab Director Dr. Raquel Keledjian

Watermelon Agua Fresca - WCC .65g Jefferey Infused 5 Pack

METRC Sample: 1A4060300009223000463792; METRC Batch: 1A4060300009222000019287

Sample ID: 2604PHS0656.2803	Produced: 04/13/2026	Distributor	Producer
Strain: Watermelon Agua Fresca	Collected: 04/14/2026	Shield Management Group, LLC	Shield Management Group, LLC
Matrix: Plant	Received: 04/14/2026	Lic. # C11-0000171-LIC	Lic. # DCC-10003818
Type: Enhanced/Infused Preroll	Completed: 04/17/2026	2210 W Gaylord St	2210 W Gaylord St Long Beach, CA 90813
Sample Size: 13 units; Batch: 2,722 units	Batch#: MFLIJ260241-JF	Long Beach, CA 90813	

Additional Package Sizes

Cannabinoids Unit 1	Total THC	Total CBD	Total Cannabinoids	
unit = 0.65 g	293.11 mg/unit	ND	297.63 mg/unit	Completed
1 unit(s) per serving	293.11 mg/serving	ND	297.63 mg/serving	
5 serving(s) per package	1,465.53 mg/package	ND	1,488.13 mg/package	

unit(s) per serving
package

unit(s) per serving
package

unit(s) per serving
package



Rkeledj
Raquel Keledjian
Lab Director
04/17/2026

Confident LIMS
All Rights Reserved
coa.support@confidentlims.com
(866) 506-5866
www.confidentlims.com

