



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

## Straw Goo – WCC .5g Live Rosin Cartridge

METRC Sample: 1A4060300009223000160404; METRC Batch: 1A4060300009222000008962

<b>Sample ID:</b> 2312EXL3028.11493	<b>Produced:</b>	<b>Distributor</b>	<b>Producer</b>
Strain: Straw Goo	Collected: 12/08/2023	<b>Shield Management Group</b>	<b>Shield Management Group</b>
Matrix: Concentrates & Extracts	Received: 12/09/2023	Lic. # C11-0000171-LIC	Lic. # CDPH-10003818
Type: Vape	Completed: 12/19/2023	2210 W Gaylord St	2210 W Gaylord St Long Beach, CA 90813
Sample Size: 20 units; Batch: 555 units	Batch#: VCRO233025	Long Beach, CA 90813	



### Summary

Test	Date Tested	Result
Batch		Pass
Cannabinoids	12/13/2023	Complete
Foreign Matter	12/09/2023	Pass
Heavy Metals	12/12/2023	Pass
Microbials	12/11/2023	Pass
Mycotoxins	12/16/2023	Pass
GCMS Pesticides	12/19/2023	Pass
LCMS Pesticides	12/16/2023	Pass
Residual Solvents	12/13/2023	Pass

### Cannabinoids

Complete

<b>78.078%</b>	<b>0.174%</b>	<b>89.108%</b>
Total THC	Total CBD	Total Cannabinoids

Analyte	LOD	LOQ	Result	Result	Result	Result
	mg/g	mg/g	%	mg/g	mg/serving	mg/package
CBC	0.125	0.250	1.3264	13.264	6.632	6.632
CBD	0.125	0.250	0.1741	1.741	0.870	0.870
CBDa	0.125	0.250	ND	ND	ND	ND
CBDV	0.125	1.000	ND	ND	ND	ND
CBG	0.125	0.500	3.5305	35.305	17.652	17.652
CBGa	0.125	0.250	ND	ND	ND	ND
CBN	0.125	0.250	0.2217	2.217	1.109	1.109
Δ8-THC	0.125	0.500	ND	ND	ND	ND
Δ9-THC	0.125	0.500	78.0780	780.780	390.390	390.390
THCa	0.250	0.500	ND	ND	ND	ND
THCV	0.250	0.500	5.7774	57.774	28.887	28.887
<b>Total THC</b>			<b>78.078</b>	<b>780.780</b>	<b>390.390</b>	<b>390.390</b>
<b>Total CBD</b>			<b>0.174</b>	<b>1.741</b>	<b>0.870</b>	<b>0.870</b>
<b>Total CBG</b>			<b>3.530</b>	<b>35.305</b>	<b>17.652</b>	<b>17.652</b>
<b>Total</b>			<b>89.108</b>	<b>891.081</b>	<b>445.540</b>	<b>445.540</b>

Date Tested: 12/13/2023

Total THC = THCa \* 0.877 + Δ9-THC; Total CBD = CBDa \* 0.877 + CBD; Total CBG = CBGa \* 0.877 + CBG.

Total Cannabinoids = Total THC + Total CBD + Total CBG + minor cannabinoids.

Cannabinoids: HPLC, CAN-SOP-001

Water Activity: Water Activity Meter, WA-SOP-001

Moisture Content: Moisture Analyzer, MO-SOP-001

Foreign Matter: Visual Inspection, FM-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
12/19/2023

Bryan Zahakaylo  
Analyst  
12/19/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

## Straw Goo – WCC .5g Live Rosin Cartridge

METRC Sample: 1A4060300009223000160404; METRC Batch: 1A4060300009222000008962

<b>Sample ID:</b> 2312EXL3028.11493	<b>Produced:</b>	<b>Distributor:</b>	<b>Producer:</b>
Strain: Straw Goo	Collected: 12/08/2023	<b>Shield Management Group</b>	<b>Shield Management Group</b>
Matrix: Concentrates & Extracts	Received: 12/09/2023	Lic. # C11-0000171-LIC	Lic. # CDPH-10003818
Type: Vape	Completed: 12/19/2023	2210 W Gaylord St	2210 W Gaylord St Long Beach, CA 90813
Sample Size: 20 units; Batch: 555 units	Batch#: VCRO233025	Long Beach, CA 90813	

### GC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g	
Captan	0.231	0.7	0.7	ND	Pass
Chlordane (trans + cis)	0.0116	0.035	0.0116	ND	Pass
Chlorfenapyr	0.0058	0.0175	0.0058	ND	Pass
Cyfluthrin	0.0231	0.07	2	ND	Pass
Cypermethrin	0.0231	0.07	1	ND	Pass
Parathion Methyl	0.0058	0.0175	0.0058	ND	Pass
Pentachloronitrobenzene (Quintozene)	0.0231	0.07	0.1	ND	Pass

### Mycotoxins

Pass

Analytes	LOD	LOQ	Limit	Conc.	Status
	PPB	PPB	PPB	PPB	
Aflatoxin B1	1.7000	5.0000		ND	Tested
Aflatoxin B2	1.7000	5.0000		ND	Tested
Aflatoxin G1	1.7000	5.0000		ND	Tested
Aflatoxin G2	1.7000	5.0000		ND	Tested
Ochratoxin A	6.6000	20.0000	20	ND	Pass
Total Aflatoxins			20	ND	Pass

### Microbials

Pass

Analyte	Limit	Detected / Not Detected	Status
	RFU/g	RFU/g	
Aspergillus flavus	0	Not Detected	Pass
Aspergillus fumigatus	0	Not Detected	Pass
Aspergillus niger	0	Not Detected	Pass
Aspergillus terreus	0	Not Detected	Pass
Shiga toxin-producing E. Coli	0	Not Detected	Pass
Salmonella SPP	0	Not Detected	Pass

### Heavy Metals

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	PPM	PPM	PPM	PPM	
Arsenic	0.0165	0.05	0.2	ND	Pass
Cadmium	0.0165	0.05	0.2	ND	Pass
Lead	0.0413	0.125	0.5	ND	Pass
Mercury	0.0033	0.01	0.1	<LOQ	Pass

GCMS Date Tested: 12/19/2023  
Pesticides: GC-MS/MS, GCMS Method GCP-SOP-001  
LCMS Date Tested: 12/16/2023  
Mycotoxins Footnote: Mycotoxins: LC-MS/MS, LCMS Method LCP-SOP-001  
Microbial Date Tested: 12/11/2023  
Microbials Footnote: Microbial: PCR-SOP-001  
RFU = Relative Fluorescence Units  
Heavy Metals Date Tested: 12/12/2023  
Heavy Metals: Heavy Metals: ICP-MS, HM-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
12/19/2023

Bryan Zahakaylo  
Analyst  
12/19/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-000059-LIC

## Straw Goo - WCC .5g Live Rosin Cartridge


METRC Sample: 1A4060300009223000160404; METRC Batch: 1A4060300009222000008962

<b>Sample ID:</b> 2312EXL3028.11493	<b>Produced:</b>	<b>Distributor</b>	<b>Producer</b>
Strain: Straw Goo	Collected: 12/08/2023	<b>Shield Management Group</b>	<b>Shield Management Group</b>
Matrix: Concentrates & Extracts	Received: 12/09/2023	Lic. # C11-0000171-LIC	Lic. # CDPH-10003818
Type: Vape	Completed: 12/19/2023	2210 W Gaylord St	2210 W Gaylord St Long Beach, CA 90813
Sample Size: 20 units; Batch: 555 units	Batch#: VCRO233025	Long Beach, CA 90813	

### LC Pesticides

Pass

Analyte	LOD	LOQ	Limit	Mass	Status	Analyte	LOD	LOQ	Limit	Mass	Status
	µg/g	µg/g	µg/g	µg/g			µg/g	µg/g	µg/g	µg/g	
Abamectin	0.033	0.1	0.1	ND	Pass	Imazalil	0.033	0.1	0.033	ND	Pass
Acephate	0.033	0.1	0.1	ND	Pass	Imidacloprid	0.033	0.1	5	ND	Pass
Acequinocyl	0.033	0.1	0.1	ND	Pass	Kresoxim Methyl	0.033	0.1	0.1	ND	Pass
Acetamiprid	0.033	0.1	0.1	ND	Pass	Malathion	0.033	0.1	0.5	ND	Pass
Aldicarb	0.033	0.1	0.033	ND	Pass	Metalaxyl	0.033	0.1	2	ND	Pass
Azoxystrobin	0.033	0.1	0.1	ND	Pass	Methiocarb	0.033	0.1	0.033	ND	Pass
Bifenazate	0.033	0.1	0.1	ND	Pass	Methomyl	0.033	0.1	1	ND	Pass
Bifenthrin	0.033	0.1	3	ND	Pass	Mevinphos	0.033	0.1	0.033	ND	Pass
Boscalid	0.033	0.1	0.1	ND	Pass	Myclobutanil	0.033	0.1	0.1	ND	Pass
Carbaryl	0.033	0.1	0.5	ND	Pass	Naled	0.033	0.1	0.1	ND	Pass
Carbofuran	0.033	0.1	0.033	ND	Pass	Oxamyl	0.033	0.1	0.5	ND	Pass
Chlorantraniliprole	0.033	0.1	10	ND	Pass	Pacllobutrazol	0.033	0.1	0.033	ND	Pass
Chlorpyrifos	0.033	0.1	0.033	ND	Pass	Permethrin (trans + cis)	0.033	0.1	0.5	ND	Pass
Clofentezine	0.033	0.1	0.1	ND	Pass	Phosmet	0.033	0.1	0.1	ND	Pass
Coumaphos	0.033	0.1	0.033	ND	Pass	Piperonyl Butoxide	0.033	0.1	3	ND	Pass
Daminozide	0.033	0.1	0.033	ND	Pass	Prallethrin	0.033	0.1	0.1	ND	Pass
Diazinon	0.1	0.1	0.1	ND	Pass	Propiconazole	0.033	0.1	0.1	ND	Pass
Dichlorvos	0.033	0.1	0.033	ND	Pass	Propoxur	0.033	0.1	0.033	ND	Pass
Dimethoate	0.033	0.1	0.033	ND	Pass	Pyrethrins (Cinerin + Jasmolin + Pyrethrin)	0.0133	0.04	0.5	ND	Pass
Dimethomorph (I + II)	0.033	0.1	2	ND	Pass	Pyridaben	0.033	0.1	0.1	ND	Pass
Ethoprophos	0.033	0.1	0.033	ND	Pass	Spinetoram (J + L)	0.033	0.1	0.1	ND	Pass
Etofenprox	0.033	0.1	0.033	ND	Pass	Spinosyn (A + D)	0.033	0.1	0.1	ND	Pass
Etoazole	0.033	0.1	0.1	ND	Pass	Spiromesifen	0.033	0.1	0.1	ND	Pass
Fenhexamid	0.033	0.1	0.1	ND	Pass	Spirotetramat	0.033	0.1	0.1	ND	Pass
Fenoxycarb	0.033	0.1	0.033	ND	Pass	Spiroxamine	0.033	0.1	0.033	ND	Pass
Fenpyroximate	0.033	0.1	0.1	ND	Pass	Tebuconazole	0.033	0.1	0.1	ND	Pass
Fipronil	0.033	0.1	0.033	ND	Pass	Thiacloprid	0.033	0.1	0.033	ND	Pass
Flonicamid	0.033	0.1	0.1	ND	Pass	Thiamethoxam	0.033	0.1	5	ND	Pass
Fludioxonil	0.033	0.1	0.1	ND	Pass	Trifloxystrobin	0.033	0.1	0.1	ND	Pass
Hexythiazox	0.033	0.1	0.1	ND	Pass						



LCMS Date Tested: 12/16/2023  
Pesticides: LC-MS/MS. LCMS Method LCP-SOP-001



*Dr. Jerry White PhD* *Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
12/19/2023

Bryan Zahakaylo  
Analyst  
12/19/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.



Excelbis Labs  
1920 E Warner Avenue  
Santa Ana, CA 92705

(714) 340-7099  
http://excelbislabs.com  
Lic# C8-0000059-LIC

## Straw Goo – WCC .5g Live Rosin Cartridge

METRC Sample: 1A4060300009223000160404; METRC Batch: 1A4060300009222000008962

<b>Sample ID:</b> 2312EXL3028.11493	<b>Produced:</b>	<b>Distributor</b>	<b>Producer</b>
Strain: Straw Goo	Collected: 12/08/2023	<b>Shield Management Group</b>	<b>Shield Management Group</b>
Matrix: Concentrates & Extracts	Received: 12/09/2023	Lic. # C11-0000171-LIC	Lic. # CDPH-10003818
Type: Vape	Completed: 12/19/2023	2210 W Gaylord St	2210 W Gaylord St Long Beach, CA 90813
Sample Size: 20 units; Batch: 555 units	Batch#: VCRO233025	Long Beach, CA 90813	

### Residual Solvents

Pass

Analyte	LOD	LOQ	Limit	Conc.	Status
	µg/g	µg/g	µg/g	µg/g	
Acetone	15.4688	46.875	5000	ND	Pass
Acetonitrile	15.4688	46.875	410	ND	Pass
Benzene	0.1547	0.4688	1	ND	Pass
Butane	15.4688	46.875	5000	ND	Pass
Chloroform	0.1547	0.4688	1	ND	Pass
1, 2-Dichloroethane	0.1547	0.4688	1	ND	Pass
Ethanol	15.4688	46.875	5000	ND	Pass
Ethyl Acetate	15.4688	46.875	5000	ND	Pass
Ethyl Ether	15.4688	46.875	5000	ND	Pass
Ethylene Oxide	0.1547	0.4688	1	ND	Pass
Heptane	15.4688	46.875	5000	ND	Pass
Hexane	15.4688	46.875	290	ND	Pass
Isopropyl Alcohol	15.4688	46.875	5000	ND	Pass
Methanol	15.4688	46.875	3000	ND	Pass
Methylene Chloride	0.1547	0.4688	1	ND	Pass
Pentane	15.4688	46.875	5000	ND	Pass
Propane	15.4688	46.875	5000	ND	Pass
Toluene	15.4688	46.875	890	ND	Pass
Total Xylenes (o, m, p)	46.4063	140.625	2170	ND	Pass
Trichloroethylene	0.1547	0.4688	1	ND	Pass



Date Tested: 12/13/2023  
Residual Solvents: HS-GC-MS RS Method RS-SOP-001



*Dr. Jerry White PhD Bryan Zahakaylo*

Jerry White, PhD  
Chief Scientific Officer  
12/19/2023

Bryan Zahakaylo  
Analyst  
12/19/2023

Confident Cannabis  
All Rights Reserved  
support@confidentcannabis.com  
(866) 506-5866  
www.confidentcannabis.com



ND = Not Detected, NR = Not Reported, LOD = Limit of Detection, LOQ = Limit of Quantitation. This product has been tested by Excelbis Labs LLC using valid testing methodologies and a quality system as required by state law. All LQC samples were performed and met the prescribed acceptance criteria in 16 CCR section 5730, pursuant to 16 CCR section 5726(e)(13). Values reported relate only to the product tested. Excelbis Labs LLC makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. This Certificate shall not be reproduced except in full, without the written approval of Excelbis Labs LLC.